

Key Word Index

The key word index is created directly and automatically from the submitted abstracts. Efforts have been made to make this index consistent; however, error from author entry contributes to inaccuracies. Abstract numbers preceded by an M are Monday posters, numbers preceded by a T are Tuesday posters, numbers preceded by a W are Wednesday posters; all other numbers indicate oral abstracts.

A

- AA digestibility, W264
abomasal digesta, M350
abomasum, M354, T299, 852
abortifacient, 445
abortion, M236, W44
ACACA gene, W62
academic performance, T398, T399
accelerated milk replacer, 802
acclimation, 78
accuracy, 533
ACE-inhibitory activity, 623
acetate, T322
acetic acid, 515
acid detergent lignin, 489
acid gelation, 731
acid insoluble ash, M265
acid tolerance, W83
acid-detergent insoluble ash, T101
acidification, M97, T73
acidosis, 289, 290
AC-Saltlander green wheatgrass, M67
acute phase proteins, 813
acute phase response, W38
AdaBoost, 609
adaptation, W8, 146
adaptive capacity, M187
additives, T283, W361
ADF, W114
adhesive ability, 47
adipocyte, W122, W123, 117
adipogenesis, 109, 117, 377
adipokines, T190, W196
adiponutrin, M202
adipose, M206
adipose tissue, T129, T349, 110, 113, 599
adipose tissue proteome, W77
adjustable fan, M104
admixed reference population, 467
admixture, 457
 β -adrenergic agonist, W180
adrenergic and glucocorticoid receptors, W132
adropin, T191
adsorbent, T33, W344
adult education, 732
aerobic stability, W109, 487
Afec Assaf, W390
aflatoxin, T33
aflatoxin B1, W344
aflatoxin M1, T86
African elephant, W18, 498
aged laying hens, W182
aggregation, 633
 β -agonist, T387
 β 2-agonist, T152
agonistic interactions, 798
agreement, 533
agribusiness, 119
agriculture, 319
agro-industrial by-product, 583
AI, 262
AI technician, 529
AI technique, W216
air emissions, 779
alcohols, W112
Alcopro, W158
alfalfa, T99, W118, W119, 490, 491
alfalfa hay, T105, W282, W310, 95
alfalfa silage, W112
algae, W337, 19, 759
algorithms, T49
alkaline treatment, 786, 791
alkaline-peroxide lignin, T101
alkaloids, 75
alpaca, W356
Alpine, M279
alternate milking recording scheme, 717
alternative dairy beverages, 169
alternative equations, 451
alternative forages, M359
alternative protein, 32
alternative splicing, 390
alum, W245
aluminum chloride, W245
ambient temperature, 807
amino acid, M55, M122, M123, M158, M160, M180, M272, M311, T270, W32, W133, W195, 422, 511, 514, 558, 661, 680, 863, 864
amino acid concentration, M264
amino acid digestibility, 506, 510
amino acid pattern, T323
 γ -aminobutyric acid, M61, 565
AminoGut, M182
ammonia, W244, W360, W377, 780
ammonia concentration, M364, W293
ammonia emission, 535
ammonia nitrogen, W268
ammonia volatilization, W243
amplitude, M100
amylase, W254
 α -amylase, 676
amylose to amylopectin ratio, W304, W312, 418
anaerobic digester, T239
anaerobic digestion, W249, 188, 782
anaerobically digested manure, 781
analgesia, W6, 819
analgesic, 696
analysis, T103
anatomy, M76
ancestor, T39
anesthesia, 822
anestrous ewes, M186
Angus, M20
animal breeding, 869
animal conservation, M43
animal density, 777
animal emotion, W7
animal genetic resource, M43
animal handling, M244
animal health, 252
animal husbandry, 477
animal model, T56
animal performance, T228
animal rights, T395
animal science, 435, 586, 868
animal sciences curricula, 694
animal tracking, W233, 392
animal welfare, M118, T4, W7, W14, W224, 21, 207, 319, 320, 588, 696, 819, 823

- animal welfare assessment, 320
 annatto, 80
 annual ryegrass, 830
 anthelmintic, T236, W385
 anthelmintic herb, W383
 anthelmintic resistance, W147
 anthropomorphism, 477
 antibiotic residues, T85
 antibiotic resistance gene, M235, 198
 antibiotics, T147, W375, 673, 674
 antibody, 313, 667
 antibody response, W145, 304
 anticarcinogenic, 84
 anti-GnRF vaccine, 826
 antimicrobial, W80, W81, 70, 479, 648
 antimicrobial activity, W113
 antimicrobial peptide, W160, 55
 antimicrobial resistance, T88, T89, 578
 anti-Müllerian hormone, 266
 antinutrients, T98
 antioxidant, M32, M44, M276, T289, 444, 585, 672, 762
 antioxidant activity, M64, 53
 antioxidant enzymes, W197
 antioxidative capacity, T167
 antiquality, W354
 antisense RNA, M34
 antral follicle count, T208, 520, 702
 apoptosis, W148
 apparent digestibility, M396, W269
 appetite-regulating hormones, 618
 apple bagasse, M365
 apple pomace, M65, W197
 archaea, T339
 arginine, M402, T174, W140, 180, 360, 500
 argon, 821
 arid environment, 296
 armyworm, W95
 artificial gastric system, W78
 artificial insemination, M243, T80, T194, W217, 31, 34, 341
 artificial neural networks, T48
 ashed feed, M106
 ASIP, 110
Aspergillus parasiticus, W344
 assessment, 206
 assisted reproductive technologies, 242
 atherogenicity, T388
 atherogenicity index, T364
 attitudes, W14
 Australian Japanese Black (Wagyu), W42
 autolysed yeast, W363
 automated feeder, W222
 automatic milking, W231, W241, 257
 automatic milking systems, W232
 autophagy, W128
 autumn calving, T325
 average daily gain, M252, M253, T212, T350
 aversion, 683
 Aviplus-S, W157
 Awassi, 682
- B**
- Bacillus* spp., W370
Bacillus subtilis, T164, T281, 55
Bacillus subtilis spores, T292
Bacillus toyoi, M16
 backfat thickness, M150
 backgrounding, 601, 705, 706
 bacteria, 307
 bacteria challenge, T18
 bacteria testing, 629
 bacterial diversity, T247
 bacterial removal, 73
 bacteriophage, T27, T28, T29
 Bactoscan, 629
 bagging, M113
 band castration, 826
 barley, M269
 barley forage, W111
 barley grain, T319
 barley silage, W109, W110
 barn design, 823, 824
 barriers, 866
 Bayes, 690
 Bayesian, 458, 707
 Bayesian inference, 456
 beadchip, 450
 beef, M4, M71, M142, M143, M145, M146, T125, T129, T220, T326, W41, W254, 147, 279, 610, 702
 beef breeding program, W65
 beef calves, 312
 beef cattle manure, W243
 beef cattle production, W242
 beef cow, M8, M38, M43, M120, M121, M243, M244, M256, M258, M265, M266, M268, T52, T92, T190, T201, T203, T205, T206, T207, T208, T218, T219, T227, T241, T248, T249, T252, T321, T334, T342, W2, W45, W48, W51, W66, W196, W239, W250, W260, W262, W263, W281, W290, W294, W295, W353, W375, 18, 25, 24, 109, 164, 166, 260, 262, 263, 265, 274, 281, 297, 339, 340, 355, 394, 405, 460, 462, 466, 468, 469, 538, 540, 541, 546, 549, 603, 611, 614, 699, 701, 789, 792, 794
 beef cow inventory, 299
 beef cows PGF, W219
 beef feedlot, 676
 beef finishing steers, 23
 beef heifer, T221, T226, T231, T307, W52, W218, 22, 261, 520, 521, 796
 beef heifer development, T233
 beef industry, 344
 beef meat, W43
 beef production, T195, 278, 592
 beef production systems, 600
 beef quality, W39
 Beef Quality Assurance, 345
 beef research, 296
 beef steers, 140, 141
 beef welfare, 826
 behavior, M221, W3, W5, W8, W11, W16, W17, W223, 206, 213, 298, 471, 616
 behavioral pattern, W231
 benchmark, W397, 579
 benzimidazole, T13
 bermudagrass, W96
 bermudagrass digestibility, T101, T102
 best use for milk, 639
 beta agonist, M149
 betaine, W125, W189, 269, 556
 BF, M39
 BHBA, M108
Bifidobacterium, T379
Bifidobacterium animalis ssp. *lactis*, W79
Bifidobacterium lactis, 636
 bile acids, T394
 bile duct, 740
 bioactive, 482, 485
 bioactive components, 483
 bioactive compounds, 576
 bioactive plant compounds, 578
 bioactive plant secondary compounds, 574, 577
 bioactives, 481
 bioactivity, 84
 bioavailability, M310, M311, W321
 bioavailability technique, T266
 biodiesel, M360, M398, M400, T240, T255, W290, W294
 bioenergetics, 475
 bioenergy, 356
 bioenergy economics, 357
 bioethics, 319, 321
 bio-ethics, 320
 biofilm, M49, M101
 biofuel, W302, 38, 759

biofuel by-products, W289
 biofuels crop residues, 335
 biogeochemistry, 76
 biohydrogenation, W309, W362, 179, 417, 749
 bioinformatics, M139, T263
 biomarker, M10, T2, 771
 biometrics, T130
 biophysics, 657
 biopolymers, 727
 biosecurity, 219
 biotransformation, T34
 birth, T381
 birth weight, M219, W399, 114, 379, 721, 815
 bismuth subsalicylate, W349
 bixin, M94
 bleaching, M94, M95, M96, 82
 blend, M175
 blended by-product pellets, 788
 block and bridle, 594
 blood, T202, T340, W54, W294, 110
 blood ammonia, W353
 blood biochemical parameters, T113
 blood Ca, 160
 blood differentials, 396
 blood flow, 408
 blood metabolite, M204, M308, W163
 blood oxygen, 581
 blood parameters, M64
 blood products, 510
 blood profiles, T23
 blood serum, T177
 blood test, 187
 blood urea nitrogen, M103
 blood-milk barrier, 667
 BMR, W99, W311
 BMR corn silage, W314
 body composition, M256, T349, W401, 115
 body condition score, M1, M27, 44, 143, 499, 711
 body growth, M63
 body length, 499
 body reserves, M187, T269
 body score, M302, T54
 body temperature, M104, T3, 807, 827
 body weight, M252, T4, T152, 406
 Boer, T335
 bone, T373, W126, 103, 138
 bone marker, T357
 bone marrow stromal cells, 103
 bone morphogenetic protein 15, W392
 bone strength, M166
Bos indicus, M34, M148, M262, M266, T209, W41
Bos indicus cattle, T53, 455
Bos indicus crosses, 222, 332
Bos taurus, T209
 botanical composition, M81
 bovine, M18, M84, M85, M86, M131, M137, M221, M329, T31, T126, W134, W223, 78, 266, 391
 bovine cell line, W26
 bovine endometrial cells, 848
 bovine glucose-6-phosphatase, W190
 bovine lactation, M136
 bovine leukosis, 234
 bovine mammary epithelial cell, M141, T272, T273, T323, W156, W188
 bovine mammary gland, 375
 bovine milk, T30
 bovine paratuberculosis, T35, T36
 bovine respiratory disease, M8, M12, M257, T123, W192, 209
 bovine rumen methanogens, W407
 bovine skeletal muscle, 60
 bovine spongiform, 50
 bovine viral diarrhea virus, 202, 304, 312
Brachiaria, T329
Brachiaria brizantha, M89, M90, W248
Brachiaria decumbens 'Basilisk', M91
 bradykinin, T200, 523
 Brangus, M33
 braquiaria, W251
 brassica, M69
 Braunvieh cattle, T50
 Brazil, M342
 Brazilian cuts, M148
 Brazilian semiarid, M361
 BRD, M264
 breed, M229, M376, W124
 breed size, T215
 breeding, T319, W60
 breeding soundness examinations, W53
 breeding value, T42, 715
 broader impacts, 732
 broiler, M163, M171, T29, T156, T172, W168, W170, W181, 139
 broiler chicken, M164, T168, T176, W77
 broodmares, 360
 brown midrib corn, W108
 brown midrib corn silage, W310, 95
 Brown Swiss, T42
 brucellosis, M237
 bruises, T8, T10
 buffalo, T55, 482
 buffalo breeds, 725
 buffalo calves, W3
 buffers, M327
 bulky feeds, 387
 bull, T343, W53, W215, 26, 845
 bull development, W40
 bull-calves, T354
 butter, T71
 butyrate, 93
 BVD, 222
 BVDV, 223
 BVDV challenge, 332
 by-product, M285, M360, M386, T234, T255, 380, 400
 by-product feeds, 337
 Bzw2, mammary epithelial cells, W152

C

Ca, W184
 Ca retention, W185
 Ca²⁺, 125
 caatinga, 429
 calcitonin, 767
 calcium, M106, W141, 132, 135, 136
 calcium salts of soybean oil, 800
 calf, M21, M289, M295, M299, M300, M314, M321, T12, T15, T17, T18, T82, T136, T352, T353, T362, W10, W121, W128, W132, W217, W222, 118, 180, 186, 201, 221, 277, 305, 307, 308, 310, 311, 532, 648, 805, 806, 807, 861, 862
 calf crop uniformity, 699
 calf defense patterns, 211
 calf growth, M220, 526
 calf health, 202
 calf nutrition, 283
 calf performance, W343
 calf removal, M243
 calf starter, T296, 200
 Calibrin-Z, W159
 calving, W13
 calving ease, M33, M37
 camel chymosin, 66
 camelina, W208, W303, 506
 cAMP and glucocorticoids, W190
 Canadian Holsteins, W62
 candidate gene, W66, 331, 719
 canine, 386, 479, 622
 cannabinoid receptor type 1, 748
 canola meal, T159, T304, W281, W317, 293
 canola meal (CM), W278
 canola oil, T146, W178
 canonical discriminant analysis, 452
 CaPO₄ supplementation, W183
 caprine, 429
 capstone experience, 596

captive bolt, T6
 carbohydrase, 134
 carbohydrate, T107, 362
 carbohydrate metabolism, 162
 carbon cycle, W248
 18-carbon fatty acids, T272, T273
 carbon footprint, T217, 318
 carboxymethylation, 53
 carcass, M45, M259, T124, T318, T347, T363, W64, W172, W285, 681
 carcass characteristics, M161, T150, 796
 carcass composition, M397, 470
 carcass fat estimation, 149
 carcass merit, 676
 carcass quality, 430, 700
 carcass quality and growth performance, M155
 carcass quality of pigs, 659
 carcass traits, M399, T331, T377, W169
 carcass weight prediction, 703
 carnitine, M321
 carnivore nutrition, 480
 β -carotene, W263
 casein, W89, W90, 637
 caseinomacropptide, M47
 Caspian horse, W207
 castrated male goat, T178
 castration, W6, 26
 cat, 61, 618
 cattle, M271, M310, T10, T14, T80, T130, T137, T180, T187, T188, T198, T202, T236, T238, T253, T310, W38, W47, W63, W64, W230, W247, W251, W350, 11, 33, 144, 145, 151, 215, 216, 217, 224, 254, 273, 280, 298, 314, 324, 325, 337, 345, 389, 398, 401, 402, 404, 410, 454, 474, 539, 543, 544, 593, 601, 680, 738, 769, 812, 813, 863
 cattle behavior, W1, W46
 cattle feed, 851
 causal inference, 58
 cell membrane permeability, T87
 cell proliferation, T273
 cell wall, T311
 cellular energy metabolism, 701
 censored data, M40
 centrifuge, W207
 cereal grains, W313, 337
 Certified Angus Beef, 606
 cGMP-PK1, W200
 CH₄ emissions, W236
 chain length, W88
 challenge, T390
 channel fat, T370
 characterization, 625
 Charolais cattle, W69
 Cheddar cheese, M99, T72, 80
 cheese, T61, T62, T67, W82, 67
 cheese color, M99
 cheese flavor, T64
 cheese reforming, 68
 chelated minerals, 275
 chemical composition, T324, W335, 498, 512
 chemical treatment, W92
 chemokine, 27
 chemotaxis, 737
 chestnut tannin extract, 23
 chewing behavior, W314
 chick, T169, T170
 chicken, 661
 chicken embryo, 101
 chickpeas, T160
 chicory, 574
 chilling rate, 747
 China, T85, T86
 Chinese herbs, W30
 Chinese Holstein, M238
 Chinese Holstein cows, W278
 chitosan, W260
 chlamydia, W26
 chlortetracycline, 107
 choline, W156
 chopped sugar cane, T327
 chromium, W163, 561
 chromium-methionine, M390, T377
 chronic wasting disease, 50
 CIDR, M186, T83, 25, 36, 263, 264, 265
 CIP, M49, M101
 circadian, M133, W153, 288
cis-9, M140, W154
 citrus pulp, T247, T358, W38, 790
 CLA, M144, M281, T63, T148, T282, T293, W153, 224, 369, 417, 749, 764, 766, 772
 cladistic, T59
 clay, M176
 clinical mastitis, M2
 clinoptilolite, M396
Clostridia, 502
Clostridium perfringens, T168
 clover, W322
 cluster analysis, M119, T59
 CNCPS, T98, T311
 coagulation, T65
 coalition, 647
 cobalt, 546
 coccidiosis, T19, T170, T173
 co-contamination, 48
 coconut oil, M275
 cognition, 170
 cognitive bias, W7
 cold, 811
 collaboration, T76
 colostrum, M292, T376, 307
 colostrum feeding, T136, 742
 colostrum quality, W199
 colostrum replacer, W149
 colostrum yield, 157
 combined feeds, W287
 combined oat with bio-ethanol co-products, W346
 commingle, T31
 commodity prices, 646
 communication, 203, 321, 640
 companion and captive animals, 477
 companion animal population, 241
 companion animals, 64, 243, 480
 comparative slaughter, T324
 compartment 1, W356
 competition, 334
 components, 482
 composition, T159
 compost bedded pack barn, 644
 computation, T49
 computational models, 573
 concentrate, T352, T361
 concentrate diet, W46
 conception date, T201, 18
 conception rate, M26, 844
 condensed distillers solubles, W306
 condensed tannin, T87, T97, T287, T290
 condensed tannins, T106, W117, W118, W119, W237, 349, 574, 576
 confinement, T369, W384, 28, 40
 confining cows, 564
 conformation, T51
 conjugated, T157
 conjugated linoleic acid, M58, M322, W125, W326, 179, 484, 562
 conjugated linolenic acid, T331
 conservation, W135, 242
 consumer panel, 430
 consumer testing, 70
 containment, W379
 continuing education, 640
 continuous culture, M111, W324, W336, W352, 199
 continuous culture fermenter, W337
 continuous suckling, T380
 control of feed intake, T260
 conventional, M211
 cook loss, M152
 cooking loss, T149
 cooling, M225, T182
 cooling frequency, W224
 cooling system, M230

cool-season legumes, 348
 copper, M181, M393, T177, 137, 402
 co-product, T240, T310, M394, M398, M399, M400, T333, T385, W290, 19, 566
 core body temperature, T179
 corn, M66, W323, 486, 786
 corn co-product, W307, 415
 corn DDGS, W277
 corn distillers dried grains, T280
 corn hybrid, W299
 corn milling, W296
 corn processing, 855
 corn replacement, W302, 335
 corn residue quality, 164
 corn silage, M102, M306, M346, T303, W50, W98, W99, W104, W106, W108, W299, W311, W325, W331, W333, W378, 486
 corn silage quality, W94
 corn snaplage, 285
 corn stover silage, M317
 corpus luteum, M193, 14
 cortical granule, 842
 cortisol, M183, T367, W213, 181
 Cosynch, 686
 cotton varieties, W354
Coturnix coturnix japonica, W172
 course schedules, T398
 covariance, 857
 covariance functions, 470
 cow, M209, M215, M241, M309, T200, W23, W106, W108, W213, 560
 cow comfort, 824
 cow cooling, M224
 cow efficiency, 297
 cow genotype, M127
 cow lactation stage, 837
 cow liver and adipose tissue, 772
 cow longevity, 605
 cow milk fatty acids, 231
 cow size, 297
 cow-calf pairs, 352, 395
 cranberry, T90
 creatinine, M249
 creep diet, M120
 crested wheatgrass, 400
 Crina Poultry Plus, M171
 Criollo cattle, T194
 critical thinking, 695
 crop residues, 791
 crossbred, M28, M42
 crossbred cattle, 470
 crossbred lambs, 722
 crossbred milk cow, T341
 crossbreed, M105
 crossbreeding, M214, 232, 235, 236, 526, 716
 crown rust, W93
 crude glycerin, M157
 crude protein, M103, M248, M392, W116, W313
 cull pinto bean, M395
 culling rate, M245
 cultivar CT-115, T118
 culture, T74, W80, W83, W84, W87
 cultured butter, T71
 culturing, 184
 cumulative discounted gene expression, 463
Curcuma longa, T19
 curcumin, T172
 curriculum, 692
 curve lactation, T382
 customers, 435
 cyanocobalamin, 99
Cynodon spp., T112
 CYP3A, W205
 Cyp8b1, W208
 cysteine, M62
 cytokines, M14, T379

D

DACQA, W39
Dactylis glomerata, W100
 daily body weight gain, 836
 daily gain, T127
 dairy, M5, M29, M112, M199, M209, M231, M232, M276, T21, T268, W20, W227, W233, W246, 72, 189, 192, 193, 229, 252, 338, 441, 444, 484, 527, 645, 709, 770, 776
 dairy beef, M149
 dairy behavior, 210
 dairy calf, M219, M286, M291, T292, W129, 190, 198, 200, 306, 373, 746, 804, 855
 dairy cattle, M195, M227, M228, M273, M341, T46, T81, T293, W58, W300, W318, 24, 227, 530, 537, 558, 708, 774, 838
 dairy cow, M22, M27, M23, M102, M115, M189, M190, M193, M200, M201, M203, M204, M205, M207, M210, M212, M225, M233, M234, M235, M236, M237, M246, M274, M277, M278, M283, M284, M306, M312, M316, M317, M319, M325, M335, M340, T11, T16, T22, T47, T135, T181, T186, T191, T259, T261, T262, T265, T276, T277, T288, T317, W8, W19, W22, W36, W107, W151, W197, W199, W216, W221, W225, W228, W277, W301, W306, W307, W315, W321, W364, W368, 16, 94, 98, 106, 108, 129, 156, 168, 178, 226, 253, 284, 285, 330, 413, 421, 422, 446, 525, 529, 536, 553, 557, 668, 669, 766, 773, 799, 859, 864
 dairy cow breeds, 834
 dairy cow lactation, 556
 dairy development, 303
 dairy enterprises, W230
 dairy ewes, M315, T282, T320
 dairy farm, 535
 dairy farm management, T79, T397, W229
 dairy farming, 775
 dairy farms, T306, W308
 dairy foods, 170
 dairy goat, M382, M383, T279, W72, 684
 dairy goats, W71
 dairy heifer, M208, M287, T185, W130, W220, 287
 dairy herd evaluation, W229
 dairy herd index, 642
 dairy management, 439
 dairy management software, M5, M7
 dairy product texture, 173
 dairy profitability, 317
 dairy replacement, 836
 dairy sheep, 428
 dairy steer, M222, W328
 dairy traits, 719
 dairying, 778
 data capture, M7
 data collection, 734
 data entry, M7
 data integrity, 734
 data recording, 439
 data recording protocols, M5
 daughter performance, 714
 daughter pregnancy rate, M26
 days open, 235
 DCAD, T326, 428, 442
 DDGS, M403, T242, W16, W48, W49, W169, W264, 336, 338, 409, 507, 508, 521, 569, 797
 2-DE, 374
 decorin, M138
 deficiency, 9
 degradability, T95, T313
 degradation, M363, T105, W367
 degradation rate, T248
 dehydration, T179

demographics, 589
 denaturation, W90, 634
 denomics, 689
 density, T373
 deoxynivalenol, T157
 dermatitis, 438
 desaturase index, M315
 desaturation, 116
 detergent, W29, 46
 developing countries, 120
 development, 602, 745
 developmental competence, M198
 developmental programming, T204, T242, W49, 409, 521
 DFA III, W373
 DGGE, M367
 DHI, T317
 diarrhea, W144, 502, 754
 dielectric spectroscopy, T60
 diet, T386, 519, 845
 diet adaptation, 567, 677, 678
 diet collection, 495
 diet complexity and feed form, 381
 diet composition, W166
 diet digestibility, 497
 diet effect, 547
 diet uniformity, 798
 dietary energy, M156
 dietary fat, T132, 194
 dietary fiber, T165, W175
 dietary fiber source, 295
 dietary protein, M246, 159, 535
 different farms, M56
 digester designs, 188
 digestibility, M334, M336, M337, M355, M366, M380, T94, T100, T111, T244, T277, T287, T312, W276, W282, W292, 38, 284, 292, 416, 489, 557, 619, 684, 795, 860
 digestible energy, M157
 digestible lysine, 659
 digestion, T297, W74, W372, 622
 digestion enhancer, T153
 digestion kinetics, W342
 digital dermatitis, 197, 825
 dilfiltration, 638
 dilution of maintenance, 318
 direct and maternal effects, 721
 direct genomic value, W56
 direct-fed microbial, M271, T281, 308
 discharge volume, 698
 discounted gene-flow, 463
 discriminant analysis, 687
 disease, W36, 230, 253, 593
 disease incidence, M23
 displacements, W12, 210
 distance delivery, 867
 distance education, 588, 865, 866, 868
 distillers, 789
 distillers byproducts, 282
 distillers dried grains with solubles, W186, 42
 distillers grain, T243, T250, T251, W279, W283, W286, W297, W305, 410, 787, 792, 796
 distress, 821
 distributed parallel computing, 613
 DM change, 255
 DMI, W373, 193, 361
 DNA, W54
 DNA methylation, 333
 dNDF, 491
 dog, 61, 244, 479, 617, 621, 616
 Doppler ultrasound, M83, T135
 doramectin, T13
 dose, W101
 dose response, T266
 dried distillers grains, T256
 dried distillers grains plus solubles, M115, W265, W280, 20, 545, 794, 795
 dried oil palm slurry, W291
 dried pepper, 758
 drinking water, M227, M228, M273, M344
 drought, 300
 dry and rainy seasons, W316
 dry cow, W12, 210
 dry distillers grains plus solubles, W315
 dry lot, M107
 dry matter, M217, M380, T119, T303, W116
 dry matter intake, M335, T314, 148, 565, 607
 dry matter recovery, W105
 dry period, T134, T374, 152, 162, 532
 dry period length, 669
 duodenal bacterial crude protein flow, W265
 duodenal microbial crude protein flow, W280
 Duroc, 689
 DVE/OEB system, W304
 dynamic, M101

E

E. coli, T87, 626, 661
E. coli O157:H7, T235
 ear tag, W402
 early and mid lactation, W310
 early gestation, M128
 early lactation, M348, 156, 555, 564, 831
 early learning, 471
 early pregnancy, M126, W201
 early weaned, M65
 early-weaned piglets, M402
 eastern Canada, 778
 eating behavior, W10
 eating pattern, 279
 eating rate, M296
 eating time, M374
 E-cadherin, M141
 economic analysis, M341
 economic dashboard, 644
 economic value, 463
 economic viability, T155
 economics, 528, 529, 530
 economics of livestock feeding, 334
 ecophysiology, M87, M88
 edible portion, M247
 education, T76, 119, 123, 595, 869
 efficiency, W179, 474
 efficiency of gain, M373
 efficiency parameters, T321, T334
 effluent, 784
 egg by-product, T154, T156
 egg production, 726
 egg quality, T27, T154, W171
 eggshell quality, W182
 eicosapentaenoic acid, T14
 e-learning program, T397
 electrolytic balance, 428
 electronic identification, W402
 embryo, M197, 9, 388, 391
 embryo gene expression, M212
 embryo quality, T181, W214
 embryo survival, 12, 39
 embryo transfer, M30
 emissions, W244
 employer expectation, 694
 employment, 123
 empty body, T318
 empty body fat estimation, 149
 emulsifiers, 68
 emulsion, M93
 encapsulate, T286
 endocrine, M345
 endocrinology, 770
 endogenous losses, 132
 endometritis, T22, 440
 endometrium, T197, 14
 endoparasites, 431
 endophyte, 75, 77
 endophyte-infected fescue, 370
 endothelium, 182
 endotoxin, T390, W206

energy, M178, M338
 energy availability, M163
 energy balance, M202, W234, 156
 energy efficiency, 350
 energy level, W168
 energy partitioning, M154
 energy retention, M373
 energy supplementation, M111
 energy value, 787
 ensemble-based system, 609
 enteric disease, 580
 enteric fermentation, W240
Enterococcus faecalis, M174
Enterococcus faecium, M325
Enterococcus faecium and *Saccharomyces cerevisiae*, M323
 enterprises, M241
 entire males, 384
 environment, W228, W244, 682
 environmental effects, M242
 environmental factors, 723
 environmental impact, T220
 environmental stress, 814
 enzyme, M170, M313, W101, 488, 756
 epigenetic, M131, 524
 epinephrine, T192
 equine, W135, W137, W138, W143, W146, 361, 362, 365
 equine behavior, T396
 equine gastric ulcer syndrome, W136
 equine-assisted activities and therapies (EAAT), 652
 equine-assisted therapy, 653, 654
 ergot alkaloid, 79, M84
 erythropoiesis, 15
Escherichia coli, T89, 545
 ESR and FSH- β , M39
 essential oil, W343, W366, W367, W369, 551, 584
 essential oils/botanical, M314
 estradiol, W134, W148, W200, 39
 estradiol cypionate (ECP), 176, 177
 estrogen receptor, 847
 estrous, 371
 estrous cycle, T207
 estrous detection, 16
 estrous synchronization, 31, 264
 estrus, M184, M215, W226, 260
 estrus synchronization, T83, T195, 266
 ethanol, T74
 ethanol by-products, W342
 ethanol co-products, W308
 eubiotics, 763
 euthanasia, T6
 evaluation, M335
 ewe, W395, W396, 28, 36
 ewe lambs, 846
 ewe-rearing, T380
 exercise, 102, 273, 820
 exocellulase, 572
 exogenous, W209
 exogenous enzyme, T305, W376, 278
 exogenous fibrolytic enzymes, W378
 exopolysaccharide, T66, 139
 exosome, 30
 experience, 591
 experiential learning, 595, 596
 expression, W133, 55, 390
 extended lactation, 129
 extenders, W207
 extension, T76, 124, 321, 645
 extension education, 592
 extensive grazing, M187
 extracellular matrix, M138
 extruded full-fat soybean, M348
 extrusion, 81

F

F₂ cross, W76
 FA composition, M382
 factors, T210, T211, T212
 FACTSim, 643
 FAMACHA, T54, W384
 farm economic, W229
 farm management, M119
 farm profitability, M119
 farms, 433
 FASN gene promoter, W72
 fasting heat production, M267, W350
 fat, M154, M352, T148, W176, 533, 552, 788, 804
 fat depot, T322
 fat depot sites, 166
 fat quality, T145
 fat sources, T258, T271
 fat supplement, T351
 fat thickness, M256
 fat-tailed lamb, M372
 fattening, T253
 fattening beef, W255
 fatty acid, M147, M301, M345, M347, T71, T117, T246, T279, T388, W43, W88, W99, W122, 117, 292, 328, 507, 610, 711, 804, 808
 fatty acid composition, M372, W270
 fatty acid oxidation, M275
 fatty acid profile, M315, T320, 166
 fatty acid synthesis, W71
 fatty acids metabolic-related gene, T274
 fatty liver, M275
 fc receptor, M105
 fecal, 393
 fecal bacteria, T265
 fecal characteristics, T234
 fecal NIRS, 497
 fecal nutrient, 855
 fecal output, M356
 fecal sampling time, T102
 fecal starch, M270, T348
 feces, 198
 fecundity, 817
 feed, M6
 feed additives, M179, 583
 feed chemistry, T315
 feed consumption additives, W173
 feed conversion, M384
 feed conversion ratio, T127, T211
 feed data base, T308
 feed delivery, M112
 feed efficiency, T44, T204, T254, T328, T337, T357, W28, W70, W159, 142, 316, 317, 394, 396, 419, 464, 469, 473, 475, 604
 feed formulation, W165
 feed inputs, 605
 feed intake, T127, T328, W45, W269, W276, 22, 222, 701, 710
 feed intake regulation, W193
 feed presentation, M286
 feed restriction, T356, 538, 856
 feed unit, 858
 feeder calves, 704
 feed-grade antibiotics, 584
 feeding, 192, 195
 feeding behavior, M287, M288, M296, 407, 799
 feeding level, M374, 131
 feeding management, M223, W227
 feeding rate, 809
 feeding regimens, 837
 feeding strategy, 775
 feeding system, W43
 feeding systems, W232, 257, 570
 feeding time, W9
 feedlot, M4, M250, M266, M302, M342, M368, M384, T250, T348, T385, W252, W262, W357, W361, 146, 237, 268, 397, 540, 601, 673, 674, 790
 feedlot beef, 150
 feedlot cattle, M360, W286, 148, 399
 feedlot diet, W261
 feedlot performance, M264, M269, T237, T338, T358, W284, W365, 42, 403, 680
 feedlot-calves, T24
 feedlot-performance, T343, T372

feedstuffs, T157
 feline, 242, 619
 feline lower urinary tract disease (FLUTD), 63
 female effect, W394
 female fertility, M38
 fence, W379
 fermentation, W115, W144, 158, 621
 fermentation biomass, W352
 fermentation indices, W111
 fermentation kinetics of saturation, W332
 fermentation parameters, 859
 fermentation quality, T113
 fermented chlorella, W164
 fermented corn, T164
 fermented oat, T25
 fertility, M26, M28, M32, M44, M113, M185, M190, M192, M208, T47, T342, W48, W49, W215, W220, W221, W392, 10, 12, 13, 59, 275, 326, 519
 fertility traits, M238
 fertilization, M197, W214, W382
 fescue, M82, T126, W21, W97, W350, 395
 fescue hay, 797
 fescue toxicosis, M251, 75, 79
Festuca arundinacea, M79, M80, M81
Festulolium, M76
 fetal blood flow, 522
 fetal growth, M125, T204
 fetal numbers, W202
 fetal organs, T203
 fetal programming, M120, W279, 114, 379, 685, 743
 fetal size, M127, M128
 fetal-programming, M131
 FGF21, T191
 fiber, M294, T109, T132, T244, 284, 488, 496, 622
 fiber digestibility, 401
 fiber number, M124
 fibroblasts, 688
 fibrolytic enzyme, W355
 fibrous feeds, T305, W376
 fibrous fractions, T112
 field pea, T218, 167
 field survey, W94
 final score, W61
 finishing, M71, T128, 579
 finishing broiler, 136
 finishing cattle, 787
 finishing pigs, T158
 fish, T175
 fish oil, W388
 fistulation, 494
 5-d program, W219
 fixed-insemination, M189
 fixed-time AI, 25, 261, 265
 flavonoids, W321
 flavor, M97, M144, W162, W179
 flavor release, T64
 flavored milk, 172
 flax oil, T146, W178
 flaxseed, W285, W318
 floral/seed pod, W117
 flow and digestibility of N, T307
 fluoxetine, 37
 flux, W198
 flux RNA abomasum, M332
 F-MSAP, 333
 foaming, 628
 folic acid, M319
 follicle, 12, 666
 follicle diameter, T196
 follicular aspiration, T258
 follicular cyst, M213, T183
 follicular growth, T221
 follicular wave, T180
 food, 301
 food animal veterinary practice, 436, 437
 food choice, 431
 food dehydrator, M217
 food safety, T72
 food security, 120, 335
 food transition, W177
 foodborne pathogens, 578
 footbath, 197
 forage, M78, M255, M288, M336, M339, M351, T103, T117, T243, T255, T264, T312, T362, W101, W305, W347, 118, 354, 488, 493, 571, 803
 forage allowance, T224
 forage composition, M77
 forage degradation, W331
 forage diet sample, 494
 forage dry matter, T78
 forage evaluation, T109
 forage finishing, 405
 forage intake, W121
 forage mass, 828, 829
 forage produced and consumed, M74
 forage quality, M352, T368, W92, 830
 forage source, 415
 forage soybeans, T116
 forage systems, M70
 forage yield and feed value, M92
 forage:concentrate, W257
 foraging, 392
 foreign daughters, 449
 fractional synthesis rate, T322
 free fatty acids, M162
 free-space, M15, M17
 free-stall, W11
 freestall barn, 644
 freezing, W86
 freezing point, M60
 frequency, W47
 fresh forage, 570
 fresh pasture, M329
 frozen dairy, 627
 frying oil, M386, M387
 FTIR, M59
 FTIR cryoscope, M60
 fumarate reducing bacteria, M367
 functional feed ingredients, W177
 functional foods, 64
 functional genomics, 57
 functional ingredients, 64
 functional milk, M322
 functional oil, 279
 functional properties, T60
 functional traits, T46, 226
 functionality, 82, 246, 247
 funding, 433
 Fusarium toxins, T34
Fusarium mycotoxins, W136
 future feedstuff availability, 334
 futures market, 643
G
 G protein coupled receptor, T26
 G protein coupled receptors, W194
 gain, M377
 gain to feed, W41
 galactoglucomannan oligosaccharide (GGMO), T169, T170
 galactooligosaccharides, 853
 gaot, T179
Garcinia kola meal, 697
 garlic, W381
 garlic powder, 758
 gas emission, W243
 gas losses, W105
 gas production, M270, M363, T305, W238, W266, W267, W345, W366, W376
 gas test, T96
 gastrointestinal, M25
 gastrointestinal development, 118
 gastrointestinal nematode, M19, 576
 gastrointestinal tract, M117, M129, T328
 GBLUP, 726

gelation, 87
 gender, T336, 586, 751
 gene association, W55
 gene expression, M8, M114, M213, M277, T125, T183, T197, T276, T392, W37, W122, W161, W208, W254, W263, 126, 130, 152, 162, 468, 475, 608, 610, 805
 gene network, 56, 57
 Gene Ontology classification, W91
 genetic, 316, 474, 867
 genetic architecture, 456
 genetic associations, M36
 genetic correlation, T41, T55, 230, 711, 712, 715, 815
 genetic diversity, 725
 genetic evaluation, T43, 327, 460, 717
 genetic groups, 236
 genetic markers, 691
 genetic networks, 614
 genetic parameter, M35, M38, M40 T53, 231, 708
 genetic potential, M197
 genetic selection, 233
 genetic simulation, 869
 genetic trend, M37
 genetic variation, M105, M136
 genistein, T389
 genome, W79
 genome scan, 617
 genome-wide association, W59, 448
 genome-wide association mapping, 453
 genome-wide association study (GWAS), 60
 genomic, W63, W64, 458, 724
 genomic association, W57
 genomic breeding values, 467
 genomic evaluation, W61, 447, 449, 450, 453
 genomic prediction, 57, 451, 456
 genomic selection, T44, W58, 227, 316, 327, 328, 448, 457, 462, 607, 613, 818
 genomic technologies, 606
 genomics, M3, M29, M139, T284, W60, 50, 226, 322, 593, 608
 genotype, 471, 493
 genotype \times environment interaction, 715
 genotype by environment, T50
 genotyping, 33, 454
 germline stem cells, 738
 gestating sow, T5
 gestation, T142, T205, T249, W142, 142, 687
 gestational nutrition, M129
 GHR, 326
 ghrelin, 111
 gilts, 816
 GLC-MS, W123
 gliricidia, T119
 L-Gln, W128
 globalization, 119
 L-glutamine, 664
 GLP, 734
 GLP-2, T394
 β -glucan, W312
 β -glucanase, 757
 glucocorticoid and adrenergic receptors, T136
 glucomannan, T33
 gluconeogenesis, 765
 gluconeogenic enzymes, T352, T361
 glucosamine, 365
 glucose, M205, M216, M295, T192, 91, 500
 glucose infusion, 159
 glucose metabolism, 742
 glucose transporter, 104
 GLUT, 182
 glutamate, 665
 glutamine, M164, T174, 663
 glutathione peroxidase, 367
 glutathione peroxidase 3, T276
 glycerol, M145, M364, M394, M398, M399, M400, T252, T257, W239, W292, W293, 749
 GnRH, W203, W218
 GnRH-A, W174
 goat, M19, M25, M333, M375, M389, M391, T83, T114, T177, T340, T350, T363, T368, T376, T381, T383, T384, W270, W273, W379, W380, W381, W383, W386, W387, W392, W393, W394, 52, 131, 183, 432, 683, 686, 719
 goat kids, M390
 goat milk, T367, 483
 goat milk yogurt, T68
 goat skin, 688
 gonadotropin, W389, 847
 goods and services, T120
 gossypol, W354
 GPR40-43 and GPR109A, 766
 GPS, W380
 GPx, W143
 graduate, 597
 graduate education, 867
 graduate students, 736
 grain adaptation, 541
 grain distillers dried yeast, 32
 grain mixes, M293
 grain processing, 790
 grain replacement, 786, 791
 granulosa, T184
 graphical models, 58
 grass, T313, 491
 grass maturity, 350
 grass nutritive value, 835
 grass-fed, M222
 grassland, T120, T355
 grassland management, M88, M89, M90
 gravity separation, W85, W86, 73
 grazed diet, 495
 grazed herbage, W316
 grazing, M67, M239, M339, M375, M379, T190, T226, W14, 195, 256, 716, 831, 832
 grazing activity, T227
 grazing animals, M261
 grazing behavior, M70, W2
 grazing cattle, 600
 grazing corn residue, 164
 grazing cows, W33, 564
 grazing cycles, T110
 grazing dairy cattle, M322, T75, 800, 839
 grazing dairy systems, 833
 grazing distribution, 41
 grazing implant, 675
 grazing intake, 497
 grazing management, M73, M74, M91, 348
 grazing steers, 400
 grazing system, 836
 greenhouse, W239
 greenhouse gas, W237, W248, 777
 greenhouse gas emission, W242, 577, 775
 grid analysis, W380
 grocery byproduct, 851
 ground cover, M80
 grouping, M18
 grouping strategy, M109, T222, T223
 grow-finish pigs, M403
 grow-finishing pigs, T210, T211, T212
 growing cattle, T345, 788
 growing lambs, T337
 growing pig, M168, T28, T163, T164, W158, W164, 660
 growth, M121, M177, M255, M262, M286, M381, T38, T123, T175, W31, W129, W130, W181, 37, 274, 816
 growth curve, 573
 growth intensity, T138
 growth performance, M174, M176, T25, T32, T156, T160, T163, W157, W158, W164, W281, 381, 549, 761

- growth performance and carcass merit of pigs, 658
 growth promoter, M179
 growth rate, M371, 599
 growth requirements, M389
 growth traits, 815
 growth-enhancing technology, T217
 guineagrass, T232
 gums, T68
 gut, 853
 gut capacity, 387
 gut microbiome, 620
 GWAS, 690
- ## H
- Haemonchus contortus*, W385, 432
Haemonchus, W383
 hair, W213
 hair cortisol, T2
 hair lamb, M395, M397
 hair sheep, M338, W389
 handling, 397
 Hanwoo calves, T361
 Hanwoo manure, W245
 Hanwoo steers, W240
 haplotype, 323
 haptoglobin, W36
 harvest maturity, W311, 542
 hauling, T235
 health, M4, T18, T21, W30, W259, 180, 229, 231, 309, 310
 health traits, 439
 heat, 191, 637
 heat shock, 391
 heat shock protein, W155, W188, W189, 390
 heat stability, 635
 heat stress, M20, M206, M224, M225, M231, M232, M233, M276, M307, M308, T3, T9, T121, T140, T166, T176, T182, W155, W188, W191, W211, W212, W401, 128, 130, 190, 192, 193, 194, 195, 269, 270, 271, 368, 388, 532, 556, 672, 684, 810, 817, 843
 heat stress/hyperthermia, W210
 heat/shear, 633
 Heatime, M194
 heat-induced interaction, 83
 heavy-tailed distributions, M35
 hedgehog proteins, T184
 heifer, M112, M196, M238, M294, M366, T82, T138, T193, T225, T229, T359, W10, 43, 107, 112, 191, 259, 342, 343, 372, 602, 604, 861, 862
 heifer development, T231, W258, 41, 339, 340, 351, 394, 603
 heifer performance, T233
 heifer rearing, M302
 heifer-raising, 218, 219
 heifersheight, 499
 hematology, 46
 hepatic gene expression, T186, W196
 hepatic oxidation, T260
 hepatocyte, W124, 740
 herb, T32, T213
 herbage allocation, 832
 herbage allowance, 831
 herd economics, 317
 herd expansion, 299
 herd size, M245
 heredity, T45
 heritability, M36, T41, T56, T57, W42, 234, 461, 713
 heterofermentative, W82
 heterosis, T224, 466
 heterozygosity, 329
 hexokinase 2, 375
 high concentrate, W357
 high moisture corn, 285
 high moisture grain silage, 163
 high pressure, 637
 high protein, M216
 high-accuracy sires, 341
 high-concentrate, 140, 141
 High-quality beef, 341
 high-temperature short-time, 651
 higher education, 654
 hindgut, M274
 hindgut fermentation, 386
 HMTBa, T268
 Hofmeister series, 628
 Holstein, M241, 201, 256
 Holstein calves, M303, W21
 Holstein cow, M347, W313, 562
 Holstein heifers, M293
 Holstein steer, T246, W236
 homofermentative and heterofermentative LAB, T309
 hoof circumference tape, M219
 hormone, W52, 147, 768
 horse, M82, W136, W139, W141, W142, W145, W147, 102, 212, 364, 366, 367, 501, 503, 504, 739
 horsemanship, T396
 host effect, 547
 housekeeping gene, M86
 housing, M21, T12, W398, 97, 221, 311, 820
 housing system, T5, W4
 HPLC, M47
Hsp70, 389
 HSP70 gene, W67
 5-HT, 91
 HTST, 74
 Huanjiang male pigs, W34
 hullless barley, W312, 418
 human chorionic gonadotropin, W202
 human nutrition, 169
 humoral response, W25
 husbandry, 478
 hyaluronan, 15
 hydrogen sulfide, M362, W348, W349
 hydrogenation, W322
 hydrolyzed feather meal, 511
 hydroponic, W334
 β -hydroxybutyrate, M290, 18
 β -hydroxybutyric acid, W33
 5-hydroxytryptamine, T139
 5-hydroxytryptophan (5-HT), 125
 hygiene, W23, 527
Hyparrhenia rufa, W370
 hyperkeratosis, 534
 hyperketonemia, 765
 hypoadrenocorticism, 617
 hypocalcemia, M326, W373, 442, 767
 hypothyroidism, T365, T366
 hypoxia, 104, 182
- ## I
- iberian pig, 513
 ice cream, M58
 ICTP, W146
 identification, M61
 IGF, M402, 105
 IGF-1, M213, T70, T133, T183, W137, 612
 IGFBP, 105
 IGFBP-3, T70
 IGFI, T123
 IgG, W35, 424
 ileal cannula, T161
 illness prediction, 202
 image analysis, W42
 imitation mozzarella cheese functionality, M52
 immune, M21, M24, T12, T15, T17, T353, 90, 215, 216, 217, 221, 310, 311, 443
 immune function, M347, T171, 363
 immune genes, 325
 immune parameter, M109, 225
 immune response, M16, T34, 108, 223, 227
 immune system, W273
 immune system stimulation, 662

- immune trait, W163
immunity, M300, T26, T31, T229, 139, 308, 315, 382
immunogenicity of rabies vaccine, T20
immunoglobulin, W27
immunological parameter, M1
immunology, 849
immunoradiometric assay, T70
impact on accuracy, W65
implant, T125, 112, 274
implantation, 516
Improvast, 384
imputation, 609
imputation accuracy, W76
in growing, W295
in situ, M351, T100, T286, 542, 632
in vitro, M270, M362, M367, W264, W334, W385
in vitro digestibility, M46, W340
in vitro fermentation, 572
in vitro gas production, T107
in vitro method, T162
in vitro rumen, T351
In vitro ruminal fermentation, W120, W369
inbreeding, M30, T39, 322
incidence, 100
in-container sterilization, 635
index, 98
Indian dairy production, 303
indigestible NDF, T109, W347, 496
indigestible neutral detergent fiber, 489
individual animal intake, 854
individual cheese yield, 69, 331
individual quarter pulsation, 534
individual variation, 671
induced lactation, M191
industry-style project, 695
infection, M10
inflammation, M15, M17, 92, 154, 670, 820
infrared image, T238
infrared thermography, M230, W104
infusion, 93
ingestion, 429
ingredients, 481
inhibitor in vitro, T304
injury, 207
immunocastration, 658, 659
innate and humoral immunity, W24
innate immunity, M22, W25
inoculant, W96, W97, W102, W110
inoculation rate, W103
inorganic Cu, 783
insensibility, 821
instability, 86
instruction, 692
insulin, M378, W137, W191, W195, W205, 99, 115, 259, 500, 582
insulin action, T186
insulin resistance, 244
insulin response, M205
insulin-like growth factor-i, M130
intake, M262, M380, T148, T243, W130, 360
intake and digestibility, 797
intake level, T335
integrated approach, 347
Integrated Farm System Model (IFSM), 777
integration, 707
intellectual property, 121
interferon, M12
interferon stimulated genes, M12
interferon- τ , 848
internal markers, T102
internal parasites, M391, W386, 501
international, 123, 124
international benefits, 346
international collaboration, 607
intestinal digestion, 163
intestinal epithelium cells, T174
intestinal microflora, M173, 277
intestinal morphology, M164
intestine, W351, 48, 362, 630
intramammary infection, 128
intramuscular fat, T149
intrauterine dextrose, 440
intrauterine GnRH, 178
intrauterine growth restriction, 810
intrauterine growth retardation, M130, 103, 105, 113
intravaginal progesterone device, T209
inulin, M54
involution, 127
iodine, 424
ionophore, M235, T283, T291, T296, W256, 673, 674
ionophore level, W253
iron, M273, M381
iron availability, 354
iron homeostasis, 60
irrigating pastures, T84
irrigation, W50
irrigation water, T75
ISG15, W204
Italian rye grass, T309
IVDMD, W144
ivermectin, T13, W147
IVF, 388, 842
IVGP, M361
IWS1 gene, 324
- ## J
- Japanese quail, T152
Jersey, 201
Jersey calf, M301, 808
Johne's disease, 54, 254
judgment of cattle, T42
juniper-induced abortion, 445
juniperus, 268
Juustoleipa cheese, 626
- ## K
- kefir, 627
kelp meal, M291
ketamine-stun, 26
ketone, T26, 93
ketosis, M108, T317, W33, 100, 196
ketosis treatment, 99
Keto-Test, M108
kids, T336, T376
kinetics, 634
kinetics of degradation, W341
kinetics of particles transit, T313
kulfi, 631
kyphosis, W184
- ## L
- L. buchneri*, W94
labeled carbon, M165
labor, W13
lactating, 559
lactating cow, M307, W299, 554
lactating sows, M162
lactation, M133, M313, W175, W176, 90, 383, 412
lactation curve, 291, 537
lactation curve function, T137
lactation number, M278
lactation performance, M159, 96, 295
lactation physiology, T141
lactation yield, 682
lactic acid bacteria, M22, M23, M173, T11, T16, W113
Lactipro, 678
lactobacilli, W300
Lactobacillus, 47, 66
Lactobacillus plantarum, M61, T167
Lactobacillus reuteri, M172
Lactobacillus fermentation prototype, W262
Lactobacillus gasseri, T171
Lactococcus lactis O224, M323
lactocrine programming, 745
lactoferrin, 712

- lactoperoxidase, M95, M96
 lactose, M98, 81, 96, 533
 lactose crystallization, 632
 lag time, M361
 laidlomycin propionate, W253, W256
 lamb, M42 M355, M379, M386, M387, M388, M392, T346, T372, T387, W341, 116, 268, 424, 426, 430, 681, 751
 lamb growth, M132
 lamb meat, T151, T364
 lameness, M107, W9, W20, W22, 438, 527, 825
 laminitis, W206
 land clearing, 492
 land grant, 589
 laparoscopic AI, 686
 laparoscopy, W395, W396
 L-arginine, M318
 lasalocid, 107
 LAT1, W151
 layers, 758
 laying hen, T27, T154, W171, 759
 leaf, W117
 lean index selection, 722
 learning, W15
 left displaced abomasum, W19
 leg injury, M107, 823
 Legendre polynomial, T56
 legume, W237, W386, 52
 legume forage, W117
 legume silage, W116
 legume/grass silage, M346
 Lemna protein concentrate, 505
 lemongrass, M363
 leptin, 113, 612
Lespedeza cuneata, 349
 leukocyte, W22
 leukocytes subsets, T374
 level of intake, M332, M358
 LH, 178
 LH profiles, 258
 LH surge, 175
 library, T315
 life cycle assessment, 778
 lifetime productivity, 34
 lifetime prolificacy, M40
 light interception, M87, M88, T110
 lignin, M76, T312
 limit feeding, M287
 limit-fed, M250
 limiting amino acid, M304
 limonene, 411
 limpograss, 352
 Lineweaver-Burk, M369
 linola, W318
 linoleic acid, M277, M299, M300, T299, 138, 805
 linolenic acid, M203, T117
 linseed oil, 421
 lipid, M284, T329, W362, 371
 lipid feed supplements, 839
 lipid metabolism, 152, 524
 lipogenesis, 369
 lipolysis, W125
 lipopolysaccharide, W24, W25, 251, 444
 lipoteichoic, W24
 liquid feeding, M298
Listeria monocytogenes, W113
 lithium chloride, 683
 litter, M177
 litter size, 685
 litters, W173
 live yeast, M307, M308, M324, W371, W372
 liver, T189, 91, 101
 liver and fat, 764
 liver and fat tissues, 774
 liver enzymes, M387
 liver metabolism, 92
 liver stem cells, 740
 livestock, M13, 10, 587, 590, 591
 livestock auction, 342, 343
 livestock emissions, 776
 livestock inventory, 436, 437
 livestock management, 814
 livestock production, 120
 local equations, T99
 local pig breeds, W75
 locality, M55
 locomotor disorders, T5
 locoweed, W358
 logistic model, M252, M253
 long chain fatty acids, M328, M330, M343
 longevity, T41
 longissimus, M151
 longissimus muscle area, M150
 longitudinal data, T46
 Lori-Bakhtiari, T365, T366
Lotus subbiflorus, T108
Lotus uliginosus, T108
 low fat, T62
 lower sodium, 70
 low-quality forages, W120
 low-starch, W320
 LPS, T274, T389, 668
 luteal function, M201
 luteolysis, T196, T207, W220
 LXR α , W71
 lying behavior, W9, 824
 lymphocyte, T140
 lysine, M114, M304, M310, M311, T266, T294, 364, 660

M

- macauba pie, M341
 MACE, 449
 machine learning, M113, T48
 macronutrient regulation, 480
 macronutrients, 618
 macrophage, T35
 MAC-T cells, M140
 magnesium, 213
 magnesium oxide, W182
 maintenance, M377
 maintenance energy, 700
 major minerals, M389
 male effect, 258
 male reproduction, T330
 malnutrition, 302
 maltodextrin, M175
 mammary, 373, 485, 741
 mammary cells, W149
 mammary development, 372
 mammary epithelial cell, W148, W151, W155, W189
 mammary gland, M10, M137, M138, M383, T140, 89, 104, 126, 127, 131, 773
 mammary gland blood flow, T135
 mammary immunity, 220
 mammogenesis, T138
 management, T45, T378, W135
 management practices, T82
 manganese, 402
 mannan oligosaccharide, T391, T392, 755
 β -mannanase, 757
 manure, M75, 779, 780
 manure management, 188
 marbling, 465
 mare, 30
 marker, M268, M356, M366, T111, W166
 marker assisted selection, 455
 marker performance, W165
 MAS, W65
 mass balance, M269
 Massai grass, M349
 mastitis, M110, M198, M215, 184, 189, 220, 232, 233, 441, 525, 666, 667
 mastitis economics, 646
 maternal ability, W69
 maternal antibody interference, 312
 maternal behavior, T378
 maternal filial bond, M118

maternal grandsire, 323
maternal linseed diet, T151
maternal nutrition, W351, 378, 743
maternal protective behavior, 211
maternal restriction, 29
maternal undernutrition, M132, 111
maternal-transference, W162
maternity, 97
mathematical model, T382
mating time, M253
MCC or MPC, M50, M53
MDA, W143
meal size, 147
meat, M147
meat color, M152
meat goat, M376, T371
meat products, T91
meat quality, M151, T121, T122, T147, T149, T150, T365, T366, W66, 151, 655, 657
meat sheep, M381
mechanical mixing, T295
mechanistic model, W195
Medicago sativa, W100
mega-analysis, 461
Megalac E, T206
Megasphaera elsdenii, 677
melatonin, M184, T319, 189, 522
meloxicam, W6
membrane progesterone receptor, 516
memory, 170
Merino ewes, 850
meta-analysis, M102, M283, W317, W324, 292, 461, 559, 858
metabolic, M24, 443
metabolic characteristics of the protein, W346
metabolic cow model, 161
metabolic hormones, T178
metabolic imprinting, M292, 140, 141
metabolic model, M272, 155, 289, 290
metabolic parameter, T223, 225
metabolic profile, M234, W275, 94
metabolism, M139, M206, M295, M345, M388, T142, T176, T187, T251, T334, T351, W124, W211, W260, 153, 154, 541, 765, 769, 770, 773
metabolites, 518
metabolizable energy, T96
metabolizable protein, M125, M385, T97, T250, W317, 106
metabolomic profiling, 101
metabolomics, 663
meta-model, 531
methane, M240, M346, M352, M353, M359, T108, T215, T239, T240, W238, W241, W277, W288, W289, W362, W364, W367, W369, W381, 150, 350, 421, 536, 539, 551, 563, 577, 713, 782, 794, 850
methane emission, 287
methane emission factor, W240
methane emissions, 413
methane oxidation, W330
methane prediction, 161
methanogenesis, T278, T339, W249
methanogenic ecology, 547
methanol dehydrogenase, W330
methionine, T181, T268, T288, T298, W156, W258
methyl-13C, M165
metritis, M11
Mexican sunflower, M370
Mexican sunflower leaf meal, 423
Mexico, M236, M237, T77
MFGM, 84
mice, W32
micellar casein, T62
micellar casein concentrate, 85, 248, 249
Michaelis-Menten, M369
Micotil, 675
microalgae, 760
microarray, M134, T263, 130, 382
microbes, 551
microbial, T239
microbial additives, T297
microbial communities, T30
microbial ecology, 543, 649
microbial enzyme activity, M357
microbial growth, W332
microbial inoculant, W103, W115
microbial inoculation, 782
microbial protein, T359, 295
microbial shedding, T29
microbiological quality, T91
microbiome, W139
micro-cheese making, 69
microencapsulated, M175
microencapsulation, M312, W78, 624
microfiltration, 71, 248, 249
microflora, W160
microminerals, W258
microRNAs, 375
microsatellite markers, 329, 725
mid lactation, T300
mid lactation cow, W371
mid-infrared, W88, 713
mid-infrared prediction, 712
mild traumatic brain injury, 653
milk, M58, M59, T86, T381, T384, 200, 254, 305, 481, 485, 566
milk coagulation property, 331
milk component: heritability, 717
milk components, M72, M200
milk composition, M327, M330, T47, T269, T285, T341, T344, 186, 294, 446, 716
milk concentrates, W89
milk electrical conductivity, 525
milk FA, M56
milk fat, M281, M282, M284, M331, W153, W303, W306, 290, 419, 420, 562
milk fat composition, T274
milk fat concentration, M382
milk fat depression, T289, W296, W309, 185, 417
milk fat globule, W91
milk fat globule membrane, 83
milk fatty acid, M383, T261, W51, W271, W298, 413
milk fatty acid composition, M328, M331, T282, 839
milk feeding, M220
milk fever, M326, 442
milk gels, M54
milk ketones, 196
milk mineral contents, M344
milk payment testing, 629
milk peaks and drops, 834
milk powder, M47, 302
milk production, M63, M223, M233, M305, M309, M320, T39, T40, T75, T288, W301, 89, 167, 370, 555, 670
milk production and productivity enhancement, 303
milk protein, M316, 86, 245, 247
milk protein composition, 330
milk protein concentrate, M93, T73, 245, 246, 628
milk protein genes expression, T323
milk protein isolate, 245
milk quality, M278, T293
milk replacer, M177, M290, M298, M299, M301, M314, M321, W131, W222, 218, 808, 809
milk species, M57
milk supply, 743
milk synthesis and secretion, T141
milk traits, 235
milk urea content, 837
milk yield, M2, M191, M327, M344, T77, T285, T341, W303, 238, 746, 771
milk yield and composition, W272
milk yield and somatic cell score, 230
milking frequency, M133, 208

- mineral, M388, 40
 mineral composition, T301, 359
 mineral content, T58
 mineral nutrition, 275
 mineral supplement, 854
 mineralocorticoid receptor, M207
 Mintrex, M181
Miscanthus sacchariflorus, T104
 mitogen, W149
 mixed, T38
 mixed model equations, T49, 447
 mixed-grazing, T363, T368, W384
 mobility, T43
 model, W327, 806, 814
 modeling, M74, T130, T131, T349,
 W287, 149, 150, 168
 molasses, T163, 412
 mold, W95, 361
 molecular breeding value, W70
 molecular value predictions, 606
 monensin, T375, W253, W286, W364,
 W374, 536, 552
 morbidity, 237
 mortality, T210, 237
 movement, W142, 504
 Mozzarella, 624
 MPC or MCC, M52
 mRNA, T189, W193
 mRNA expression, W75
 MTB-100, 395
 mTOR pathway, M137
 mTOR signaling, 364
 mucosal immunity, M117
 mucosal morphology, 665
 mucus, T37
 multibreed, W63
 multibreed evaluation, M33
 multiple, 707
 multiple fetuses, W390
 multiple-trait models, 459
 multispecies, T308
 multispecies grazing, 349
 multi-step evaluation, W56
 multivariate, 857
 multivariate analysis, 464
 muscle, M130, M154, T331, 109, 737
 muscle fiber, T144
 muscle fiber traits, 378
 muscle fiber types, 748
 muscularity, T51
 mushroom byproduct, 860
 MX2, W204
MxaF gene, W330
 mycotoxin, T262, W28, W307, 48
 myoepithelial, 372
 myogenesis, 377
- N**
- N fertilization, W355
 N transformation, W118
 n-3 and n-6 fatty acid, M201
 n-3 fatty acid, T259, W170
 n-6 fatty acid, T259
 n-alkanes, M77
 nanotechnology, M356
 national identification, 346
 native grass, 355
 native pasture, W2
 native trees, W340
 native warm season grass, M70
 natural resources, T214
 natural service, 31, 34
 N-carbamylglutamate, 665
 N-carbomyl glutamate, M318
 Ndama, W291
 NDF, T100, T311, W114, W320, W333,
 494
 NDF content, 803
 NDF digestibility, W314, W325, 544
 NDF intake, T314
 near infrared spectroscopy, 393
 necrotic enteritis, 49
 needle-free injection, 304
 NEFA, 157
 negative DCAD, 160
 negative energy balance, T263
 Nellore, M247, M336, T131, T329,
 W68, W361, 146
 Nellore × Canchim, T254
 Nelore cows, 267
 Nelore steers, T237
 neonatal, 306
 neonatal calf, 742
 neonatal growth, 581
 neonatal stress, W21
 neonate, 745, W139
 neophobia, 214
Neotyphodium, 76
 net energy, 658
 net energy concentration, M155
 net energy of lactation, W316
 neural networks, 818
 neuro-fuzzy systems, T48
 neuropeptide Y, T122
 neutrophil, 250, 315
 neutrophil function, M11
 neutrophils gene expression, 128
 New Zealand, 714
 newborn, W4
 newborn calf, 309
 newly received beef cattle, M257, W365
 newly received cattle, T358
- NFC, 425
 NGS, 454
 Nile tilapia, W165, W166
 NIR sensor, M54
 NIRS, M57, M146, T78, 687
 nitrate, W204
 nitric oxide, W192
 nitrogen, M75, M248, T332, W247, 383,
 781
 nitrogen and phosphorus, M240
 nitrogen balance, 423, 426
 nitrogen efficiency, 95, 833
 nitrogen loss, T165
 nitrogen metabolism, M333, W274
 nitrogen requirement, 568
 nitrogen retention, W359, 384
 nitrogen utilization, T359, 832
 nitrous oxide reductase, 783
 no-color whey, M99
 non-ambulatory, 24
 nonfat dry milk, M51
 nonfat yogurt, 729
 nonfiber carbohydrate, 414
 non-forage fiber, W1, W297
 nonforage fiber source, W320
 non-leguminous tree, W341
 nonlinear, T38
 nonprotein nitrogen, W252, W353
 nonstarter, W82
 non-steroidal anti-inflammatory drug,
 670
 nonstructural carbohydrates, W107
 non-surgical sterilization, 241
 non-traditional students, 693
 norbixin, M94, 80
 note taking, T399
 NOx, W112
 noxious gas emission, 763
 NPN, W257
 NRC dairy 2001 model, W304
 NSP, 756
 nuclear phosphorylated protein, 374
 nulliparous, M211
 nursery, 579
 nursery calf, 802
 nursery pig, T90, 133
 nursing pigs, W183
 nutrient absorption, M263, 664
 nutrient digestibility, M370, T28, 505,
 513
 nutrient management, T79, W228
 nutrient modeling, W346
 nutrient removal, 784
 nutrient requirements, 862
 nutrient restriction, T203, 398
 nutrient supply, W287

nutrient utilization, 427
nutrients, M349, W98
nutriphysiogenomics, 524
nutrition, M116, M158, T15, T45, T175,
T205, T275, T320, T325, T330,
T373, W31, W32, W74, W75, W193,
43, 65, 114, 154, 194, 338, 379, 498,
641, 718, 760
nutrition plan, T336
nutritional, M365
nutritional value, M170, T302
nutritive value, M317, M337, T116,
T308, T316, 358, 851

O

oat forage, W93
oats, M92, T165, W238, W335
oats straw, W92
obesity, T139, 172, 244, 478
odor offensiveness, 785
off-flavor, M48
offspring, T383, T384
offspring performance, 378
off-stream waterer, T228
25(OH)D₃, 133
oil, M66, M268, T248
oil palm affluent, T115
oil sources, W167
oil-in-water emulsion, 86
old horse, 44
oligosaccharides, 81
omasal digesta, M350
omasum, M354, 852
OmniGen-AF, T187, T188, 216, 313, 315
on-farm benefits, 346
on-farm testing, M217
ontogenic maturation, W132
oocyte, M198
Optaflexx, 679
optimization, T315
Opuntia ficus indica, T332
oral calcium boluses, M326
oral final exam, 695
oral stomach tube, 859
orchardgrass, W326
oregano essential oil, W168
organ weight, 697
organic, M222, M239, 441, 526
organic beef, 347
organic Cu, 783
organic dairy, M291
organic matter disappearances, T106
organs, 45
origin, 512
osteoblast, W126

osteocalcin, W146
osteopontin, M136, T35, T36
outdoor swine, M79, M80, M81
ovalbumin, 367
ovarian dynamics, W214
ovarian follicle, 11
ovarian steroids, 846
ovariectomized rats, W200
ovariectomy, 127
ovary, 11
oviductal protein, 846
ovine, M125, M329, M378
Ovis aries, T370
Ovsynch, M192
OvuGel, M401, 841
ovulation, M204, M401, T194, 175, 239,
267
β-oxidation, 416
oxidation, T132
oxidation changes, M331
oxidative balance, W40, W259
oxidative metabolism, 748
oxidative status, 550
oxidative stress, M31, T298, T393, 762
oxygen consumption, M129

P

P, W184
P retention, W185
packed cell volume, T54
PAG, M127
pain, 819, 825
Pakistani cattle breeds, 329
palatability traits, 405
palm kernel cake, 281
palm oil, T241, W298
palmitic acid, 204, 419, 420
palmitoleic acid, 116
pancreas, W191, 810
pancreatic enzyme, T337
Panicum maximum, M72, M73
Panicum maximum leaf, 358, 359
panting, T3
papilla, W127, W131, W328, 165
parameters, M280
parasite, M13, T2452
parasite resistance, W387
parasitic infection, W387
parathyroid hormone, 767
parathyroid hormone-related protein
(PTHrP), 125
parity, T139
partial body weight, 703
partial mixed ration, 289
particle size, T103, T158
partitioning, 416
partnership, 122
parturition, T199, W140
passage, W325
passage rate, T300
passive immunity, W27
passive transfer, W35
pasteurization, M96, 171, 305
pasture, M63, M66, M71, M153, M349,
T63, T257, T310, T333, T344, T356,
232, 233, 294, 355, 566, 706, 801
pasture ecosystems, 76
pasture forage, M111
pasture species, T346
pasture-based dairy, W232, W241, 257
pasture-based dairy system, 835
pasture-based milk production systems,
838
patatin-like phospholipase domain-con-
taining 3, M202
patents, 121
path analysis, 229
PATH International Higher Education,
652
pathogen, M325, T37, 184
pathway analysis, T284
payment for milk quality, M242
peanut meal, M355
pearl millet, 493
Pearson correlations, T143
peer-review, 736
pef, T264
Pelibuey ewes, T318
pelibuey sheep, M396
pellet, W127, 380
pelleting, W181
peNDF, T264
Pennisetum purpureum, T118, W115
percentage Holsteins, 236
perceptions, 590
perennial forages, T302
perennial peanut, 351
performance, M160, M221, M292,
M293, M303, M385, T57, T92, T93,
T172, T222, T234, T291, T292,
T296, T332, T344, T345, T362,
W223, W250, W278, W291, 280,
281, 724
performance of male goats, M393
peripartum cow, M1
peripartum ewes, T375
peripartum period, M14
periparturient period, W329
periweaning failure to thrive, 580
permeate, M98
pet obesity, 65

petfood, 61
 PG-3-G, M188
 PGF, 262
 PGF α , W219
 PGF $_{2\alpha}$, T180, 264
 pH, W105, W114, W261, W268, W356,
 W377, 752, 848
 pharmacokinetics, 365
 phase separation, 87
 phenological stages, T116
 pheromone, 616
 phospholipids, 636
 phosphorus, M168, W141, W246,
 W247, 51, 135, 136
 phosphorus absorption, W368
 phosphorus digestibility, M167
 phosphorus excretion, W368
 photoperiod, T142, 90, 126
 physical form, M288
 physical properties, 515
 physico-chemical properties, 639
 physiological variables, M226
 physiology, W235, 608
 phytase, M166, M167, M168, 51, 134
 phytate, 557
 phytobiotics, T153
 phytoestrogen, M208, 847
 phytochemicals, 761
 phytoncide, T23
 phytonutrient, M163, T37, T173, T265,
 T277, 49, 108
 pig, M40, M157, M158, T7, T9, T115,
 T147, T160, T162, T166, T389,
 T390, T394, W15, W17, W28, W30,
 W31, W74, W133, W160, W162,
 W177, W398, W400, 132, 134, 135,
 214, 272, 380, 382, 473, 505, 506,
 507, 510, 511, 514, 580, 582, 584,
 655, 760, 762, 818
 pig reproduction traits, M39
 piglet, M166, M167, M180, T6, T213,
 T391, T392, 663, 755, 761
 piglet viability, 581
 pigment epithelium-derived factor
 (PEDF), 764
 pine bark, M391
 pistachio, W274
 pistachio hull, W267, W268, W269,
 W276
 placenta, M123, T198, T200, 15, 516
 placental angiogenesis, W201
 placental efficiency, M124, 522
 placental separation, 517
 placental vasoreactivity, 523
 placentation, 239
 plane of nutrition, T17, T353
 plant bioactives, W374
 plant breeding, W335
 plant density, 486
 plant extract, T168, T278, T375, W161
 plant oil, T279
 plant population, W50
 plant secondary compounds, 431, 575
 plasma, W275
 plasma amino acid, M103, M304
 plasma fatty acids profiles, M343
 plasma lipids, 204
 plasma urea nitrogen, T354, W159
 plastination, W327
 plate meter, 828, 829
 polyethylene glycol, M353, W340
 polygenic, 720
 polymorphisms, W69
 polysaccharides, 53
 polyspermy, 842
 polyunsaturated fatty acids, T346, W26
 population control, 243
 porcine reproductive and respiratory
 syndrome (PRRS), 691
 pork, T143, T145
 porkskin chews, M46
 portal drained viscera, 514
 post-extraction algal residue, T256
 post-grazing height, M87
 postmortem processing, 752
 postmortem tissue storage, 688
 postnatal growth, M124
 postpartum, 849
 postpartum health, W199
 postruminal infusion, M114
 posttraumatic stress disorder (PTSD), 653
 postweaning development, T128
 potassium, W246, W339, 67, 179, 553
 potato residue, T113
 poultry, M170, T155, T173, W167
 poultry fat, M169
 power ultrasound, M142, M143
 preadipocyte, M207
 prebiotic, W363, 174, 853
 precision feeding, 255, 799
 precision process, T319
 precision processing, 399
 precocity, M36, T51
 preconditioning, 21
 prediction equation, 148
 prediction error variance, W59
 pregnancy, M82, M216, T197, T198,
 9, 14, 27, 29, 30, 98, 176, 239, 261,
 393, 440, 528, 642, 849
 pregnancy detection, M196, 187
 pregnancy diagnosis, M195
 pregnancy establishment, 39
 pregnancy loss, 16
 pregnancy per AI, M188
 pregnancy rate, W218, 406
 pregnancy-associated glycoprotein, M128
 pregnant heifer, T357
 pregnant mares, W140
 pregnant West African dwarf ewe, M370
 pre-mating ewes, W388
 prepartum cow, T222
 prepartum dairy cow, M109, T223, 225
 press oil seeds, W288
 Presynch-10, M188
 Presynch-Ovsynch, M194
 presynchronized-resynchronization, W225
 prevalence, W20, 100
 preweaning ADG, W51
 pre-weaning nutrition, W183, 746
 prime cuts, T335
 primiparous beef cows, 143
 primiparous sows, M159
 principal component, T267
 principal component analysis, M56,
 W100, W347
 probiotic, M16, M174, T281, T285,
 W78, W145, W170, W250, W377,
 174, 503, 624, 625, 627, 730, 754
 process cheese, T60
 process cheese product loaf functional-
 ity, M53
 process cheese product slice functional-
 ity, M50
 process design, 728
 processing, 72, 205, 247, 427
 processing temperature, 71
 producer, 203
 producer stratification, W230
 production, T216, W400, 77, 812
 production performance, T171
 production response, 168
 production systems, M121
 productive efficiency, 318
 productive performance, T271, W234
 productivity, T217, T224, W52
 products, 483
 profitability, 776
 progenitor cells, 741
 progeny, 519, 702
 progesterone, M28, M191, M192,
 M212, T193, W202, W205, 175, 259
 progesterone supplementation, M193
 prolactin, T134, T182, T208, 89, 370, 374
 prolonged exercise, 363
 promoter activity, W190
 propionate metabolism, T260
 propionate salt, T230
 propionibacteria, 199

propylene glycol, W390, 371
prostaglandin, M185, T14, 224
prostaglandin E₂, M199
prostaglandin F_{2α}, W226
protease, W87
protected fat, T241
protected lysine, M316
protective immunity, 49
protein, M178, T107, W315, W319,
W352, 19, 167, 414, 533, 861, 864
protein beverages, T69
protein by energy, 385
protein carbohydrate ratio, 620
protein degradability, M294, W323
protein expression profiles, W154
protein level, M397
protein requirement, T270
protein source, M334, T369, 422
protein supplement, T307
protein supplementation, 352
protein synthesis, 115, 662
protein variant, 330
proteinase activity, 623
protein-to-energy ratio, M178
proteolysis, 517, 747
proteome, M203
proteomic analysis, M140
proteomics, T141
protocols, 267
protozoa, W268
proximate composition, M45, T58
Pseudomonas, 626
PSPB, M196
puberty, M41, T221, T225, W53, 258,
520, 602
public attitudes, M118
public health, T91
publication, 736
PUFA n-3, T151
pulsed electric field, 651
pulsed electric field (PEF), 74
purified milk epithelial cells, W154
purine derivative, M364
purine derivatives, M249, W293
pyrantel pamoate, 501
454 pyrosequencing, 620
pyrosequencing, W407

Q

QTL, M41
quail, T153
qualitative identification, M57
quality, T65, W104, 77
quality assurance, T195
quality characteristics, M142

quantitative genetics, 58
quantitative traits, 614
quinagolide, T134

R

rabbits, W169
rabies, T20
racing camels, 723
racing speed, 723
ractopamine, T144, 679
ractopamine HCl, T338
radio frequency dielectric heating, M51
rainbow trout, 32, 137
ram, T216, 20
ranching, 300
random effect, M280
random forest, 710
random regression, 465, 709
random regression model, 726
range animal ecology, 392
rangeland, 17
ranging, W18
rapeseed meal, T159
rapid profiling, 88
rat, 45, 138
rate of digestion, 496
rate of gas production, 515
raw milk, T85, T88, 171
raw milk quality, 639
rawhide chews, M46
RDP, 353
RDP-RUP, T218
real time location system, W233
real-time PCR, T278
receiving, 540, 793
receiving calves, W259
receiving diet, 403
reconstituted milk, M48
record-keeping, 218
records, T21
rectal temperature, 327
Red Angus, 467
red clover, W107
reduced fat cheese, T66
reduced-fat Cheddar, 66
reference standards, W85
refractometer, W35
regression, 531, 724
regression models, 563
regulations, M218
reliability, W58
reliable estimate, M77
remote measurement, 854
rennet, 638
repeat breeder, M210
replacement heifer, 351, 605
reproduction, M116, M200, M210,
M245, T81, T225, T386, W29,
W217, W397, 43, 177, 252, 604, 641,
645, 690, 718, 738, 771, 841
reproductive behavior, W389
reproductive health, 250
reproductive hormone, W34
reproductive management, 187, 339, 340
reproductive performance, M240, T226,
T267
reproductive physiology, W210
reproductive response, W174
reproductive tract, 503
reproductive trait, M27, 238
requirement systems, M248
requirements, M160, 478
research, 654, 733, 735
residual average daily gain, T124
residual feed intake, T44, T124, T347,
T386, W407, 35, 396, 407, 473, 611,
700, 709
residual gain, 407
residue byproducts, T155
resistance, T236, W81, 648
resistant starch, T162
respiratory chain, T189
respiratory quotient, M267
respiratory vaccines, 22
respirometry, M260
rest period, T110
resting behavior, M104
resveratrol, 102
resynchronization, W221
retention pay-off, 530
retention rate, T231
retention time, W333
reticular temperature, M227, M228, 253
reticulorumen, M110
reticulorumen temperature, M229
retinol binding protein, W37
review, 733
RFI, M247, T121, T122, T192, T342,
W68, 549
RFV, T99
rheology, M93
rib cut, T324
rib fat thickness, T252
rice oil, M182
rice straw, 287
riparian areas, T228
risk, 54
risk factor, 642
risk management, 643
RNA, M358
RNA isolation, T126

- RNAi, W152
 roasted soybean, T245, T246
 robust models, M35
 robustness, 671
 rodeo, M183, W5
 Romosinuano, M20
 Ronozyme ProAct, M171
 roping calf, M183
 Roscovitin, W382
 rotating cow brush, 181
 rotational grazing, 835
 rotational stocking, M68
 roughage, T104, T214, 404, 410, 678
 roughage digestibility, 572
 16S rRNA, 625
 rumen, M263, M354, T339, W127, W194, W322, W327, W328, W345, W348, W349, W360, 852
 rumen acidosis, T319
 rumen bacteria, 282
 rumen bacterial communities, W326
 rumen bacteriome, 552
 rumen cannula, T360
 rumen culture, T297
 rumen degradable protein, M271, W372
 rumen degradation, M351, W319, 163
 rumen degradation and intestinal digestion, 418
 rumen development, M297, W121
 rumen epithelia, M289
 rumen fermentation, M305, M318, M357, W323, W324, W337, W366, W374, W378, 288, 414, 425, 538, 571
 rumen metabolism, T291
 rumen microbial yield, W338
 rumen microbiology, 543
 rumen modifiers, 185
 rumen papillae, W129, 669
 rumen pH, M324, W339
 rumen pool, 415
 rumen samples, T360
 rumen-protected AA, 293
 rumen-protected histidine, 106
 rumen-protected Lys, M115, T294, T295
 rumen-protected lysine, T280, T286, 555, 558
 rumen-protected methionine, T280
 rumensin, 554, 675
 rumen-undegraded protein, T304
 ruminal acidosis, W329, 567
 ruminal ammonia, W261
 ruminal bacterial communities, W329
 ruminal degradability, T302, 205
 ruminal digestibility, M350, W93
 ruminal fermentation, T245, W288, 199
 ruminal fermentation and kinetics, M395
 ruminal fermentation profiles, 23
 ruminal metabolism, W336
 ruminal microorganisms, T283
 ruminal pH, W1, 856
 ruminal pH and fermentation, 399
 ruminal temperature, 260
 ruminal VFA, M390
 ruminally degradable protein, 568
 ruminally undegradable protein, 568
 ruminant, T325, M334, M368, T104, T106, T314, W206, W257, W363, 269, 354, 517, 570, 575, 671, 858
 ruminant animals, T316, 358
 ruminant nutrition, M332, M358, M359
 rumination time, M374
 rump fat thickness, 406
 rural area, 436, 437
 ryegrass, M68, W355
- S**
- S. typhimurium*, 754, 755
 SAA3, 630
 Saanen, M279
 Saanen goat, W271
Saccharomyces cerevisiae, W338
Saccharomyces cerevisiae CNCM I-1077, W255
 safflower soap, T114
 Sahiwal calves, 283, 573
 sainfoin, T94, T95, T96, T97, T98, T287, T290
 salinomycin, W375
 saliva secretion, W198
Salix babylonica, M309
Salmonella, T88, 306, 502
Salmonella Dublin, 630
Salmonella typhimurium, T169
 salt diffusion, M143
 salt replacement, T61
 salt substitution, 623
 salting, T67
 sample handling, W98
 sample preparation, 495
 sampling behavior, 798
 Sanhe cattle, W67
 Sannan goat, W272
 saponin extracts, W236, 779
 SARA, 560
 sarsaponin, W283
 satellite cell, W134, 737
 satiety, W179
 saturated, M282
 saturated fatty acids, W298
 saturation, M162
 saturation kinetics, M369, M371
 scalding, 753
 SCC, M2, T65, W23, 411
 SCD, T129
 SCD1, W123
 school lunches, 172
 science, 735
 scientific method, 733
 SCS, 208
 season, M55, M229, W226, W393
 seasonability, M242
 seasonal calving, 714
 seasonal variation, W235
 secondary compounds, 17
 selection, T321, 459
 selection conservation, W18
 selection index, 256
 selection signatures, 452
 selenium, M312, W186, W336
 selling price, 342, 343
 semen, 768
 semen quality, W40, 20
 Senepol, W70, 270, 271
 sensory properties and cheese quality, T63
 sequential, M49
Sericea lespedeza, T379, 432
 serotonin, T1
 serum, W358
 serum alpha tocopherol, W19
 serum amyloid A3 (SAA3), 772
 serum biochemical index, W67
 serum indices, 697
 serum lipids, W167
 serum metabolites, T11, T201
 serum protein removal, 71, 248
 serum proteins, 82
 service learning, 868
 service sire, W60
 service-learning, 124
 sex, M377, T202
 sex and sire line, M155
 sex steroid receptors, W201
 sex-sorted, M211
 sex-sorted semen, T185, 844
 sexual activity, W394
 sexual behavior, W393
 shade, 212
 Shanghai (China), 537
 shear, 87
 shear force, M149, M152
 sheath protector, 528
 sheep, M122, M123, M132, M368, M394, T93, T215, T319, T347, T369, T374, T378, T382, T385, W203, W279, W357, W358, W359, W382, 17, 35, 37, 38, 111, 282, 425, 523, 563, 672, 685, 720

sheep and goat, W89
sheep breeds, T133, W73
sheep milk, 484
sheep placenta, M126
shelf life, M146, T145
shooting height, W110
short-chain fatty acid, 567, 569, 785
short-chain fatty acid absorption, 856
short-medium chain fatty acids, M328, M330, M343
shotgun proteomics, W91
shredlage, M306
shrink, 704
sickness response, 209
silage, M218, W96, W97, W102, W119, 487, 490
silage chop length, W109
silage quality, W111
silage variability, 255
silica, W334
Silvopastoral System, M147
silvopasture, T371
Simmental, M37
simplified rotational grazing system, 834
singeing, 753
single nucleotide polymorphism, W192, 35, 469, 611, 612, 613, 720
single step, 458
single-step method, 447, 451
single-step procedure, 453, 462
sirtuin 1, 582
site-directed mutagenesis, W72
skatole, 751
skeletal muscle, M122, W211
skeletal muscle growth, W180
skeletal muscle metabolism, 366
skeletal muscle oxidative damage, 366
skin temperature, T238
skinning, 753
slaughter, T8
slaughter age, 465
slope-ratio assay, W185
slurry characteristics, 785
small dairies, T77
small dairy herd, 641
small farms, T79
small intestine, 142
small population, 328
smallholder dairy, 122
smooth bromegrass, M67
snakeweed, W187
SNP, M29, W62, W68, W73, W79, 33, 323, 324, 325, 326, 450, 452, 457, 689, 710
SNP markers, 455
social, W15
social rank, T393, W12
social-learning, 214
socio-economic value, T120
sodium, T61, T67, W339, 67
sodium bicarbonate, M324
sodium butyrate, M303
sodium reduction, M98, T72
sodium selenite, 363
soft skills, 594
software, 448
soil moisture monitoring, T84
soil nutrients, M79
solar radiation, T4
sole ulcer, 438
solid feed, M285
solids, 781
solid-state fermentation, M365
solubility, T73, 246
solubility methods, M340
soluble protein fractions of Saskatchewan feeds, M340
somatic cell count, T30, W11, 183, 708
somatic cell removal, 73
somatic cells, W85, W86
somatotropic axis, M214, T275
somatotropin, M189
sonication, W84, W87
sorghum, M69, T158, 286, 509
sorghum DDGS, 509
sorting, M223, M296
sorting behavior, W305
sow, M401, T213, T391, T393, W173, W174, W175, W176, W212, W397, 383, 509, 817, 841, 843
sow housing, W16
sowing density, T118
soy isoflavones, W34
soybean, W292, 784
soybean byproduct, 860
soybean hulls, M378, T244
soybean meal, W252, 205, 293, 512, 513
soybean meal supplementation, M379
soybean oil, M169, T146, W178
spay/neuter, 241
species, T58, T59
spectrophotometric, M106
sperm, W215, 59, 368
sperm dose, 844
spermatozoa, M32, 10
spice, W83
spiral wound, 249
spores, M100
spot 14 (S14), 369
Sprague-Dawley rats, W187
stability, 85
stage of lactation, 838
stages of maturity, M92
stall dimensions, 207
stallion, 368
standardized digestibility, T161
standardized digestible lysine, M161
Staph. aureus mastitis, 333
Staphylococcus aureus, 220
starch, M283, W297, 96, 158, 336, 554, 621
starch digestibility, W301, 286
starch infusion, M274
stargrass, 353
starter, M297, W343, 730
starter cultures, T66
starter intake, W131
statistical approaches, W73
statistics, 735
stayability, 466
stearic acid, M144, 204, 420
steer, M6, M249, M250, M254, T242, W283, 278, 397, 409, 679, 827
stem, W117
stem cell, 377, 741
STEM learning, 732
sterilization, 85
steroid, 13, 666
stevia, 631
stillbirth, W44
stochastic, M280
stochastic simulation, 646
stocker cattle, 599
stocker cattle grazing, 356, 357
stocking density, W231
stocking rate, M68, M91, T371
stockpiled forage, T219
stomach tube, T360
stover, W302
Streptococcus thermophilus, 636
stress, M15, M18, T1, T7, T367, 181, 191, 228, 273, 385, 649, 655, 705, 813
structural characteristics, M89, M90
structural equation models, 459
structure, 731
student, 435, 591
student development, 594, 694
study design, 718
stunning procedure, 747
subacute ruminal acidosis, M323
subclinical endometritis, 550, 561
subclinical hypocalcemia, M11
subclinical ketosis, 446

subcutaneous fat, T144, 750
 substrate, W332
 suckling, T350
 suckling and flushing, 143
 sucrose, M371, 412
 sugar, M313, W309
 sugar cane, M337, W300
 sugarcane, 401
 sugarcane silage, 544
 sulfur, M362, W186, 404
 sulfur amino acids, 662
 sulfur metabolism, 569
 summer growing phase, T232
 summer stockpile, M78
 summer:winter ratio, M231, M232
 sunflower, W102
 sunflower oil, W388
 sunflower soap, T114
 superovulation, W216
 supplement, M261, M376, T115, 705, 706, 789
 supplemental fat, 802
 supplementation, M239, M258, M338, M339, M375, T193, T249, T256, W3, W47, W295, 298, 353, 800
 supplementation frequency, T251, 426, 792
 supplements, W138, 833
 surface proteins, 47
 surface temperature, 272
 survey, M342, W39, W308, 345, 696
 survival, M42
 survival analysis, 722
 susceptibility/resistance, T36
 sustainability, T220, 347
 sustainable goat farming, 348
 swainsonine, W359
 sward height, M72, M73
 swath, 28, 40
 swathgrazing, 542
 sweating rate, 270, 271
 sweet sorghum bagasse, 427
 sweeteners, T69
 swine, M41, M156, M161, M179, M181, M182, T161, W76, W180, W399, 336, 386, 585, 649, 691, 756, 757, 822
 swine growth, 508
 swine/porcine, W401
 swine/porcine/pig, W210
 Swiss albino mouse, W29
 switch test results, 54
 switchgrass, 356
 switchgrass feedstock, 357
 synchronization, M185, M186, M190, 36

systems, 300
 systems biology, M116, M134, T284, 56, 155

T

tailed lamb, M372
 tall fescue, M78, M83, M84, M85, M254, 79, 389
 tangential-flow microfiltration, 651
 tannin, M333, M353, T24, T92, T93, T94, T95, T340, T343, T345, T354, W266, W267, W270, W271, W272, W273, W275, W284, 575
 target weight, 603
 TBARS, M145
T-box, W126
 teaching, 586, 587, 588, 590, 693
 teaching and learning, 865
 teaching costs, 434
 team-based, T81
 teat end, 534
 technology, 301, 703
 technology transfer, 121
 telomere, 228
 telomere length, 228
 temperament, M244, T237, 211, 223, 812
 temperature, M110, W54, 752, 806
 tenderness, T326
 tendon, 739
 terminal sire, 681
 test day model, 291
 test-day, T137
 testes, M34, T330, W209, 845
 testosterone, W203, W209
 tetracyclines, T89
 texturants, 173
 texture, T68, 68, 88, 727
 texturizers, 72
 theca, T184
 T-helper cells, M14
 thermal, 811
 thermal imaging, M226
 thermistor cryoscope, M60
 thermoregulation, M226, M254, 78
 THI, 238
 threshold model, 234
 thrombogenicity, T388
 tibia bone, 51
 tilapia, 385
 tillage methods, 492
 time intensity, T64
 timed AI, M194, M209, T185, T196, T206, W395, W396, 176, 177, 263

titer, 314
 TMR, T294, W227, 288, 291
 TMR dietary groups, T306
 TMR nutrient contents, T306
 TNF- α , W37, 774
 tocopherol, M44
 total chlorophyll, T112
 total fecal collection, M265
 total mixed ration, T262, 294, 801
 total nonstructural carbohydrates, 830
 total serum protein, W27
 total-tract apparent digestibility, 381
 toughness, M153
 toxicity, W187, 46
 trace minerals, T229, 144, 145, 550
 traceability, W402
 training, 122
trans fatty acids, W289, 750
trans-11 CLA de novo synthesis, M140, W154
 transcriptome, 59
 transcriptomics, M134, 65, 155
 transglutaminase, M50, M52, M53
 transition, W13, 92, 97, 668
 transition cow, M3, M24, M214, T275, W234, W235, 153, 157, 159, 160, 250, 443, 561, 565
 transition dairy cows, T270
 transition period, M234, T258, T267, T271, 94
 transplacental DNA transfer, T199
 transport, T7, T9, 398, 827
 transport protein, M289
 transportation, 518, 704
 transrectal ultrasonography, M195
 trehalose, M257
 trenbolone, T372
 triacylglycerol, T272
 triiodothyronine, T133
 triticale dried distillers grain with solubles, W285
 tropical, W400
 tropical composite, T52
 tropical conditions, M260
 tropical corn silage, W103
 tropical environment, T131
 tropical forage yield, M75
 tropical grass hay, W370
 tropical production, M259
 tropics, T40
 TRPC genes, M25
 TRPC4, M19
 trypanosomosis, M13
 tryptophan, T1, 660
 turmeric, T19

turnover, M165
twinning, W44
type trait, T43

U

udder skin, M230
UHT, 635
ultrafiltration, 638
ultrasonication, M100
ultrasound, M148, M255, M259, T22, T188, 373, 632
ultrasound traits, T52
umbilical blood flow, 29
umbilical cord blood, 739
uncertainty, W59
undegradable intake protein, W265
undergraduate, T395, T398, T399, 587, 597, 692
undergraduate education, 433, 589, 596
undergraduate research, 595
undergraduates, 693
university farms, 434
unsaturated, M151, M282
unsaturated fatty acids, T289, T364
upgrading, T40
urea, W251, W266
urea addition to milk, M59
urea transporter, W360
urine ketones, 196
US Holstein, W61
uterine infection, M3
uterine inflammation, M199
uterine involution, T16
uterine programming, T128
uterus, 13, 251
utilization, 863
UV irradiation, 74

V

vaccenic acid, 750
vaccination, 313
vaccine, T20, 112, 314
vaccine response, 332
vaginal temperature, 518
validation, W56
valine:lysine ratio, M159
value of pregnancy, 531
variability, M156
variance components, T53, T57
variation, 816
vascularity, M126
vascularization, 27
vasoconstriction, M85
veal, 283

VEGF, W351
vein, M86
Vernonia amygdalina leaf, T301
Vernonia amygdalina leaves, T316, 45
veterinary, 640
veterinary school, T80
VFA, 161
VFA metabolism, M263
viability, W17
video, 592
vigor, 309
vimentin, W77
virulence genes, 545
visceral fat, M373, T370
visceral organ mass, W45
viscosity, 729
vitamin B₁₂, M319, M357, 546
vitamin C, M31, 151, 411
vitamin D, 133
vitamin E, M31, 585
volatile compound, M48
volatile fatty acid, M285, M290, T261, T290, W194
volatile organic compounds, M218, W249
voluntary dry matter intake, T355

W

Wald statistic, M279
Warner-Bratzler, M153
washed reticulorumen, M251, 408
washed rumen, M267
waste milk, 186
water, M6
water footprint, 698
water intake, W138, 553
water soluble carbohydrates, 44
water usage, 698
water-holding capacity, T143, 387
wean, M17
weaned pig, T167
weaned piglet, M173, 664
weaned pigs, M172, W161
weaner pigs, 583
weaning, M180, T233, T380, 21, 41, 403, 809
weaning pigs, T23, T25
weaning transition, M117
weaning weight, M69, T50, W399
weaning-growing pigs, T32
weanling pigs, M176, W157, 763
weather, T227
web-based simulator, T397
weed incidence, 492
weight, M150

weight distribution, 504
weight gain, M258, M298, M384, T253, T254, T257, T333
welfare, M220, T2, T10, T395, W4, W5, W398, 206, 208, 212, 213, 272, 647
well-being, T8, 647
West African dwarf ewe, 423
western juniper, 445
wet corn gluten, 793
wet distillers grains, W256
wet distillers grains plus solubles, 795
wet distillers grains with solubles, W282
wethers, M385
wheat, 158, 508
wheat processing, T245
whey, M95
whey losses, 69
whey protein, M97, W90, 83, 302, 633, 634
whey protein concentrate, 631
whey protein isolate, M62
whey protein nitrogen index, M51
white blood cell, T377
whole corn, M297
whole cottonseed, W46
whole crop barley, T309
whole prey, M45, 619
whole shell corn, 793
whole soybeans, T299, T300
whole sugar cane, T327
whole-farm model, W242
wildlife, 243
winter, 811
winter forages, T111
winter grazing, T219
winter growing phase, T232
Wnt pathway, M141
woody plants, T214
wool, T216
wool production, 850
wool yield, W342
WPI, T69

X

xylanase, W120

Y

Y chromosome, T199
yearling bulls, W284
yearling cattle, 42
yearlings, 600
yeast, M64, M65, M305, M320, W338, 215, 217, 280, 769
yeast β -glucan, 277

yeast cell wall, W371
yeast culture, 559, 560, 571
yeast product, W365
Yemeni indigenous sheep breeds, 721
YGF-251 extract, W171
yield, T55
yogurt, M62, T74, W80, 88, 727, 728,
730, 731
yogurt culture, W81
yohimbine, 822

young beef cows, T230
young calves, 803
youth education, 344
Yucca schidigera, W345, W348

Z

ZAD, 768
Zado, M184, M320
zebu, M260, T348, 165

zeolite, W172
zero-tannin faba beans, M403
zilpaterol, T387
zilpaterol hydrochloride, T150, T178
zinc, M393, T338, 137
zinc amino acid complex, T166

