

**American Dairy Science Association  
Poultry Science Association  
Asociación Mexicana de Producción Animal  
American Society of Animal Science**

**Subject Index**

*Abstract numbers preceded by M are Monday posters, numbers preceded by T are Tuesday posters, and numbers preceded by W are Wednesday posters; all other numbers indicate oral abstracts.*

**A**

- ABCG2 gene, M120, M121
- Acanthopanax senticosus* extracts, 696
- Accelerated breeding, T164
- Accelerated cheese ripening, 826
- Acceptation index, T96
- Acclimation, 808
- Accountability, 472, 473
- Accreditation, 674
- Accuracy, 417
- Acervulina*, 35
- Acetic acid, T133
- Acetylated peptides, W336
- Acid Buf, W308
- Acid marinade, 254
- Acidic soil, M102
- Acidification profile, T93
- Acidifiers, M89
- Acidosis, W152, W305, W306, 516, 898, 899
- AciXol, T13, 33
- Acoustic, W82, 576
- Activin receptor type IIB, 471
- Activity monitor, 549
- Acute phase protein, 303, 775
- Acute phase response, 304, 900, 901
- Adaptability, 673
- Adaptation, W7, 154
- Additives, T136, T203, 299, 875
- ADG, M164
- Adhesion, 578
- Adhesion ability, 861
- ADIN, M297
- Adipogenesis, T169
- Adipogenin, T169
- Adipokine, 316
- Adiponectin, 643
- Adiponectin receptor 1, 643
- Adipose, M371, 5, 212, 279, 520, 634
- Adipose tissue, T170, 2, 266
- Adjuvant, M149, T185
- β-Adrenergic agonist, 852
- Adrenergic agonist, M62
- β-Adrenergic receptor, T168
- Adsorbent, 435, 436
- Adulteration, M85
- Advising, 799
- Aerobic stability, T141, 588, 848
- Aflatoxin, W328, 171
- Aflatoxin B1, 435
- Aflatoxin M1, T105, W327
- Agaricus bisporus*, M325

- Agave, W108
- Age, W265
- Age of dam, T54
- Agglomeration, T115
- Aggression, 40, 147
- Aggressive interactions, T3
- β-Agonist, T47, W355
- Agrado, 912
- Agricultural, 674
- Agroforestry, 259
- AI contract mating sires, 226
- Air puff, W100
- Air quality, 721
- Albizia lebbeck*, T144
- Alcohol-fermented feedstuff, T346
- Alcohols, 127
- Alfalfa, M110, M111, M113, W162, 181, 587
- Alfalfa hay, M328, M336
- Alfalfa particle size, M337
- Alfalfa silage, T140, T326, 594
- Alfalfa silage storage structure, T325
- Algorithm, 398, 414
- Alkali, T332
- Alkaline phosphatase, T157
- Alkaloid, M29
- Alkaloids ergot, 693
- Alkanes, M282
- Allantoin, 855
- Alligator, M243
- All-vegetable feed, 491
- Alpha-linolenic acid, W182, 63, 64
- Alpha-toxin, 685
- Aluminum sulfate, 439
- Aluminosilicate, T198, W153
- Amilolytic enzymes, T305
- Amino acid, M193, M223, M293, T34, T316, T357, W271, 101, 357, 478, 477, 479, 607, 707, 865, 871
- Amino acid digestibility, M206, T219, W141, 476, 984
- Amino acid supplement, 906
- Δ-Aminolevulinic acid, M226, T224
- Ammonia, M300, T22, T283, 11, 128, 624, 708, 709, 713, 716, 717, 769
- Ammonia abatement, 771
- Ammonia emission, W297
- Ammonia flux, 715
- Ammonia uptake, 718
- Ammonia/ammonium, 329
- Amnion, 294, 456
- AMP-activated protein kinase, 322
- Amphibian, 234

- α-Amylase, W262
- Anabolic implant, W255, 664
- Anabolic steroid, 851, 852
- Anaerobic rumen fungi, W78
- Analysis, T331
- 2D Analysis, T63
- Anesthesia, 23
- Anestrous cows, T253, T254
- Anestrus, W216
- Angiotensin-converting enzyme, 820
- Angora goat, W122, W123, W124
- Angus, T42
- Angus plus cattle, T36
- Animal agriculture, 207
- Animal behavior, W240
- Animal breeding, T53, 409
- Animal ethics, 804
- Animal feeding operations, 720
- Animal identification, T291, 768, 897
- Animal model, M46, W31
- Animal nutrition, M321
- Animal performance, T47
- Animal production, 208, 259
- Animal protein hydrolysate, T217
- Animal proteins, 568
- Animal rights, 209
- Animal science, 534, 535, 679
- Animal welfare, 36, 210, 386, 546, 802
- Animal well-being, 804
- Annual range, T49
- Annular denuder, 329
- Anovular, T266
- Antagonism, 697
- Anterior pituitary, 66
- Anti-adhesion, M235
- Antibacterial, 327, 580
- Antibiotic, M20, M87, M243, T203, T220, W350, 21, 92, 298, 308, 326, 870, 872, 875
- Antibiotic growth promoter, 301
- Antibiotic treatment, W26
- Antibody, 72, 692
- Antibody titer, 714
- Antibody-mediated immune response, T182
- Anticoccidial, 32
- Anti-Gal, T181
- Antimicrobial, W83
- Antimicrobial agent, 579
- Antimicrobial effect, M194
- Antimicrobial peptide, M148
- Antimicrobial protein, M22
- Antimicrobial resistance, 55

- Antioxidant, M249, W211, 569, 868, 912
- Antioxidant defense, 113
- Antioxidant enzyme activity, T28
- Apparent digestibility, M298, M338, W343
- Apparent total tract digestibility, M190
- Apple, T138
- Apple by-products, T137
- Apple pomace, T139
- Arginine, 26, 27, 615, 873, 874
- Aroma, T93
- Artificial insemination, T43, T252, T256, T267, 119, 120, 188
- Artificial neural network, 543
- Artificially contaminated milk, W80
- Ascophyllum nodosum*, W163
- Ascorbic acid, T82, T308
- Assay, W82, W137, 114
- Assessing animal welfare, 719
- Assessment, 675
- Associative effect, M133
- Atherosclerosis, M263
- Attitudes, M77
- Audit, 722
- Automatic data collection, 422
- Automatic milking system, T276, 189
- Automatic monitoring, 549
- Autosort, 381, 774
- Availability, 100
- Available phosphorus, M218, 111, 705
- Average daily gain, W39, 531
- Avian, 71
- Avian cell lines, M41
- Avian eggshell, 313
- Avian influenza, T88, 691, 692, 830, 949
- Avian photoperiod, 321
- Avian reovirus, T19
- Avizyme, W181

**B**

- Bacillus*, W149
- Bacillus subtilis*, T191, T236
- Bacillus subtilis* C-3102, 300
- Bacitracin, W361
- Back fat thickness, T38, T39, W87
- Bacteria, M94, T186, T278, W18, 29, 84, 442, 576, 710
- Bacteria count, W77
- Bacteria-fungi, W206

- Bacterial growth, 253  
 Bacterial population, M322  
 Bacterial score, 854  
 Bacteriocin, W83, W84, 438  
 Bacteriophage, 688  
 Bahiagrass, W244  
 Balance, M287  
 Balanced protein, 102  
 Baluchi sheep, W38, W42  
 Barley, 527  
 Base excess, T80  
 Batch culture, M319, M323  
 Bayesian analysis, W49  
 Bayesian estimate, M45  
 Beak trimming, M7  
 Bedding, T22  
 Beef, M56, M57, M59, M67, M369, M373, T35, T41, T118, T170, 249, 432, 525, 744, 986, 987  
 Beef breeds, 401  
 Beef calf, T363, W28, 405  
 Beef cattle, M4, M5, M42, M61, M97, M98, M249, M250, M320, M330, T47, T292, T360, W32, W35, W37, W109, W202, W269, W276, 13, 122, 155, 160, 214, 217, 220, 221, 222, 400, 402, 404, 406, 407, 408, 417, 496, 554, 635, 662, 785, 836, 837, 839, 911, 932, 934, 939, 947  
 Beef cattle producer, 768  
 Beef color, T48  
 Beef cow, W213, 116, 658, 665  
 Beef cow nutrition, M103  
 Beef frankfurters, 254  
 Beef heifer, T49, T251, W103, 117, 118, 119, 885  
 Beef longissimus muscle, 431  
 Beef production, M107  
 Beef quality, 408  
 Beef quality assurance, 834  
 Beef quality traits, M60  
 Beet pulp, W281  
 Behavior, M59, M134, M289, T8, T374, 14, 16, 20, 21, 381, 384, 385, 543, 545, 546  
 Behavior and condition, M10  
 Benzoic acid, W169  
 Bermudagrass, 258  
 Best prediction, M52, 558  
 Betaine, 662  
 Biacore, 577  
 Binding, W86  
 Bioactive, 585  
 Bioactive ingredients, 582  
 Bioactive peptides, 581  
 Bioavailability, T241, T369, 877  
 Biochemical composition, W155  
 Biochemical indicators, M271  
 Biochemistry, 288  
 Biodiverse pasture systems, W101  
 Biodiversity, 447  
 Bioenergetics, W273  
 Bioethics, 36, 210, 802  
 Biofuels, T341  
 Biogenic amines, 567  
 Biohydrogenation, M173, M366, 916, 917  
 Bioinformatics tool, T62  
 Biological, W258  
 Biological control, W29  
 Biological efficiency, T52  
 Biological value of protein, T28  
 Biomarkers, M265, 581  
 Bio-Mos®, M199, 25  
 Biophotonics, T11  
 Biotechnology, W174, W176, 681, 805  
 Bird, 890  
 Birth weight, W352, 745, 778  
 Bitterweed, 923  
 Black seed oil, 376  
 Blastocyst, T258  
 Blindness, 320  
 Blood, M275  
 Blood metabolite, M256, M336  
 Blood parameter, T83, W335  
 Blood spots, 446  
 Blood variables, M131, T159  
 Bluegrass straw, T289  
 BMD, 33  
 BMP, 136  
*bmr*, W292  
 Boar, T201, W8, W236, 894  
 Boar sexual drive, 815  
 Bobwhite quail, T20  
 Body composition, M125, M130, T174, W274, 484  
 Body condition score, T294, W313, 340, 726  
 Body condition scoring, W250  
 Body fat, T79  
 Body size, 726  
 Body temperature, T281, W239, 342  
 Body weight, 225  
 Boer, T156  
 Boer goat, W121  
 Bolus particles, 902  
 Bone, W196, 286, 680  
 Bone ash, T209, W151  
 Bone development, 143  
 Bone mineral density, M142, 459  
 Bone mineralization, M142, T204, 459  
 Bone phosphorus, 905  
 Bone strength, 383  
 Bontebok, W226  
 Boron, W236, 359  
*Bos indicus*, 943  
 Botulism, M99  
 Bovine, M28, M29, M40, M153, M248, T185, T320, W17, W23, W207, W212, W214, W216, W238, W331, 403, 465, 471, 544, 641, 973  
 Bovine endometrium, M367  
 Bovine lactoferricin, 616  
 Bovine mammary involution, 271  
 Bovine muscle, M370  
 Bovine myogenesis, 433  
 Bovine respiratory disease, W26, 947  
 Bovine somatotropin, W248  
 Bovine viral diarrhea, M154  
 Brahman, T57, T71, 213  
 Brassica, M27  
 Breast meat, T51  
 Breed, T243, W32, W194, 178, 814  
 Breed type, T52  
 Breeder age, 503  
 Breeders, 304  
 Breeding, W340  
 Breeding costs, T256  
 Brewers grains, T338  
 Broiler, M62, M140, M141, M208, M218, M219, M260, M275, M276, T1, T2, T18, T87, T178, T222, T236, T241, T243, W179, W192, W194, W372, 17, 18, 24, 67, 98, 100, 102, 104, 137, 298, 304, 307, 309, 315, 317, 318, 326, 329, 334, 335, 468, 481, 485, 486, 489, 490, 491, 506, 507, 508, 698, 700, 705, 712, 713, 743, 860, 955, 957, 962, 964  
 Broiler breast fillet, W96, W100, 423  
 Broiler breeder, 29, 140, 145, 146, 147, 302, 330, 331  
 Broiler breeder hen, 144, 714  
 Broiler breeder management, 332  
 Broiler breeder protein degradation, W190  
 Broiler breeder strain, 141  
 Broiler chick, T24, T229, 470, 953  
 Broiler chicken, M209, T230, 296, 509, 959, 961  
 Broiler diet, T228  
 Broiler hatching egg, 501  
 Broiler leg health, 143  
 Broiler performance, M203, M211, M212, M214, M216, M279, 301, 503, 715  
 Broiler strain, 69  
 Brooding temperature, 508  
 Brown Midrib (BMR), W117, W293  
 Brown Midrib Corn Silage, W286, W323  
 BSE strain, 950  
 bST, T258  
 BSTM and PVN, 15  
 Budget, 475  
 Buffalo calf, 809  
 Buffer, T305, W270, W308  
 Bulk tank, 132  
 Bulk tank somatic cell count, 854  
 Bull, M37, M247, T40, T290, W35, W52, 216, 935  
 Bull calf, T361  
 Bunker silo, 183  
 Butyric acid, T133  
 Butter, W59  
 Butterfat, M355  
 Buttermilk, 574  
 B-Vitamin, 784  
 By-product, W356, W357, 650
- ## C
- C. elegans*, T33, 376  
 C18-fatty acids, 918  
 c21orf66, M40  
 Cactus pear, M163, W120  
 Cadmium, 113  
 CAFO, 721  
 Calcium, M218, T188, T371, W20, W156, 112, 204, 205, 286, 955  
 Calcium homeostasis, 510  
 Calcium hydroxide, T151  
 Calcium lactate, 239, 240, 241, 242  
 Calcium lactate crystals, 245  
 Calf, M79, M193, M256, M288, M290, M291, M339, M340, M341, M342, M344, M345, M346, T4, T9, T50, T171, T174, T358, W13, W111, W205, W249, 134, 192, 269, 283, 285, 387, 397, 542, 635, 766, 779, 782, 784, 919, 920  
 Calf health, W12  
 Calf nutrition, T366, 779  
 Calliandra, W121  
 Caloric restriction, 887  
 Calpain, T129, 632  
 Calpastatin, M55, T129  
 Calving date, T73  
 Calving ease, 723  
 Calving trait, M49  
 Camembert cheese, T100  
*Campylobacter*, M157, M274, M275, T27, 148, 325, 335, 437, 438, 439  
*Campylobacter* spp., M84  
 Canadian dairy breed, 723  
 Candidate gene, 227  
 Candling, 981  
 Canine, T81  
 Canola meal, 149, 297  
 CAPN1, 219  
 Caprine, T116  
 Caprine arthritis encephalitis virus, T32  
 Carbohydrase, T200  
 Carbohydrase enzyme, M237, W173  
 Carbohydrase inhibitor, T311  
 Carbohydrate, 587, 863  
 Carbon monoxide, 424  
 Carcass, M44, M281, T198, W195, W345, 407, 614, 634, 660, 739, 744, 816, 926, 927, 932  
 Carcass bacteria, 441  
 Carcass characteristics, T194, 408, 661, 764  
 Carcass composition, M62, 481, 966  
 Carcass disposal, 830  
 Carcass meat quality characteristics, T191  
 Carcass performance, W99  
 Carcass quality, T37  
 Carcass trait, W47, W275, 215, 406  
 Carcass weight, 819  
 Carcass yield, M211, M212, T126, W194, W344, 626  
 Cardiac output, W228  
 Cardiomyopathy, T23  
 Cardiovascular disease, 597  
 L-Carnitine, M258, T192  
 Carnitine, 311  
 β-Carotene, T208  
 Carry-over, W327  
 Cartilage, 628  
 CASA, W238  
 Case study, M75  
 Casein concentrate, 194  
 Cashmere, W43  
 CAST, 219  
 Catfish, M199  
 Cation-anion difference, 284  
 Cattle, M22, M48, M99, M189, M289, T166, T169, T244, T291, W7, W9, W16, W33, W34, W36, W44, W252, W263, W268, 12,

- 56, 212, 252, 347, 358, 359, 377,  
 380, 409, 522, 523, 527, 539,  
 541, 728, 739, 783, 886  
 Cattle feeding, 521  
 CCIA, 896  
 cDNA, M122, T68  
 cDNA library, T74, W57  
 cDNA microarray, 412  
 Cecectomized rooster, 983  
 Cefotiofur, M21, 392, 393  
 Cell isolation, T319  
 Cell solubles, T299  
 Cell-mediated immunity, 26, 70  
 Cellularity, 606  
 Cellulitis, T86  
 Cement, M81  
 Central performance test, W133  
 Cereal, T232  
 Cereal grain, 586  
 Cereal grain forage, 374  
 Cereal texture, M229  
 Cereal nutrient, M232  
 Certification, W125, W126  
 Cervical mucous discharge, W206  
 Change in rank, 226  
 Change management, 602  
 Cheddar cheese, T98, T101, 80, 239,  
     240, 241, 242, 245, 826  
 Cheese, T90, T105, W62, W84, 243,  
     820, 828  
 Cheese meltability, 78  
 Cheese ripening, T94  
 Cheese whey permeate, T109  
 Chelated minerals, 285  
 Chemical composition, T99, 703  
 Chemiluminescence, 699  
 Chevon, W129, W130, 597  
 Chevon quality, W131  
 Chick, 93, 99, 299, 319, 858  
 Chick quality, 498, 506  
 Chicken, M151, M152, M262, T62,  
     T176, T231, W54, W175, W227,  
     W231, W234, 47, 68, 462, 687,  
     711, 892  
 Chicken breast, 424  
 Chicken breast fillet, W92  
 Chicken breast muscle, M63  
 Chicken intestine, T237  
 Chicken muscle, 427  
 Chickpea, W171  
 Chilling, W96  
 Chinese herbs, M223, T34  
 Chinese Luxi cattle, M60  
 Chitooligosaccharide, T346  
 Chitosan, 275  
*Chlamydophila*, W11  
 Chloride, M287, W329  
 Chloride fertilization, 513  
 Chloride fertilizer, M105  
*Chloris gayana*, M109, W104  
 Chlortetracycline, W276  
 Cholesterol, M32, M263, T344  
 Cholesterol quantification, 431  
 Cholesterol removal, T100  
 Choline, T349, T350, T352, T353,  
     T354, T355, T356, 166  
 ChREBP, 462  
 Chromium, T361, T370, W166  
 Chromogranin A, M150  
*Chrysactinia mexicana*, 443  
 CIDR, T244, W203  
 CIDR reuse, T245  
 Citric acid, T213, T242  
 CL development, 287  
 Claw horn lesion, 16  
 Claw lesion, M1, M2, M8  
 Clay, W172  
 Clenbuterol, T125  
 Climate, W32  
 Cloacal gland, W233  
 Cloacal swab sample, T19  
 Clock genes, 323  
 Cloning, 805  
*Clostridium*, T86, T87, 92, 687  
*Clostridium colinum*, T20  
*Clostridium perfringens*, T228, 296,  
     469, 685, 699  
 Coastal bermudagrass, M127  
 Coating, 962  
 Cobalt, 921  
 Coccidia, T17, 686  
 Coccidiostoxin, T24, 34, 103  
 Coconut oil, M221  
 Cold stress, W12  
 Colibacillosis, 688  
 Colicin, T10  
 Collegiate poultry judging, 684  
 Co-localization, M181  
 Colonization, 439  
 Color, W91  
 Colorectal cancer, 204  
 Colorimeter, T48  
 Colostrum, M13, M14, M349, T32,  
     W13, W67, 275, 968  
 Commercial additives, T303  
 Commercial cuts, W346  
 Commercial food, M198  
 Commonly expressed genes, W30  
 Communication, 680  
 Compensatory growth, 621  
 Competition, 44, 416  
 Competitive effects, T60  
 Complexed zinc, T119  
 Composition, M31, T78, W92, W128  
 Computer model, W294  
 Concentrate, T276, 845  
 Concentrate conversion, W268  
 Concentrate diet, W281  
 Concentrate level, 131, 844  
 Concentrate protein levels, W283  
 Concentration, W74  
 Conception, T35, T263, W215, 928  
 Conception rate, 345, 753  
 Condensed corn distiller solubles,  
     M286, 761  
 Condensed tannins, T155, 925  
 Conditioning, M217, W56, 14, 19  
 Conditions, W137  
 Conference, W127  
 Confinement system, W337  
 Conformation, 565  
 Conjugated linoleic acid, M56,  
     M171, M172, M189, M263,  
     M350, M357, M358, M359,  
     M360, M361, M362, M369,  
     M373, T15, T108, T110, W60,  
     W62, W140, 182, 243, 290, 495,  
     584, 620, 911, 917  
 Continuous culture, T301, T311,  
     W266  
 Controversial issues, 605  
 Conventional, W1, W373  
 Conventional corn, M210  
 Cooling, 807  
 Cooperative extension, 474  
 Copper, 106, 697, 783, 837  
 Co-products, T342, 526, 530  
 Coral mineral, T197  
 Corn, M207, T141, T210, W260  
 Corn cultivars, 961  
 Corn distillers grain, 649  
 Corn fiber, T78  
 Corn germ, M206, 608, 655  
 Corn hybrid, 158, 351  
 Corn milling, 650  
 Corn milling co-product, T343  
 Corn particle size, M337, W297, 312  
 Corn processing, 351  
 Corn protein, T77  
 Corn replacement, W298, 151, 152,  
     153  
 Corn rootworm, W177  
 Corn silage, M73, T143, T321, T322,  
     T323, T328, W291, 185, 991  
 Corn stalk grazing, 832  
 Corn stover, W298  
 Corn supplement, W119  
 Corpus luteum, W203, W210, W224  
 Correlated random walk, 545  
 Corticosterone, M139, 15  
 Cortisol, W205, 932  
 Cost, 771  
 Cottonseed, 335, 666, 786  
 Cottonseed cake, W175  
 Cottonseed meal, M294, 480  
 Cow, T371, W310, 260, 286, 289,  
     495, 666  
 Cow comfort, 385  
 Cow-calf, M161  
 CpG, T185  
 CpG islands, T59  
 CpG ODN, T184  
 Crabgrass, 843  
 Cream cheese, 75, 822, 824  
 Creatinine, W318  
 Creole cow, W203  
 Cricket, 235  
 Criollo lamb, T305, W334  
 Critical thinking, 676, 677  
 Crohn's disease, 951  
 Crop yield, 832  
 Cross bulls, M246  
 Crossbred, W243  
 Crossbreeding, T44, T69, W346,  
     191, 223, 229, 555, 556, 727  
 Crosses, W339  
 Crosslinked  $\beta$ -cyclodextrin, T100,  
     T101  
 Crowd density, T199  
 Crude glycerin, M205, 530  
 Crude glycerol, W142  
 Crude protein, M294, M304, 101,  
     103  
 Crude protein digestibility, T148  
*Cry34Ab1*, W177  
*Cry35Ab1*, W177  
 Crystal, 239, 240, 241, 242  
 Cull, 339  
 Cull beef cow, W265  
 Cull cow, M79, W264  
 Culling, 336  
 Cupric methionate, M197  
 Curd shrinkage, 77  
 Curd washing, 78  
 Curriculum, 532, 534, 537  
 Cuts yield, W197  
 Cutting height, M113, T328  
 Cysteine, 99  
 Cystine, W191  
 Cytokine, T180, 3, 7  
 Cytoplasmic line, M37  
 Cytoskeleton, W208
- D**
- Daily herbage allowance, 845  
 Daily milk production, T287  
 Dairy, M23, M71, M72, M74, M80,  
     M159, M192, M255, M291,  
     M313, M346, T288, T342, T349,  
     W20, W25, W71, W75, W110,  
     W243, 129, 200, 285, 288, 338,  
     553, 555, 637, 750, 806  
 Dairy beef, 355  
 Dairy by-product, M208  
 Dairy calf, M156, M347, M348  
 Dairy cattle, M91, M96, T264, W24,  
     133, 164, 172, 231, 277, 390,  
     563, 638, 749, 780, 902, 904, 970  
 Dairy cattle breeding, 226  
 Dairy cattle nutrition, W299  
 Dairy centers, 193  
 Dairy cow, M21, M30, M47, M182,  
     M257, M308, M309, M310,  
     M317, M318, M334, M351,  
     M354, M360, T179, T180, T259,  
     T260, T262, T263, T266, T268,  
     T269, T282, T298, T312, T317,  
     T336, T339, T350, T352, T353,  
     T354, T355, T369, W11, W14,  
     W18, W218, W219, W220,  
     W222, W286, W298, W304,  
     W309, W313, W320, W322,  
     W326, 124, 125, 130, 166, 278,  
     281, 284, 348, 388, 393, 396,  
     494, 592, 652, 654, 655, 732,  
     757, 791, 905, 906, 972  
 Dairy cow mortality, T55  
 Dairy emissions, 128  
 Dairy ewe, W348  
 Dairy farm, W245  
 Dairy feeding system, T348  
 Dairy food, 196  
 Dairy goat, M123, M126, M130,  
     M285, T161, T359, 754, 758  
 Dairy heifer, M259, M314, T279,  
     W282, W283, W290, 565, 640  
 Dairy herds, W246  
 Dairy ingredients, 195  
 Dairy manure, T284  
 Dairy milk, M18  
 Dairy pasture, 903  
 Dairy products, W60  
 Dairy protein, 195  
 Dairy research, 193  
 Dairy sheep, 276, 930  
 Dakota bran, 157  
 Dallis grass, M108  
 Dam parity, 694  
 DAS-59122-7, W157

- DASH diet, 203  
 Dashboard, 746  
 Data envelopment analysis, T69  
 Data logger, 347  
 Daughter-dam regression, T66  
 Day length, W37  
 Daylight, 639  
 Days after sowing, M119  
 Days dry, T277  
 Days in milk, T287, 845  
 Days open, M53, T70, 559, 562, 730  
 DCAB, T372  
 DDG+S, 652  
 DDGS, T334, 608  
 DDGS Digestibility, T226, 483  
 DE, W150  
 Decision trees, 517  
 De novo fatty acids, 915  
 Deactivation, 171  
 Death losses, T55  
 Death rate, M24  
 dEB, 883  
 Deboning, M63  
 Decorin, 458  
 Deficiency, M166  
 Defoliation, W118  
 Degradability, M128, M294, 348  
 Degradable intake protein, 986, 987  
 Degradable protein, M306  
 Degradation kinetic, T297  
 Degradation ratio, T296  
 Dehorn, T9  
 Dehorning, M288, 20, 23  
 Delivery methods, 604  
 Dermatophilosis, T12  
 $\Delta^9$ -Desaturase, M369, M370  
 Descriptive analysis, W73  
 Detachable, W363  
 Detection, M93, T12, W306  
 Determining technique, T158  
 Development, M31, 782  
 Developmental immunotoxicity (DIT), 71  
 Dewormer, 924  
 Deworming, T31, T50  
 Dexamethasone, T127, W263  
 Dextrin, M225  
 DGGE, T14, 34  
 DHA, M366, 916  
 DHI, 132, 421  
 DHIA supervisor, M74  
 Diallelic crossbreds, W55  
 Diarrhea, 397  
 Dielectric property, M63  
 Diet, W135, W270, W277, 115, 772  
 Diet formulation, 10  
 Diet manipulation, 879  
 Diet preconditioning, 488  
 Diet selection, M282, 449  
 Diet synchrony, 12  
 Dietary cation-anion difference, 510, 512  
 Dietary choice, 448, 450  
 Dietary crude protein, 96  
 Dietary electrolyte balance, 309, 959  
 Dietary energy, 876  
 Dietary energy dilution, W295  
 Dietary fat, 428, 611, 796  
 Dietary fiber, M244, T218  
 Dietary nucleotides, M220  
 Dietary roughage source, T37  
 Dietary selection, 447  
 Differential, W253  
 Differentially expressed genes, 412  
 Diffusing wave spectroscopy, 575  
 Digesta pH, 860  
 Digestibility, M164, M230, M307, M320, M334, T150, T300, T368, W153, W292, W293, W301, W316, W335, W356, W357, 110, 153, 158, 237, 238, 478, 611, 707, 787, 789, 792, 982  
 Digestibility in the hindgut, W138  
 Digestible, 479  
 Digestible lysine, 310, 480  
 Digestible phosphorus, W143  
 Digestion, M318, T159, T306, 786  
 Digestion-resistant compounds, M195  
 Digital dermatitis, 552  
 Dilated cardiomyopathy, T25  
 Dim light, 126  
 Direct-fed microbial, T177, T239, 878  
 Direct-fed microbial (DFM), M196  
 Disappearance, M297  
 Disease, M199  
 Disease detection, T286  
 Disease prevention, 547  
 Disease resistance, 409  
 Disinfection, M81  
 Disposition, 544, 677  
 Dissection, W128  
 Distance education, 683, 998  
 Distillers dried grains, T340, 86, 883  
 Distillers dried grains with solubles, M206, T333  
 Distillers grains, M204, M340, T117, T118, T344, W97, 252, 525, 620, 647, 653  
 Distillers grains plus solubles, M202, T339  
 Distillery by-product, M141  
 Diurnal harvest, 594  
 Diversity, W25  
 DNA, M120, M135, W253  
 DNA polymorphism, T36  
 Dog, T79, T80, T84, T85, 238  
 Domestic fowl, 545  
 Dominance, T4  
 Donkey, 59  
 Dopamine melatonin, 321  
 Dorset, 493  
 Drag swab, 333  
 Dressing percentage, W344  
 Dried distillers grains, T345, W342  
 Dried distillers grains with solubles, T336, 607, 609, 648  
 Drinkable yogurt, 79  
 Drinking water, 698  
 Drought, M69  
 Drug target, T33  
 Dry cow, T247  
 Dry dairy cow, M27  
 Dry distillers grains, W343, 528, 529  
 Dry distillers grains with solubles, M356  
 Dry glycerin, T337  
 Dry matter intake, W102, 223  
 Dry matter yield, 760  
 Dry period, W15, 346, 734, 755  
 Drying, T146  
 Dry-rolled corn, 528  
 Dual-flow fermenter, M315  
 Duck, W185, W230, 96  
 Duodenal mucosal cells, T319  
 Duodenum, M264  
 Durian fruit (*Durio zibethinus*), 731  
 Duroc pig, W46, W139, W365  
 Dust, 717  
 DXA, W151, 484  
 Dysuria, M49
- E**
- E. coli*, W134, W135, 443  
*E. coli* K88, M235, 83, 90  
*E. coli* O157, 252  
*E. coli* O157:H7, 251  
 Ear infection, M290  
 Ear tag, M284  
 Early embryogenesis, M35  
 Early embryonic stage, W30  
 Early growth trait, W41  
 Early intensified nutrition, M344  
 Early luteal phase, T255  
 Early performance, M7  
 Early postpartum, T337  
 Early postpartum ovarian activity, W221  
 Early weaning, T215  
 Early-weaned pig, 82  
 Eating pattern of cattle, 846  
 Economic, 201  
 Economic analysis, 951  
 Economic model, T75, 49  
 Economic trait, 43  
 Economics, T43, 94, 564, 746, 748  
 Economics of liming, M102  
 ECP, T248, T249, T250  
 ECV, 307  
 Edible tissues, 445  
 Education, M75, W371, W372, 175, 365, 675, 684  
 Effective fiber, W311  
 Efficiency, T69, T327, W154, W280, 222  
 Efficiency of microbial biomass synthesis, 855  
 Egg, M58, M66, M68, W91, W180  
 Egg antibody, T24  
 Egg breakout, 981  
 Egg characteristics, T223, W178  
 Egg cholesterol, W186  
 Egg envelope, W229  
 Egg mass, W193  
 Egg physical quality, T122  
 Egg powder, M84  
 Egg production, M54, W178, 144, 311  
 Egg quality, T224, W55, 305  
 Egg size, 141  
 Egg storage, 507  
 Egg temperature, 142  
 Egg weight, T51  
 Egg yolk antibody, M149, 81  
 Eggshell quality, M277  
 Eicosanoid, T16  
*Eimeria*, T18, 30, 31, 35, 334  
*Eimeria maxima*, 469  
*Eimeria tenella*, T183  
 Eimeria identification, 34  
 Electrolyte, M228, W23  
 Electron beam, M368  
 Electronic bolus, M283  
 Electronic identification, M283, M284, M285  
 Electronic nose, T92  
 Electrospray ionization mass spectrometry, T15  
 ELISA, T284, 690, 958  
 Elongase/desaturase activity, 45  
 Embryo, W207, W208, W211, W214, 291, 493  
 Embryo mortality, 504  
 Embryo survival, T208  
 Embryogenesis, 139  
 Embryonic and fetal mortality, 888  
 Embryonic metabolism, 138  
 Embryonic mortality, 290  
 Emergency issues, 605  
 Emission, T283, 129  
 Employee commitment, T275  
 Employee management, T288  
 Empty body weight, W355  
 Encapsulation, T308  
 Encephalic photoreceptors, 319  
 Endocrine disrupting chemicals, 642  
 Endocrine disruptor, 313  
 EndoFighter, W103, W109  
 Endogenous amino acids, T158, W147  
 Endogenous energy loss, 960  
 Endogenous flow, 477  
 Endogenous losses, 476  
 Endogenous nitrogen, T158  
 Endometritis, M30, W18  
 Endophyte, M26, W113, 548, 839  
 Endosulfan, T82  
 Endothelin-1, W224  
 Endotoxin, W10, W21  
 Energetic efficiency, 880  
 Energy, M193, M204, W164, W165, W321, W347, W349, 289, 453, 540  
 Energy balance, W295, 390, 518, 636, 724  
 Energy content, M160  
 Energy cost, 931  
 Energy density, 516  
 Energy intake, M250  
 Energy partitioning, 360  
 Enhanced growth, 542  
 Enhancement, W92, W98  
 Enriched, W1  
 Enrofloxacin, 445  
 Enrollment, 533, 994  
 Enterobacter, T134  
 Enteropathogen, T88  
 Enterotoxigenic *E. coli*, M237, 81  
 Environment, T281, 39  
 Environmental stress, 807  
 Environment-friendly diet, T200  
 Enzyme, M329, T162, T222, T228, T306, W138, W174, W176, 114, 296, 363, 480, 481, 491, 828, 963, 964  
 Enzyme-linked immunosorbent assay, M12  
 Enzymology, 882

- EPD, T43  
 Epiregulin, 892  
 Eposome, W237  
 Epistasis, W50  
 Equine, 186, 866  
 Equivalent models, 418  
 Ergot alkaloids, W102, 551  
 ERK1/2, M135  
 Erythrocyte alloantigen systems, 42  
 Escape protein, T145  
*Escherichia coli*, M96, M97, M98  
*Escherichia coli* O157:H7, M86  
 Essential amino acids, 487  
 Essential oil, M318, 867, 869, 991  
 Essential oil blend, T14  
 Essential oil compound, M317  
 Esterase, T304  
 Estimation of gene content, 419  
 Estradiol, M186, T259, W10, 281  
 Estradiol 17- $\beta$ , 664  
 Estradiol cypionate, T268  
 Estrogen, 313, T284  
 Estrous cycle, M270, W226  
 Estrous synchronization, T251, W204, 121, 885  
 Estrus, T257, 644  
 Estrus detection, T282, T286  
 Estrus synchronization, T255, T256, 117, 118, 119, 120, 122  
 Ethanol, M286, T77, T78, 201  
 Ethanol by-product, 651  
 Ethanol process, 483  
 Ethics, 37, 207, 208, 803  
 Ethics of care, 804  
 Evaluation, 834  
 Evening feeding, W301  
 Evidence, 369  
 Ewe, T272, 644  
 Ewe's milk, T105  
 Excretion, 706  
 Exhibition poultry, M78  
 Exit velocity, W256  
 Exogenous enzyme, T140  
 Exopolysaccharide, 736  
 Exotic felid, 237  
 Expander-conditioning, T187, T189  
 Expanding/extrusion, 857, 858  
 Expansion, 201  
 Experience, 449  
 Experiential learning, W370, 535  
 Experiential learning opportunities, 536  
 Expressed sequence tag, W57  
 Extended lactation, M176  
 Extension, M159, W127, 472, 473, 602, 603, 604, 605, 831  
 Extension programming, 836  
 Eye, 967  
 Eye formation, W72
- F**
- FA chain length, T207  
 Facilities, 807  
 FAMACHA, M126, T31, 599, 600  
 FAME synthesis, T123  
 Family farm, 751  
 Farms, T280  
 Farmstead Cheddar, T93  
 Fasting and herbage allocation, 846  
 Fat, M158, M363, T117, T180, T335, W253  
 Fat agglomeration, 76  
 Fat depot, 763, 764  
 Fat digestibility, M356  
 Fat source, W145, W146  
 Fat synthesis, 266  
 Fatigue, W152  
 Fattening pigs, W148  
 Fatty acid, M61, M64, M65, M174, M308, M351, M372, T106, T118, T170, W27, W71, 227, 303, 569, 911  
 Fatty acid analysis, T123  
 Fatty acid composition, 817  
 Fatty acid digestibility, T110  
 Fatty acid methyl ester, M58  
 Fatty acid profile, T114  
 Fatty acid supplementation, T271  
 Fatty liver, 273, 519  
 FcRn receptor, 977  
 FDN, W280  
 Fear, T1, T2  
 Feather cover, 147  
 Feather meal, M307  
 Feather pecking, 379  
 Feather score, W191  
 Fecal egg count, M126  
 Fecal endogenous loss, W156  
 Fecal excretion, 648  
 Fecal hormones, W226  
 Fecal output, 792  
 Feces, T289  
 Feed, M277  
 Feed additive, 363  
 Feed conversion, M213, T51, 937  
 Feed conversion ratio, W272, 50  
 Feed delivery time, W302  
 Feed efficiency, M140, M164, T315, W46, W47, W251, W275, 50, 213, 516, 657, 658, 934  
 Feed energy source, W299  
 Feed enzyme additive, T301  
 Feed formulation, 306  
 Feed intake, M236, M327, W3, W36, W37, W288, W325, 223, 360, 794, 933, 934, 939  
 Feed intake pattern, W302  
 Feed line cooling, W239, W240  
 Feed management, M75  
 Feed management software, M191  
 Feed manufacturing, 328  
 Feed mill management, 683  
 Feed phosphates, 964  
 Feed protein source, 654  
 Feed restriction, M260, T271, W123, 930  
 Feed sorting, W300  
 Feed supplement, 953  
 Feed withdrawal, M88, M90, 698  
 Feedback inhibition of lactation, 274  
 Feeder cattle, 405  
 Feeding, M291, 342, 798  
 Feeding behavior, W280, 380, 514, 659  
 Feeding level, 330  
 Feeding place, T4  
 Feeding program, 303  
 Feeding space, T3  
 Feeding system, W132  
 Feedlot, T40, W93, 156, 966, 986, 987  
 Feedlot cattle, M286, T356, W254, W257, W262, 251, 530, 661, 761, 767  
 Feedlot performance, W256, W265  
 Feedstuffs, M304, W143  
 Female fertility, 562  
 Feral hog, W6  
 Fermentable carbohydrates, 84  
 Fermentable NDF, 184  
 Fermentation, T109, T136, T137, T138, T139, T303, W266, W332, 10, 150, 161, 593, 655  
 Fermentation characteristic, T163  
 Fermentation parameters, M165  
 Fermented milk, T108, 581  
 Fermented soybean meals, 87  
 Fermented wild-ginseng culture by-product, T190, W180  
 Fermenter, T307, 167  
 Ferric sulfate, 713  
 Fertility, M343, W199, W200, 116, 726, 886, 978, 980, 981  
 Fertilization, M100, M115, 501  
 Fertilizing ability, W234  
 Fescue, M26, M28, W111, W112, 548  
 Fescue toxicosis, W3, 838  
*Festuca arundinacea*, W102, 837, 839  
 Fetal programming, 777  
 FGA, T272  
 Fiber, T226, W312, 184  
 Fiber digestion, 363  
 Fiber fraction, 790  
 Fiber source, M203, 860  
 Fibrolytic bacteria, 791  
 Fibrolytic enzyme, M325, M326, T163, T300, T304, 155  
 Filtration, W81  
 Financial, M80  
 Fines, 328  
 Fingerprinting, M83, 255  
 Finisher pig, 773  
 Finishing, W116, 157  
 Finishing cattle, W261, 529  
 Finishing pig, T192, T194, T196, T197, W155, 628, 629  
 Finishing steer, T334  
 First ovulation, W222  
 First screening, 944  
 First-order differential, 763, 764  
 FISH, W217  
 Fish meal, M85, M209, M216, W14  
 Fish meal digestibility, T229  
 Fish meal processing, T214  
 Fish oil, M350, M358, W27, 913  
 Fistulæ, M336  
 Fitness trait, 422  
 Flavonoid, M323  
 Flavor, M234, M236, T89, T95, T111, T112, T113, 80, 196, 197, 572, 794  
 Flavor chemistry, T89, T112  
 Flax, M169, 159  
 Flaxseed, M308, W173, W182  
 Flaxseed oil, M354  
 Flock age, 138  
 Flow agent, 613
- G**
- Gain, W251  
 Gain of weight, M292

- Gain:feed ratio, M227  
 Gait score, 137  
 $\beta$ -Galactosidase ( $\beta$ -gal), 731  
 Garlic, W70  
 Garlic powder, T192  
 Gas and microbial yield, T135  
 Gas chromatography, 431  
 Gas emissions, 770  
 Gas production, M133, T343, 352, 531  
 Gastrointestinal, T239, T316, W360  
 Gastrointestinal architecture, 438  
 Gastrointestinal microflora, T26  
 Gastrointestinal motility, W17  
 Gastrointestinal nematode, W121, W349, 595  
 Gastrointestinal tract, 295, 542  
 GDNF, 646  
 Gecko, 235  
 Gelation, W74, 737  
 Gender, T121, W366  
 Gene, M138  
 Gene array, 520  
 Gene cloning, T116  
 Gene expression, M32, M137, M171, M184, M254, M259, M267, M363, M367, M370, T215, W56, W76, 273, 279, 324, 538, 541, 620, 795, 808, 895, 972  
 Gene mapping, 946  
 Gene networks, 272  
 Gene regulation, 850  
 Genetic, 263  
 Genetic and phenotypic correlations, T70  
 Genetic capacity, W324  
 Genetic correlation, 43  
 Genetic engineering, 805  
 Genetic estimates of calf survival, 231  
 Genetic evaluation, M36, M39, 230, 418, 730, 940  
 Genetic factors, 809  
 Genetic group, M65  
 Genetic improvement, 422  
 Genetic line, 295  
 Genetic marker, T57, 414, 940  
 Genetic parameter, M50, M51, M53, M187, W39, W41, W43, W46, W49, 218, 220, 228, 723, 813, 938  
 Genetic relationship, W47  
 Genetic selection, W53, 448  
 Genetic strain, 138  
 Genetic trend, W40  
 Genetic variation, 818  
 Genetical genomics, 410  
 Genetically modified corn, M211  
 Genetically modified soybean, M212  
 Genetics, T72, T75, 724, 947  
 Genistein, 314  
 Genistin, T234  
 Genome, M122  
 Genome selection, 560  
 Genome-wide association, W50  
 Genomics, M252, M253, 269, 272, 389, 413, 540, 971  
 Genotype, W198, 772  
 Genotype estimation, 941  
 Genotype sampling, 411  
 Genotype  $\times$  environment interaction, 217  
 Genotyping, M274  
 Gestating sow, T211, 769  
 Gestation length, M38, M39, T73, 230  
 GH, T172  
 GH-IGF axis gene expression, T167  
 Ghrelin, M250, T212, 623, 636, 637, 638, 798  
 GHRH, 460  
 GHRHR, 460  
 GHS-R1a, 638  
 Gilt, M201, T208, 793  
 Ginseng by-product, W155  
 Gir  $\times$  Holstein, T281  
 Giraffe, 236  
 Global positioning system, 931  
 Global warming, W254  
 $\beta$ -Glucanase activity, T230  
 Glucomannan, W107, 840  
 Glucomannan mycotoxin adsorbent, T84  
 Glucomannan polymer, 797  
 Gluconeogenesis, 291  
 Glucose, M246, M257, M311, M342, T165, T316, T344, W324  
 Glucose effectiveness, 909  
 Glucose transporter, M181  
 Glutathione, 113  
 Glutathione peroxidase, M183  
 Gluteus medius, M32  
 Glycerol, T341, 843  
 Glycine, 699  
 Glycogen, 263  
 Glycome, 583  
 Glycoproteome, 583  
 Glycyrrhetic acid, 873  
 Glypican, 457  
 GnRH, T246, T260, T261, T267, T270, 121, 123  
 GnRH-A, W166  
 Goat, M6, M122, M124, M125, M128, M129, M134, M283, M284, T32, T154, T155, T156, T160, T162, T164, T165, T166, W43, W125, W126, W127, W128, W131, W132, W133, W134, W135, W225, 275, 280, 452, 453, 454, 455, 596, 598, 599, 600, 601, 668  
 Goat milk, T107, W62, W77  
 Goat milk cake, T99  
 Goat milk infant formula, 733  
 Goblet cell, 95  
 Gonadotropin, 884  
 Goose, W54  
 Graduate education, 799, 801  
 Graduate student, 679  
 Graduate teaching assistant, 368  
 Grain conditioner, W260  
 Grain mixes and forage quality, W282  
 Gram negative, 392  
 Grass, 989  
 Grass dry matter intake, 724  
 Grass forage, M105  
 Grass hay intake, T142  
 Grass silage, W284, 349  
 Grasses, M160  
 Grass-fed beef, M281  
 Grazing, M282, M316, M357, W31, W241, 260, 450  
 Grazing behavior, W101, W105, 847  
 Grazing cow, 931  
 Grazing dairy cow, M359  
 Grazing date, W115  
 Grazing efficiency, 842  
 Grazing system, 451  
 Greenhouse gas, W254, 127, 128  
 Greenhouse gas emissions, T315  
 Group project, 366  
 Grower pig, W170  
 Growing degree day, 258  
 Growing heifer, W281  
 Growing pig, M197, T193, T199, W138, 111  
 Growing stage, T63  
 Growing steer, M26  
 Growth, M31, M42, M137, M208, M238, M242, M268, M271, M344, T125, T131, T201, W160, W162, W273, W338, W339, W359, 1, 3, 6, 7, 61, 170, 214, 375, 540, 598, 623, 627, 633, 712, 782, 809  
 Growth and carcass, 609, 663  
 Growth curve, 302  
 Growth factor, T107  
 Growth hormone, M139, M247, M254, T157, 636  
 Growth hormone receptor, M255, T36, W33, 539  
 Growth performance, M196, M327, T335, W171, 69, 82, 85, 312, 615, 872  
 Growth promotant, W255  
 Growth promoter, M141, T173, T181  
 Growth rate, W268, 146  
 Growth trait, W38  
 Growth performance, T361, 863  
 Guanidino acetic acid, 100  
 Guar, 327  
 Guar meal, T227, 488  
 Guinea, W198  
 Guinea fowl, W181  
 Guinea fowl adipose tissue, T74  
 Gut microflora, M194, 308, 696
- H**
- H5N1, 949  
 HACCP, W75  
*Haemonchus contortus*, 925  
 Hair breeds, 671  
 Hair sheep, W225, W338, W351, W355  
 Half-sib, 946  
 Half-udder, 373  
 Halothane, M168  
 Handling, 976  
 Hanwoo beef cattle, T37  
 Haplotype, T64, 945  
 Haplotype block, T76  
 Hard red, W114  
 Hatchability, 141, 498, 502, 504  
 Hatching egg, 502  
 Haugh unit, W90  
 Hay particle, 902  
 Hay preservative, T148  
 Hay to concentrate ratio, W136  
 hCG, T246, T261, T267  
 HDP processing, W129, W130  
 Health, M341, 398, 728  
 Health and production, 336  
 Health management, M78  
 Health monitoring, T45  
 Health outcome, 582  
 Heart failure, 24, 486  
 Heart valve, W44  
 Heat, W9  
 Heat processing, M216, T212  
 Heat shock, W211  
 Heat shock protein 70, M184  
 Heat stability, 573  
 Heat stress, M23, M38, M173, T310, W7, W184, W241, 308, 309, 310, 343, 344, 468, 753, 757, 806, 808, 811, 819, 838  
 Heat tolerance, 662  
 Heat units, T148  
 Heat-treated milk, 571  
 Heifer, M343, T3, T152, T247, W93, W113, W199, W295, W296, 159, 663  
 Heifer AI, 337  
 Heifer development, 762  
 Hemagglutination, 690  
 Hematology, M278  
 Hemodynamics, W228  
 Hemoglobin, W89  
 Hemolysis, T227  
 Hen, 40, 297, 378, 379, 443  
 Hepatic gene expression, M260  
 Hepatic lipid contents, T235  
 Herb, M222, T31, T197, W185  
 Herbage and nutrient intake, W105  
 Herbal extracts, 871  
 Herd health, W373  
 Herd heritability, T66  
 Herd size, T287  
 Herd turnover rate, W242  
 Herdlife, M24  
 Heritability, M42, M46, T54, T67, T150, W31, W40, 43, 48, 218, 225, 372, 725, 810, 813  
 Heterophil, M148, M157, T176  
 Heterosis, 191, 556, 727  
 Hexokinase, M181  
 hFABP gene, M121  
 High-fat diet, M316, T98  
 High-moisture grain, W161  
 High-oil corn, M359  
 High pressure, T102  
 High-pressure processing, T91, W72  
 High-protein diet, M316  
 Histamine, 108  
 Histidine, W330  
 Histology, W362  
 HMBi, 907  
 HMTBa, W333  
 Holo-analysis, 957  
 Holstein, M50, T173, W289, 559  
 Holstein cow, 656  
 Holstein steer, T172, W271  
 Homeostasis, 307  
 Hominy, 665  
 Homarginine, W158  
 Homocysteine, 856  
 Honey, 370

- Hoof, 554  
 Hoof health, 338  
 Hoof tissue, 553  
 Hormone, M132, M352, W267, 8  
 Horn fly, W29  
 Horse, 60, 61, 62, 262, 264  
 Horse science, W369  
 Hot boning, T124  
 Housing, M192, 338  
 HP DDG, 608  
 HPLC, 427  
 11 $\beta$ -HSD, 60  
 5-HT, 274  
 HTST, 73, 199  
 Hulls, 859  
 Human blood type, 577  
 Human chorionic gonadotropin, T251, 885  
 Human colonic mucin, 578  
 Human health, 584  
 Human resources, T275  
 Humane slaughter, M6  
 Humic acid, T364  
 Humic substance, T196, W178  
 Hunter under saddle, 58  
 Husbandry, 37  
 Hybrid, W291  
 Hydrated lime, 708  
 Hydrolyses, T332  
 Hydrolyzed yeast, 164, 165  
 25-Hydroxycholecalciferol, 500  
 Hygiene, M192  
 Hypertension, 203, 315  
 Hyphomycetes, W29  
 Hypocalcemia, 513, 514  
 Hypothalamus, 323  
 Hypoxia, 324
- I**
- IBD, T61, 941  
 IBDV, 27  
 Iberian pig, W139, W145, W146, W365  
 Ice cream, W64, W68, W69, 76, 370  
 Ice milk, 731  
 Ideal amino acid ratio, W193  
 Identification, 896  
 Identification cost, T291  
 Identification system, 379  
 IGF, M269, M270, W213, 456  
 IGF-1, T172  
 IGF-2, 433  
 IGF-1, M125, 936  
 IgG, T171, 464  
 Ileal amino acid digestibility, 93  
 Ileal digestibility, 865  
 Ileal endogenous amino acid flow, W192  
 Ileal flow, 478  
 Image, 175, 179, 829  
 Image analysis, T46, T48, W368  
 Image gallery, 176, 177  
 Immersion chilling, 441  
 Immobilized digestive enzyme assay, 984  
 Immune, M240, M372, W27, 378, 975  
 Immune function, T178, 7, 67, 399, 402, 874
- Immune response, M152, M189, T179, T363, 389  
 Immunity, M19, T17, T21, T177, W184, 1, 30, 72, 97, 359, 465, 466, 818, 868  
 Immunobiosensor, M86  
 Immunocompetence, 69, 468  
 Immunoglobin, W28  
 Immunoglobulin, M153  
 Immunoglobulin G, M13, M14  
 Immunoglobulins, 694  
 Immunomodulator, 66  
 Impact reporting, 472  
 Impacts, 473  
 Implant, M373, W263, 156  
 Implant payout, W255  
 Imprinting, M217, W56  
 Improved pasture, W119  
 In ovo, 294  
 In ovo-fed lactose, 293  
 In ovo feeding, T240, 292  
 In ovo injection, 139  
 In situ, M128, M302  
 In situ digestibility, W270  
 In situ indigestible neutral detergent, M190  
 In vitro, M295, M329, T81, T154, W328  
 In vitro digestibility, W334  
 In vitro fermentation, 587  
 In vitro gas production, M129, M160, 162  
 In vivo digestibility, 187  
 Inbreeding, T65, 231, 948  
 Inbreeding coefficient, 415  
 Incubation, 324, 501, 503, 505, 506, 507, 953  
 Incubation temperature profile, 142, 143  
 Indicator, T280  
 Indigestible fiber, T299  
 Industry change, 602  
 Infant milk fat, T114  
 Infection, M15, T184  
 Inflammation, T225, 1, 5, 519  
 Inflammatory response, T28  
 Infrared spectra, M296  
 Infrared spectroscopy, 80  
 Ingredient, M245, 566, 738  
 Inhibition, W85  
 In-line monitoring, 547  
 Innate immunity, M157  
 Innovation, 421  
 Inoculant, T322, T323, T324, T328, 588  
 Inoculation, W322  
 Inoculum, T149, T151  
 Inquiry, 367  
 Inquiry-based learning, 364, 535  
 INSOL Ca, 78  
 Insulin, M144, M246, W218, W325, 61, 186  
 Insulin resistance, M365, 4, 264, 974  
 Insulin sensitivity, 909  
 Insulin-like growth factor-1, W214, 969  
 Intake, M107, T144, T147, W110, W296, 450, 593, 866  
 Intake characteristic, W101  
 Intake model, 448
- Intake prediction, W284  
 Intensive cooling, 345  
 Interleukin-15, 2  
 Internal fat, 740  
 Internal marker, M190  
 Internal parasite, 924  
 International comparison, W250  
 International experience, 801  
 Internet, W125, W126, 178  
 Internet technology, 683  
 Internships and academic credit for student interns, 536  
 Intestinal, T238  
 Intestinal alkaline phosphatase, M267, T215  
 Intestinal apoptosis, T175  
 Intestinal development, 293  
 Intestinal digestion, T81  
 Intestinal histology, T218  
 Intestinal microflora, W163  
 Intestinal mucosa, T167  
 Intestine, M138, 107  
 Intracellular Ca<sup>2+</sup>, T127  
 Intramuscular fat, M55, 221, 817  
 Intramuscular fatty acids, W146  
 Intraruminal probe, W310  
 Introductory course, 366  
 Inulin, 89  
 Inverse, T61  
 Involution, M177, M178  
 Iodine, 921  
 Iodine value, 86, 796  
 Ionic calcium, 573  
 Ionic equilibrium, 735  
 Ionophore, M330, 361  
 Iran-Black breed, W39, W40  
 Iranian Buffalo, M187  
 Iranian Holstein, M45, M46, M51  
 Iron, T364, 877  
 Irradiation, 977  
 Irrigation, T143  
 Isoform, M261  
 Isolation, T107, W231  
 Isolator, T27  
 Isoleucine, 104  
 Isoprostanes, 880  
 Isotope kinetics, 631  
 Issues, 682  
 Iteration on data, 414  
 IVDMD, M324
- J**
- Jack fruit (*Artocarpus integrifolius*), 246  
 Japanese Black, T46  
 Japanese Holstein cow, M53  
 Japanese quail, W229, W233, 642  
 JDIP, 395  
 Jejunum, M264  
 Jerky, W130  
 Johne's disease, M12, M17, 395  
 Juniper, W124
- K**
- K:Na:Mg ratio, T365  
 Karyotype, W217  
 KCl fertilization, 512  
 Keeping quality, 580
- Kenaf, M112  
 Keratinase, T238  
 Ketosis, 340, 372, 547  
 Khorasan province of Iran, M50  
 Kidding performance, T164  
 Kinetic, M372  
 Kinetics, T97, 882  
 King grass hay, T300  
 Kisspeptin, 884  
 Knuckle, T124  
*Kochia scoparia*, 589  
 Korean mistletoe, T104  
 Korean mistletoe extract, T103  
 Korean native chicken, T68  
 Korean steer, T346, T362
- L**
- L. acidophilus*, T108  
*L. buchneri*, T149, T326, 185  
*L. plantarum*, T149  
 Labor, T275  
 Lactating cow, M355, T265, W302, 163, 653, 988, 991  
 Lactating dairy cow, 888  
 Lactating ewe, 184  
 Lactating sow, T211, W144  
 Lactation, M130, M170, M179, M335, M371, T264, W349, W361, 265, 267, 268, 270, 276, 362, 538, 779  
 Lactation curve, M123  
 Lactation induction, 754  
 Lactation model, 520  
 Lactation performance, T330, 781  
 Lactic acid, T133, 444  
 Lactic acid bacteria, T134, W83, W86  
 Lactobacilli, 300, 821  
*Lactobacillus*, W76, 861  
*Lactobacillus brevis*, T193  
*Lactobacillus pentosus*, 89  
*Lactobacillus*, M276, W85, 689  
*Lactococcus*, W82  
*Lactococcus lactis*, 736  
 Lactoferrin, 85  
 $\beta$ -Lactoglobulin, W74, 733  
 Lactoperoxidase, 580  
 Lactose, M311  
 Lamb, M9, M55, T30, W337, 153, 434, 464  
 Lamb performance, W120  
 Lamb survival, 670  
 Lambing, 672  
 Lameness, M2, M70, W2, W247, 16, 383, 552, 553, 565, 903  
 Laminitis, 62  
 Large population, 419  
 Lauric acid, 440  
 Layer, M10, M205, M207, M210, T223, T224, W5, W95, W180, W183, 436, 954  
 Laying hen, W1, W188, W193, 305  
 Laying hen performance, T232  
 Leadership, 202  
 Lean tissue gain, 626  
 Learning, 176, 179, 449  
 Learning objective, 675  
 Leg measurement, 927  
 Leg weakness, W362

- Legume, T146, 922, 989  
 Leptin, M233, M248, 634, 643  
 Lesion, M70, 339  
 Leucine, 618  
 Leukocyte, M155, W14  
 LH, 123  
 LHRH immunization, 645  
 Light backscatter, T97, 77  
 Light intensity, 509  
 Lighting, T2, 17  
 Lighting program, 67  
 Lignin, W316  
 Lignocellulose, W147  
 Liming, M102  
 Limited maximum intake, 154  
 Limpograss, W244, 260  
 Linear splines, 214, 417  
 Linkage analysis, 563, 946  
 Linoleic acid, 305, 917  
 Linoleic conjugated acid, M65  
 Linseed oil, M357, M365  
 Lipid, M252, M253, W86  
 Lipid metabolism, 343  
 Lipid oxidation, 569  
 Lipid supplementation, 496  
 Lipogenesis, M175, 462  
 Lipolysis, 279  
 Lipopolysaccharide, M226, W22, 87  
 Lipoprotein lipase, 619  
 Liquid diet, T205  
 Liquid feed, 172  
 Liquid urea, T142  
 Listeria growth inhibitors, 247  
*Listeria monocytogenes*, M82, T91, W80, 254  
 Litter, M279, 30, 710, 711, 712, 715  
 Litter amendment, M273  
 Litter minerals, 956  
 Litter moisture, 956  
 Litter sampling, 333  
 Litter size, W48, W352, 745, 948  
 Litter treatment, 708, 709  
 Litter weight gain, W167  
 Littered system, 769  
 Litter, T195  
 Live yeast, M332  
 Liver, M258, M259, M363, T360, 539, 811, 887, 971, 972  
 Liver abscess, 355  
 Livestock, 38, 178  
 Loading gantry, 773  
 Local regulation, 756  
 Log transformation, 50  
 Logistic regression, W42  
 Loin, W368  
 Long lactation, 558  
 Longevity, M3, M24  
 Longissimus muscle, T123  
 Low crude protein, 94  
 Low fat, 204  
 Low-fat cheese, T95, 197  
 LPA, M135  
 LPS, M151, M266, 70, 467, 550  
 Lung lesion, T30  
 Luster, W122  
 Lutein, W183  
 Luteinizing hormone, W210, 890  
 Lying behavior, 549  
 Lymphocyte proliferation, M156  
 Lymphocytes, 471
- M**  
 M2e, M155  
 Machine learning, 41, 517  
 Macrophage, M151  
 Maderas del Carmen, 382  
 Maintenance, 635  
 Maize, M214, W259, 160  
 Maize forage, M118  
 Maize stover, M117, T163  
 Malate, W332  
 Mali, T153, 59  
 Malignant melanoma, 812  
 Malondialdehyde (MDA), M18, W58  
 Mammalian target of rapamycin (mTOR), M143, 633  
 Mammal, W30  
 Mammary, 270  
 Mammary development, M169, 276  
 Mammary gland, M172, M177, M178, M182, M186, W235, 269, 756  
 Management, M69, M80, T53, W242, 670, 672, 752  
 Management curves, 133  
 Management practices, M77  
 Manganese, T119, 783  
 Mannan oligosaccharides, T220, 283  
*Mannheimia haemolytica*, M154, W277, 357  
 Mannobiose, M84, 82  
 Manure, M280, T283, 130  
 Manure management, 879  
 Manure nutrient, 714  
 MAP, 395  
 MAP packaging, 425  
 Mapping QTL, 563  
 Marafalfa grass, W118  
 Marbling, T117  
 Marginal, 748  
 Marinade, 738  
 Marinade, 249  
 Marination, 248, 426  
 Marker, T58  
 Marker-assisted selection, 411, 560  
 Marketing, M79, 211, 406  
 Mass depopulation, 830  
 Mass spectrometry, M148, 583  
 Mast cell, 108  
 Mastitis, M15, M20, M22, T58, T67, W19, W21, W22, W24, W350, 233, 277, 390, 391, 392  
 Mastitis detection, 388  
 Maternal behavior, 669  
 Maternal nutrition, T375, 428, 777, 778  
 Maternal stress, M266  
 Mathematical model, M114, M115, 939  
 Matrix energy corn source, T222  
 Mature bodyweight, 375  
 Maximum likelihood, T76  
 MCMC sampler, 941  
 ME partitioning, 140
- Meat, T44, W93, 51, 52  
 Meat color, T362  
 Meat goat, W136, 814, 843  
 Meat meal, 486  
 Meat quail, M54, W197  
 Meat quality, M132, T41, T42, T121, T190, T196, W99, 48, 146, 745  
 Meat tenderness, M145, W94  
 MEC, M183  
 Mechanically separated turkey meat, 742  
 Media, 682  
 Medium-chain fatty acid, 325  
 Medium-quality forage, T333  
 Megalac, W215  
*Megasphaera elsdenii*, T309  
 Megazone, T198, W153  
 Mehraban sheep, W41  
 Melatonin, 639  
 Melatonin and prolactin, 126  
 Melengestrol acetate, T253  
 Melting, T94  
 Membrane filtration, 198  
 Mentoring, W370  
 Merino, W340  
 Merino sheep, T56  
 Meta-analysis, M360  
 Metabolic, M247  
 Metabolic acidosis, M251  
 Metabolic and mineral status, M27  
 Metabolic indicator, 965  
 Metabolic parameter, 396, 930  
 Metabolic profile, T352  
 Metabolic status, T262  
 Metabolism, M254, 6, 262, 291, 302, 633, 706, 913  
 Metabolite, 394, 548, 970  
 Metabolizable energy, M205, 310  
 Metabolizable protein, T327, 988  
 Metaphylaxis, 356  
 Methane, T155, T313, 169  
 Methane emission, 131, 918  
 Methane gas, M200  
 Methionine, M124, M245, T349, T355, W171, W189, W191  
 DL-Methionine, W333, 625  
 Methods, 546  
 Metritis, 394  
 Mexico, 835  
 MFGM, 585  
 MGA, T247, T248, T249, T250  
 MHA-FA, 625  
 MHC, 42  
 Mice, 5  
 Microarray, M180, M258, T237, W235, 47, 68, 270, 272, 292, 811, 971  
 Microbial community, T14  
 Microbial fermentation, T302  
 Microbial flora, 918  
 Microbial inoculant, T140  
 Microbial nitrogen, W319, 855  
 Microbial population, M244  
 Microbial protein, 354  
 Microbial protein synthesis, M310, W320  
 Microbiological characteristic, 823  
 Microbiology, 822, 824  
 Microbiota, 295  
 Microencapsulation, T103, T104, 826
- Microfiltration, 73, 74, 194  
 Microhistological, 668  
 Microorganism, W350  
 MicroRNA, 212  
 Microsatellite, T62, 250  
 Microscopy, T130, 430  
 Microstructure, 825  
 Microwave irradiation, M299  
 Mid-infrared, T106, 725  
 Midwest Poultry Consortium, 995  
 Milk, M87, M124, M159, M187, T90, T102, T104, T106, T161, T341, W63, W71, W73, W79, W273, 639, 725  
 Milk and cheese, 732  
 Milk by-product, M228  
 Milk component, T348, W299, 518  
 Milk composition, 278  
 Milk constituent, W348  
 Milk fat, M171, M355, W307, W311, 172, 182, 265, 267, 372, 584  
 Milk fat depression, 266, 282, 651  
 Milk fat globule membrane (MFGM), M170, 574  
 Milk fat synthesis, M175  
 Milk fatty acid, M173, M352, W287, W306, 914  
 Milk fatty acid yield, M354  
 Milk fever, M105, W20  
 Milk flow, 758  
 Milk or dry diet, T207  
 Milk powder, 206  
 Milk price, 747, 853  
 Milk processability, 734  
 Milk production, M335, T304, T325, T351, W288, W326, 126, 167, 224, 229, 274, 345, 649, 654, 753, 841, 847, 906, 988  
 Milk production efficiency, W291  
 Milk production trait, 729  
 Milk progesterone, W246  
 Milk protein, M158, T111, T357, 518, 827  
 Milk protein concentrate, T111, 735  
 Milk quality, M16, M76, M77, M94, 136  
 Milk recording, M285  
 Milk replacer, M256, M288, M290, M342, M346, T174, 192, 919  
 Milk replacer protein source, M348  
 Milk replacer supplement, M347  
 Milk revenue, 853  
 Milk sample, M16  
 Milk solids, M311  
 Milk urea, 228, 993  
 Milk urea nitrogen, T348, 517  
 Milk yield, M36, M328, M338, T353, T357, T370, 131, 135, 346, 558  
 Milking, M94, T288, 759  
 Milking ability, 758  
 Milking frequency, M179, 757  
 Milking interval, 373  
 MIN-AD, 780  
 Mineral, M99, M104, M166, T360, T372, 234, 235, 284, 455, 904  
 Mineral accretion, W154  
 Mineral antagonism, W187

- Mineral composition, T364  
 Mineral nutrition, T359  
 Minimal model, 186, 909  
 Mintrex Zn, W187  
 Mivat, 35  
 Mixed grazing, 599, 600, 601  
 Mixed ruminal culture, T329  
 Mobile bag, M312  
 Mobile nylon bag, M293  
 Model, M287, 617, 704, 915  
 Modeling, M161, W132, W284, W317, 228, 349, 933  
 Modeling nutrient supply, T298  
 Modified atmosphere, M95  
 Modified distillers dried grains with solubles, 482  
 Modified live, 403  
 Modified milk fat globule membrane, 575  
 MOET, 232  
 Mohair, W122, W123, W124  
 Moisture weight loss, 505  
 Molasses treatment, 589  
 Mold, M25  
 Mold resistance, M215  
 Molecular information, 940  
 Molecular methods, M93  
 Molecular phylogeny, M43  
 Molecular structure, 353  
 Molt, 954  
 Molting, T176, W5, W233  
 Monascus, M25  
 Monensin, M324, M331, T315, W278, W286, W311, W323, 168, 169, 170, 278  
 Monoamine metabolites, W279  
 Monopropylene glycol, 640  
 Moral obligation, 209  
 Morbidity, 356  
 Morphometric measure, M66  
 MORS, 423  
 Mortality, 464  
 Mortality rate, W242  
*Morus alba*, M101  
 MOS, 88  
 Motility, 980  
 Motility regulation, W16  
 MOUs with agencies, 536  
 Mouse, T125  
 Movement, 18  
 Mozzarella, T89  
 mRNA, M371, W232  
 mRNA expression, 105  
 Mucin, T27, 95  
 Mucuna L-dopa, 352  
*Mucuna pruriens* L-dopa, M305  
 MUFA ratio, T46  
 Mule deer, 382  
 Multibreed, M48, W34, W36  
 Multiparous sow, W164  
 Multiple regression analysis, W333  
 Multiple trait, 938  
 Multiplex PCR, 391  
 Multivariate analysis, W341  
 Murrah breed, M36  
 Muscle, M136, W53, W345, 2, 3, 263, 457, 461, 630, 741, 851  
 Muscle and fat, 4  
 Muscle development, 850  
 Muscle protein synthetic activity, M239  
 Muscle water distribution, T126  
 Mushroom, W95  
 Mutagenesis, M41  
 Mx gene, 692  
 Myco-Ad A-Z, M201  
 Mycobacteria, 952  
*Mycobacterium avium* ssp. *paratuberculosis*, M11, M12, W13, 951  
 Mycoplasma, M16  
*Mycoplasma gallisepticum*, 500  
*Mycoplasma* sp., T30  
*Mycoplasma* spp., W19  
 Mycorrhiza, W108  
 Mycotoxin, 171, 797  
 Mycotoxin adsorbent, W327  
 Myofibrillar protein, 632  
 Myosin, 461  
 Myostatin, 433, 851
- N**
- n-3 fatty acid, T16, T225  
 Na<sup>+</sup>-neutral amino acid transporter B0, M143  
 Naked oats, W170  
 Naloxone, 644  
 National Dairy Foods Research Centers, 193  
 National Science Digital Library, 173  
 Native-PAGE, T230  
 Natural mineral liquid complex, T223  
 Natural preservative, 579  
 Natural service, T248, T250  
 NDF, M73, T321, 789  
 NEAA, 103  
 Near infrared reflectance spectroscopy, 866  
 Necrotic enteritis, T233, 299, 469, 685, 686, 687  
 Needs assessment, M71, M72  
 Neem oil, W266  
 NEFA, M365, 973, 974  
 Negative energy balance, 277  
 Nellore cow, W215  
 Nelore crossbred, W274  
 Nematode, T33  
 Neonatal calf, 165  
 Neonatal growth, T366  
 Neonate survival, 669  
 Neonate, M143  
 Nesfatin, 318  
 Net energy for lactation, M51  
 Net portal absorption, 109  
 Net present value, 746  
 Neuroendocrine cells, M150  
 Neuropeptide Y, M233, 641  
 Neutral detergent fiber, T159, T331  
 Neutral detergent fiber digestibility, T143  
 Neutral detergent fiber rate of digestion, W316, W317  
 Neutrophil, M153  
 New intramammary infection, W15  
 New methods, 554  
 New Zealand white rabbit, T83  
 Niacin, 344  
 Nicarbazin, W230  
 Nicotinic acid, 973, 974
- NIRs, W259, W315  
 Nisin, 579  
 3-Nitro, 32  
 Nitrocompound, T313  
 Nitroethane, 169  
 Nitrogen, M273, M317, M349, T327, W323, 521, 522, 750  
 Nitrogen balance, W277, W301, 624, 925  
 Nitrogen intake, M314  
 Nitrogen fertilization, M119  
 Nitrogen losses, 130  
 Nitrogen metabolism, M309, M310, W336  
 Nitrogen partitioning, W297  
 Nitrogen utilization, 591, 989, 993  
 Noll, M44  
 Nonsurgical embryo transfer, 803  
 Nonadditive genetic effects, W49  
 Non-cage system, T5  
 Non-carcass, 660  
 Non-coding RNA, 850  
 Non-invasive, 740  
 Nonprotein nitrogen, M301, T340  
 Nonsteroidal anti-inflammatory drug therapy, 397  
 Normalization, 412  
 Norwegian Red, 224  
 NPN, M300  
 Nramp1, 467  
 NRC evaluation, 667  
 NRC model, 943  
 NSP enzymes, W179, 612  
 Nuclear receptor, M175  
 Nucleic acid, M272  
 Nucleobindin, 318  
 Nursery pig, 870  
 NutriDense corn, M210  
 Nutrient, 13  
 Nutrient availability, 353  
 Nutrient bioavailability, 566  
 Nutrient content, T338  
 Nutrient density, T199  
 Nutrient digestibility, M197, T206, 312, 859, 962  
 Nutrient digestion, 844  
 Nutrient excretion, 115  
 Nutrient interaction, M114  
 Nutrient management, W245, 523  
 Nutrient mass balance, 720  
 Nutrient partitioning, 332  
 Nutrient requirements, 452, 667  
 Nutrient supply, 846  
 Nutrient transporter, T231  
 Nutrient utilization, 596  
 Nutrition, M78, M252, M253, W198, 236, 306, 389, 617, 650, 749, 770, 806  
 Nutritional value, W106  
 Nutritive quality, M106, M108  
 Nutritive value, M118, M162, T34, T77, T153, W118  
 Nylon bag technique, 149
- O**
- Obesity, W69, 205, 264  
 Obestatin, 637  
 Ochratoxin A, 436, 695, 864  
 Odor, M280, W6, 624
- Odor emission compound, T193  
 Oil, M361  
 Oilseed, M352  
 Oligonucleotide microarray, 812  
 Olive cake, M298  
 Omasal flow, W319  
 Omasum, T318  
 Omega fatty acid, W183, 494  
 Omega-3, M58, 497, 703  
 Omega-3 fatty acid, M269, W8, 63, 64, 492, 606, 914  
 Omega-3 PUFA, W200, W201  
 OmniGen-AF, M19, 466  
 Onion, 923  
 Oocyte, W212, W231  
 Oocyte maturation, 646  
 Optigen, M301, T340  
 Optimal rumen fermentation, T296  
 Organic, W189, W373, 39, 136, 485  
 Organic acid, T221, W168, 614, 872  
 Organic acidifier, M227  
 Organic feed, W4  
 Organic fertilizer, M101  
 Organic selenium, T359  
 Organic trace minerals, 570  
 Organs, T165  
 Osteocalcin, T371  
 Osteochondrosis, 628  
 Osteopontin, M11  
 Ovarian morphology, 331  
 Ovary, 145, 892  
 Oviduct, 145, 314  
 Ovine, T29  
 Ovsynch, T266, T269  
 Ovulation, T269  
 Ovulation rate, 886  
 Ovulation synchronization, T246, T261  
 Ovulatory follicle size, 116  
 Ovulatory response, 287  
 Oxidation, W97  
 Oxidative stress, M152, M249, M265, T25, T239  
 Oxidized fat, 912  
 Ozone, M106
- P**
- PAACO, 722  
 Packaging, W59, 51, 53  
 Pain, W2, 20  
 Palatability, M229, M231, M232  
 Palm kernel meal, M292  
 Pancreatin, T219  
*Panicum maximum*, 590  
 PAP, W278  
 Parameter estimation, 763  
 Parasite, T29, T85, W354  
 Parathyroid hormone-like hormone, M33  
 Paratuberculosis, M17  
 Parent stock selection, T75  
 Parity, W219, 336  
 Particle size, T232, W303, W335, 490, 613  
 Particle size distribution, W61  
 Passage rate, 788, 790  
 Pasteurization, M13, 134, 190, 711  
 Pasteurized milk, W60, W66, 165  
 Pasture, M104, M106, T329, T330

- W110, W116, W257, W269,  
 W359, 243, 761  
 Pasture allowance, 844  
 Pasture finishing, 922  
 Pasture systems, 447  
 Pasture-finished, 525  
 Pathogen, M90, M91, 300, 391  
 Pathogenesis, 55, 65  
 Pax7, 849  
 PBEF1, 316  
 PCR, M17, M85, T12, W11, W78,  
     W81, 168  
 PCVAD, 818  
 Pea protein isolate, W141  
 Peanut hay, W258  
 Pectin, T186, T368  
 Pedigree, T65  
 Pedigree chicken, M142, 459  
*Pediococcus pentosaceus* FBB61,  
     864  
 Pedometer, T282, 387  
 pef, W312, W314  
 Pelibuey sheep, W342, W343  
 Pellet, M203, T187, T189, 328, 859,  
     963  
 Pellet binding agent, 487  
 Pellet quality, 487  
 Pelleting, 857, 858, 881  
 peNDF, W312, W314  
 PepT1, 98, 106  
 Peracetac acid, M92  
 Performance, M54, M131, M241,  
     M276, M278, M321, M347,  
     M348, T234, T243, T356, W88,  
     W175, W181, W195, W196,  
     W278, W282, W283, W356,  
     W357, 23, 28, 156, 326, 340,  
     475, 511, 765, 962  
 Performance test traits, W48  
 Performance trial, W341  
 Periparturient, M11, 394  
 Periparturient Holstein cow, 510  
 Periparturient period, W318, 519  
 Periparturient risk factor, M3  
 Periparturient stress, 656  
 Periparturition, M180  
 Peroxide index, M213  
 Persimmon peel powder, T235  
 Persistency, M52  
 Persistent follicle, W204  
 Pet, 566  
 Pet food, 568  
 Petrifilm plates, W77  
 Peyer's patches, M150, 283  
 PG, 121  
 PGE<sub>2</sub>, W227  
 PGF<sub>2α</sub>, T272  
 pH, M332, T132, W309, W310,  
     W315, 573  
 PHA, 70  
 Phage display, T183  
 Phase feeding, W271  
 Phase I and II enzymes, 46  
 Phase length, 102  
 Phenotypic evaluation, T53  
 Phosphate, W154  
 Phosphodiesterase, M182  
 Phospholipid species, T15  
 Phospholipids, 206  
 Phosphorus, M217, M273, T186,  
     T188, T202, T204, T216, T289,  
     W244, 9, 107, 112, 521, 523,  
     610, 648, 704, 750, 767  
 Phosphorus digestibility, W144  
 Phosphorus requirement, 905  
 Photoperiod, 137, 273, 509  
 Physically effective fiber, W304,  
     W305, 899  
 Physiological compound, 139  
 Physiological state, 360  
 Physiology, 969  
 Phytase, M219, T204, T206, T209,  
     T216, T242, W137, W144,  
     W179, W334, 110, 114, 483, 484,  
     500, 612, 707, 795, 876, 881,  
     882, 954, 955, 956, 957, 958,  
     959, 960, 961, 962  
 Phytase vegetable, M279  
 Phytate, 567  
 Phytic acid, 960  
 Phytobiotics, 867, 870  
 Phytoestrogen, 314  
 Phytoprogenic, 869  
 Phytoprogenic additives, T195  
 Phytoprogenic feed additive, 298  
 Pig, M35, M144, M168, M196,  
     M225, M233, M239, M243,  
     M245, M266, M267, M269,  
     M270, T10, T72, T175, T187,  
     T189, T190, T191, T202, T205,  
     T206, T209, T210, T216, T218,  
     T219, T220, W2, W6, W44,  
     W99, W141, W142, W147,  
     W150, W157, W160, W162,  
     W163, W169, W172, W358,  
     W359, W360, W362, W366,  
     W367, 14, 19, 21, 22, 84, 86, 87,  
     89, 90, 106, 107, 109, 115, 386,  
     428, 463, 603, 606, 607, 610,  
     611, 612, 617, 619, 621, 622,  
     625, 627, 771, 772, 774, 795,  
     796, 797, 798, 803, 817, 819,  
     856, 857, 873, 877, 878, 879,  
     880, 883, 976, 977  
 Pig feet, W151  
 Pig muscle, 45  
 Pig performance, M228  
 Pigeon peas, 787  
 Piglet, M229, M230, M231, M232,  
     M234, M236, M237, M244,  
     T188, T217, W140, W173, 81,  
     83, 91, 112, 615, 695, 770, 867,  
     874, 975  
 Piglet feeding, T214  
 Piglet growth, M227, 862  
 PIGMAP, 174  
 Pistachio by-product, M338  
 Pistachio hull, M303  
 Pituitary, M137, 460, 645  
 Placement density, W4  
 Placenta, W353  
 Plane of nutrition, 965  
 Plans of work, 475  
 Plant, 716, 717  
 Plant age, M111  
 Plant botanical, 975  
 Plant breeding, T150  
 Plant density, M119  
 Plant extract, M240, T233  
 Plant materials, M235, 83  
 Plant phenology, W106  
 Plant species, 718  
 Plant tannins, M322  
 Plant waste products, M194  
 Plant-animal interactions, 451  
 Planting date, M116, 374  
 Planting density, M112  
 Plasma LPS, 900, 901  
 Plasma parameters, M224  
 Platelet activating factor acetylhydrolase, T116  
 Poisson, 233  
 Policy, 474  
 Pollution, 704  
 Polyethylene glycol, M303  
 Poly(lactic acid), T109  
 Polyacylglycerol monostearate, T103  
 Polymerase chain reaction, M121  
 Polymorphism, T63, T202, 729  
 Polymorphonuclear neutrophils, 467  
 Polypeptide, M120  
 Polysaccharides, M222, W185  
 Polyunsaturated fatty acids, T179,  
     W182, 45, 280  
 Porcine LH, T270  
 Porcine LH, GnRH, 287  
 Pork, W89, W368, 603  
 Pork Information Gateway, 174  
 Pork quality, T131, W45, W139, 816  
 Portioning, 743  
 Postpartum interval, 401  
 Post-AI nutrition, W199  
 Postmortem, T129, 430  
 Postpartum, W351  
 Postpartum anestrous, 640  
 Postpartum disease, W222  
 Postpartum first ovulation, W219  
 Post-translational modification, 827  
 Post-weaning growth, 400  
 Post-weaning growth and carcass,  
     216  
 Potassium, W152, 511, 515  
 Potassium hydroxide, 440  
 Potassium sorbate, T151  
 Potato protein, M238  
 Potential biomarkers, M140  
 Poult quality, T240  
 Poultry, M138, M215, M265, T21,  
     T22, T26, T74, T87, 57, 148,  
     306, 435, 441, 445, 476, 477,  
     479, 688, 701, 702, 829  
 Poultry chilling, M92  
 Poultry Guard, 709, 710  
 Poultry litter, M108  
 Poultry processing, 440  
 Poulets, 95  
 Prato, T96  
 Prato cheese, 823  
 Preacidification, T95  
 Prebiotic, M225  
 Precision feeding, M191, 9  
 Precision-fed rooster assay, 482  
 Predict, 915  
 Predicted intake, 943  
 Prediction, T290, W296, 747, 788  
 Predictor, M176  
 Preference, T217, W91  
 Preference mapping, 79  
 Pregnancy, M47, T260, T265, W210,  
     730, 889  
 Pregnancy loss, W220  
 Pregnancy rate, T249, T270, W248,  
     562, 564  
 Preharvest strategies, 54  
 Preimplantation development, 646  
 Preovulatory follicle, W223  
 Prepartum diet, 781  
 Preprocholecystokinin, M262  
 Prepubertal heifer, T167  
 Preruminant calf, T366, W12  
 Preservation methods, M325  
 Pre-slaughter handling, M59  
 Pre-slaughter stress, 976  
 Presynchronization, 125  
 Prevalence, T29, T85, W24, W25  
 Price comparisons, 404  
 Prickly pear, W108  
 PRID, T255  
 Primiparous cow, 841  
 Primiparous sow, W165  
 Prion disease, 950  
 Proanthocyanidin, T145  
 Probiotic, M339, M241, T21, T26,  
     T177, T200, T233, T236, T312,  
     W23, W67, W186, 90, 92, 465,  
     578, 689, 820, 861  
 Probiotic culture, 148  
 Probiotic lactic acid bacteria, 577  
 Process cheese product, 194  
 Process cheese spread, 74  
 Processed cereal, M230  
 Processing, W372, 158, 211, 437  
 Processing conditions, T229  
 Processing technologies, 482  
 Producer, 834  
 Product development, 742  
 Production, M23, M281, 38, 211,  
     556, 727, 774  
 Production cost, M161  
 Production system, 671  
 Productive performance, M220  
 Productivity, 330  
 Profit, W248  
 Profitability, 673  
 Progenitor cells, 268  
 Progesterone, T245, T254, T264,  
     W10, W204, W216, W224,  
     W351, 123, 888  
 Progestin, 117, 118, 762  
 Program feeding, 154  
 Programmed feeding, 665  
 Proinflammatory cytokine, M146,  
     M147, 470  
 Proinflammatory response, 6  
 Prolactin, M261, 754, 890, 891  
 Proliferation, 268  
 Prolificacy, 928  
 Properties, T120  
 Propolis, M323  
 Prostaglandin, M184  
 Prostaglandin E receptors, W227  
 Prostaglandin E<sub>2</sub>, M146  
 Prostaglandin F<sub>2α</sub>, 124  
 Proteasome, 631, 632  
 Protein, M307, M312, M313, T138,  
     T156, T342, T358, W321, 93, 98,  
     238, 289, 358, 453, 489, 524,  
     785, 920, 982  
 Protein accretion, 96  
 Protein and fatty acid profiles, T99

Protein degradation, M251, 592  
Protein disappearance, M295  
Protein fat difference, 135  
Protein level, 621  
Protein source, M231, M242  
Protein synthesis, 463, 618, 630  
Protein turnover, 631  
Protein utilization, 348  
Protein/carbohydrate, T297  
Proteinase enzyme, 246  
Protein-bound condensed tannins, T145  
Proteolysis, T94, T131  
Proteomics, M15, M57, M170, M172, 434, 741, 827, 828  
Protozoal inhibition, 282  
Pruning waste, M163  
Puberty, M248, W35, W202, 641, 894  
Public attitude, 210  
PUFA, W184  
 $\omega$ -3 PUFA, M367  
Pulmonary arterial hypertension, 317  
Purine, W319  
Purine derivative, 354  
PWD, T10  
Pyrexia, M374

## Q

QTL, T61, T65, W51, W354, 410, 413, 544, 728, 944  
QTL region, T59  
Quail, M261, W55  
Quail breeder age, 498  
Quality, T120, T128, W63, W75, W89, W365, 407  
Quality control, 613  
Quantification, W79  
Quantitative real-time PCR, 232  
Quantum phytase, 610  
Quarter horse, 58  
Quota, 748

## R

Rabbit, M198, 590  
Ractopamine, W264, 22, 626, 627, 629, 663  
Radiation hybrid mapping, M34  
Radio frequency identification, 768  
Ragusano, T92  
Ram, T142  
Ram lamb, M298, W341  
Random regression, 225, 559, 561, 942  
RAPD markers, 215, 400  
Rapid detection, 958  
Rare earth element, M320  
Ras cheese, 821  
RAS cheese slurry, 246  
Rat, W3, 105  
Rate of digestion, T299  
Ration sorting, 341  
Rats, 864  
Raw and roasted flaxseed, 353  
Raw milk, T278, W58, W66, 190  
Raw soybeans, 793  
rbST, M257, W267  
16S rDNA PCR-DGGE, W360

Reaction norm, 217  
Reactive Lys, W158  
Real-time PCR, M174, 46  
Real-time qPCR, T326, 185  
Real-time RT-PCR, T19, 690  
Rearing period, M343  
Reashure, T350, T351  
Receiving, 159  
Receptor expression, W16  
Receptor, W17  
Recombination, W34, 72  
Recombination hotspot, T76  
Recombination technology, 616  
Recruiting, 684  
Recurrence, W19  
Recursive algorithm, 415  
Red clover silage, W287, W288  
Redbro Cou Nu chickens, W4  
Reduced input, W243  
Refrigeration temperature, T128  
Regionalization, 995  
Regulated gene expression, T320  
Regulation, 38, 721  
Regulatory RNA, 538  
Regulatory variants, 557  
Relationship matrix, 413  
Relative asymmetry, T240  
Relaxin, W235  
Removal, 288  
Rendering, 568  
Rennet, 571  
Rennet gel, 735  
Rennet gelation, 574  
Reovirus, 65  
RepaXol, T13, 33  
Repeatability, T67  
Repetitive element, T59  
Reproduction, M21, T58, T221, T354, W113, W202, 125, 188, 220, 281, 320, 494, 495, 496, 497, 793, 814, 884, 887, 929  
Reproductive and immune systems, 642  
Reproductive efficiency, 401  
Reproductive hormone receptor genes, 232  
Reproductive hormone, W200  
Reproductive performance, T271, T370, W206, 229  
Reproductive science, 175  
Reproductive status, W246  
Reproductive tissue, W201  
Reproductive tract, 29  
Reptile, 234  
Requirements, 97, 454, 455  
Research, 365, 369, 674  
Research-based teaching and learning, 364  
Residual beef intake, 222  
Residual feed intake, T71, W272, W275, 140, 216, 380, 657, 660, 935, 936  
Residual ME intake, 332  
Resistant starch, M224, T175  
Resource, T6  
Respiration, W228  
Response to selection, 44  
Restriction, W145  
Resumption of normal ovarian cycle, T262

Resveratrol, 619  
Resynch, 124  
Retention, T372  
Reticular digesta, W320  
Reticular temperature, T285  
RFID, 550  
Rheology, 575, 734  
Ribeye area, T38, T39, W87  
Ribosomal protein, M35  
Ribosomal protein S6 kinase 1, M239  
Rice protein concentrate, 862  
Rice straw, 150  
Ripollesa breed, W352  
Risk, M69  
Risk factor, 71  
River buffalo, M34  
Roasted corn, T325  
Roasted grain, M329  
Robotic milking, 189  
Romosinuano, 213  
Rooster, 320, 891  
Roquefort, T96  
Ross 708, 94  
Rotational grazing, 258  
Roughage level, 155  
Rous sarcoma tumor, 42  
Roxarsone, 32  
16S rRNA, T310  
Rsk factors, 341  
Rumen, M297, M315, M319, M331, T313, T318, W290, W331, W332, 10, 161, 361, 916  
Rumen acidosis, T309  
Rumen bacteria, T308, 168  
Rumen bolus, T45  
Rumen bypass, W330  
Rumen degradable protein, M111, 992  
Rumen degradation, M296  
Rumen digestion, T132  
Rumen epithelium, T317, 907  
Rumen fermentation, M200, M333, T295, T307, T343, T345, 847  
Rumen fermentation modulator, T311  
Rumen fill, 789  
Rumen microbial community, T310  
Rumen minerals, T365  
Rumen N metabolism, 349  
Rumen parameter, W308  
Rumen pH, T303, T347, 515, 903  
Rumen protection, W201  
Rumen protein degradability, 985  
Rumen synchrony, 11  
Rumen undegradable, M313  
Rumen undegradable protein, 8, 983, 984, 992  
Rumen-protected choline, T351  
Rumensin, M188, 170, 181  
Ruminal degradability, M368, 149  
Ruminal degradation kinetics, W105  
Ruminal fermentation, M321, M337, 791  
Ruminal in situ degradability, M304  
Ruminal metabolism, M301  
Ruminal microbes, 150  
Ruminal pH, W300, W305, 899  
Ruminant, M251, M332, T319, T332, 151, 152, 910

Rumination, 163  
Rump fat, T38, T39, T294  
Ryanodine 2, T23  
Rye silage, T194  
Ryegrass, T293, W106  
Ryegrass silage, W322

## S

Saccharide, 868  
Saccharin, W279  
*Saccharomyces cerevisiae*, 91, 161  
Safety, 53, 249  
Safflower meal, M299  
Saline soil, M109, W104  
*Salmonella*, M81, M88, M89, M91, M92, M93, T11, W5, 54, 55, 56, 57, 253, 256, 257, 437, 444, 446, 689  
*Salmonella*, M155, W81, W168, W169, 68, 424, 691  
*Salmonella* detection, 333  
*Salmonella* Typhimurium, 470  
*Salmonella* typhimurium, 25  
Salt, T101, 248, 426  
Sample size, W51  
Sand abrasion, 442  
Sangrovit, 700  
Sanguinarine, 700  
Sanitation, 502  
Saponin, 327  
Saponin extraction and yield, T227  
Saponines, M167  
SARA, T347, W307, W309  
Sarcomere length, T130, 430  
Satellite cell, M136, T127, 458, 849  
Saturated fat, W95  
Scale weight, T279  
SCD, M350  
SCD gene, 557  
Scholarship, 679  
Science information, 173  
Screen-printed carbon electrode, M86  
Scrotal circumference, T290, 221  
SCS, 132  
SDS-PAGE, M299  
Season, T35  
Seasonal reproduction, 321  
Seaweed, T122, T162  
Seed size, M117  
Segment mapping, 944  
Selection, W45, 842  
Selective phenotyping, 410  
Selenium, M100, M166, T160, T161, T201, T375, W186, 105, 777, 778, 968  
Selenium speciation, 732  
Selenium yeast, W188  
Selenomethionine, M183  
Selling price, 404, 405  
Semantics, 208  
Semen, M37, W52, W225, W363, 492, 891  
Semen storage, 979  
Seminal plasma, 889  
Sensing, 576  
Sensitivity test, M20  
Sensory, M56, W64, W73  
Sensory analysis, T92, 79, 196

- Sequence homology, W54  
 Sequestering agent, W328  
 Serial harvest, T173  
 Sericea lespedeza, W131, W134  
 Serotonin, 40, 315  
 Serotype, 56  
 Serratus ventralis, W98  
 Serum, 904  
 Serum lipid profile, 597  
 Serum parameter, M268  
 Serum profile, W174, W176  
 Serum protein, 765  
 Serum-free media, W207  
 Sexed semen, T252, 188, 337  
 Sexed sperm, M47  
 Sexual behavior, W8  
 Sexual condition, W344  
 Sexual maturity, 331  
 SH, T334  
 Shade, T40  
 Shape index, M66  
 Shear force, M64, T57, W88  
 Sheep, M6, M163, M165, M306, M327, T257, T258, T374, W258, W259, W336, W338, W339, W345, W346, W353, W354, 342, 668, 669, 670, 671, 672, 788, 810, 842, 922, 923, 924, 926, 927, 929, 967, 969, 993  
 Sheep bodyweight, 928  
 Sheep grazing, M162  
 Sheep milk, W347, W348  
 Shelf life, M95, T115, W63, W66, W97, 51, 52, 73, 199  
 Shell egg, W90, 425, 429  
 Shiga toxin, M96, M97, M98  
 Short cycle, T253, T254  
 Shrimp, W57  
 Shrub, T147  
 Silage, M25, M188, T136, T144, T152, 180, 183, 350, 588, 589, 590, 593, 652  
 Silage inoculant, T135, T141  
 Silage of high-moisture grains, W159  
 Siluriformes, M271, M272  
 Silvopastoral system, W337  
 Simmental, T292  
 Simulation, T60, 411, 933, 945, 948  
 Sinapic acid, 297  
 Sinclair awine, 812  
 Single nucleotide polymorphism, 557, 560  
 Single gene effects, 419  
 Single stage, 504, 505  
 Single-chain antibody, T183  
 Sire misidentification, T66  
 Site fidelity, 382  
 Skeletal muscle, T168, 463, 849, 852  
 Skim milk powder, T113  
 Skin quality, T119  
 Skinfold thickness, W313  
 Slaughter, W197  
 Slaughter weight, T121, W367  
 SLC28, T320  
 Sleeping beauty transposon, M41  
 Slide cover-glass, W78  
 Slow-growing poultry, W189  
 Small grain, W116  
 Small intestine, M262, T231, 456, 982  
 Small ruminant, 452  
 sn-2 position, T114  
 SNP, M40, M44, T64, W33, W50, 219, 227  
 SNP-mortality association, 41  
 Social dominance, T60, 416  
 Social order, T6, T7  
 Societal expectation, 802  
 SOCS, M179  
 SOCS3, 271  
 Sodium, 511, 515  
 Sodium bicarbonate, M330  
 Sodium caprylate, 325  
 Sodium hydroxide, M302  
 Sodium selenite, W188  
 Soft cheese, T91  
 Soft red, W114  
 Software, 749  
 Soil compaction, 601  
 Solubility, 767  
 Soluble protein, M315  
 Soluble tannin extract, T235  
 Solubles, M204  
 Solute carriers, T237  
 Somatic cell, M19, 339, 759, 823  
 Somatic cell count, M76, M185, 135  
 Somatotroph, M139  
 Somatotropin, 343, M144  
 Sorghum, M207, M215, T210, W292, 490, 693, 701, 702  
 Sorghum × Sudangrass, W117  
 Sorghum distillers grains, T335  
 Sorghum hybrid, T324  
 Sorghum silage, T324  
 Sorghum-Sudan, M127  
 Sorting, W303, W304, 661, 898  
 Southeastern US, T55  
 Sow fertility, 815  
 Sow, M1, M2, M3, M8, M70, M241, T195, T221, W140, W166, W167W364, 693, 794, 869  
 Soy protein concentrate, T214  
 Soybean, M305  
 Soybean hulls, W107, 840, 841  
 Soybean meal, W342, 352  
 Soybean meal origin, 865  
 Soybean oil, W307  
 Soybean protein, T345  
 Soybean silage, T322, T323  
 Soymilk, M345  
 Spatial ecology, 451  
 Specific gravity, M14  
 Specific immunity, 88  
 Sperm, 980  
 Sperm mobility, 979  
 Sperm motility, 979  
 Sperm parameters, W238  
 Sperm penetration, 978  
 Spermatogenesis, W236  
 Sperm-egg binding, 978  
 Sperm-mediated gene transfer, W237  
 Spice, W70  
 Spineless cactus, 596  
 Spoilage, 52, 53  
 Stability, 350, 572  
 Stabilizers, 75, 76  
 Staff training, 752  
 Stallion, 492  
 Stanniocalcin, M177, M178  
*Staphylococcus*, W84  
*Staphylococcus aureus*, W79  
 Starch, M73, M116, M131, M132, T302, T306, T321, T368, W159, W161, W324, 351, 489, 790  
 Starch fermentability, W325  
 Starter bacteria, 245  
 Starter culture, 821  
 Starter feed, M340  
 STAT3 and 5, 271  
 Statistical power, W51  
 Stayability, 810  
 Steam-flaked corn, W261, 528, 529  
 Steam-flaking, W260  
 Stearyl-CoA desaturase, M174, 729  
 Steer, 786, 787  
 Steers, M154, T333, 157, 354, 357, 524, 526, 657, 775  
 Stem/progenitor, 66  
 Stereoscopy, 825  
 Steroid biosynthesis, 895  
 Steroid implants, W264  
 Steroidogenesis, M186, W232  
 Stillbirth, M39, M49, W364  
 Stocker calf, W26  
 Stocker cattle, W112  
 Stocking density, T8, 385  
 Stocking rate, T293, W115, W117  
 Stolon elongation, M109  
 Stomach ulcers, T72  
 Stool, T80  
 Storage, M95, T122, T128, 833  
 Storage stability, T113, W59  
 Storage temperature, W90  
 Strain, M277  
 Strategy, 202  
 Straw diets, M165  
 Straw/chaff grazing, 760  
*Streptococcus bovis*, T309, 253  
*Streptococcus mutans*, W85  
 Stress, M4, M147, M339, T1, W249, 19, 358, 378, 384, 387, 766  
 Stress response, 15  
 Structural change, 200  
 Structural chemistry, M195  
 Students, 533, 537  
 Subacute oral endosulfan toxicity, T83  
 Subacute ruminal acidosis, T312, 900, 901  
 Subacute sperm toxicity, T82  
 Subclinical ketosis, 166  
 Subcutaneous, W252  
 Sucrose, T307, 167  
 Sudangrass, W293  
 Sugar cane, T152, W289, W290  
 Sulfamethazine, 319  
 Sunflower, M358  
 Sunflower meal, M302  
 Super chilling storage, M68  
 Superovulation, T252  
 Supplement, W321  
 Supplemental fat, 282  
 Supplementation, M292, T49, T293, W269, 524, 526, 910  
 Survey, M71, M72, M74, M191, 59  
 Survival, T277  
 Sustainability, T280, 37, 673  
 Sward profile, W115  
 Swath grazing, 760  
 Swath width, M110  
 Sweating rate, 344  
 Sweetener, W279, 370, 402  
 Swine, M33, M88, M89, M90, M169, M242, M280, T11, T203, W45, W143, W361, 44, 57, 256, 257, 383, 497, 609, 614, 630, 694, 813, 816, 875, 895, 994, 997  
 Swine curricula, 996  
 Swine images, 174  
 Swine instruction, 996  
 Swine leukocyte antigen (SLA), T64  
 Swine meat, M145  
 Swine production, 998, 999  
 Swine teaching, 996  
 Swiss cheese, W72  
 Synbiotic, 301  
 Synchronization, T245, T257, T263  
 Synchrony, 13  
 Synchrotron, M195, M296  
 Syneresis, T97, 77, 822, 824  
 Synthetic methionine, 485  
 Systems, W294

## T

- Table eggs, 446  
 Tail-dock, T9  
 Tall fescue, W103, W107, W109, 551, 838, 840  
 Tallow, M221  
 Tannin, M167, M200, M303, T146, 595, 701, 702  
 Tape weight, T279  
 Target weight, 762  
 Tasmania, M158  
 Taste panel, W287  
 Teaching, W294, W369, 176, 177, 365, 367, 369, 532, 678, 681, 682, 799, 829, 994, 995, 997, 998, 999  
 Teaching experience, 368  
 Teat, 759  
 Teat number, M33  
 Technology, 421, 897  
 Technology information, 173  
 Technology transfer, 604, 835  
 Temperament, M289, T71, W28, W205, W256, 218, 356, 659  
 Temperature, 347, 550  
 Temperature monitoring, T45, T285, W159, W161  
 Temperature-humidity index, M38  
 Temporal variables, 58  
 Tenderness, M57, M67, T124, T130, W96, W100, W129, 248, 423, 426, 432, 434, 743  
 Tenderness mapping, W98  
 Terpenes, T147  
 Teruel ham, W366, W367  
 Test-day milk yield, T70  
 Test-day model, M52, 561, 938, 942  
 Test-day production, 133  
 Testicle weight, T234  
 Testicular trait, 815  
 Testis, 894  
 Texture, T98, 75, 197  
 TGF- $\beta$ 1, 889  
 Thailand, 853, 854  
 Thermal balance, W241

- Thermography, 967  
 Thermophilic protease, W149  
 Thermoregulation, 508  
 Thermostability, M87, 963  
 Three-step procedure, M295, M312  
 Threonine, M202  
 Threshold, 233  
 Thrombocyte, M147  
 Thrombocyte TLR4, M146  
 Thymol, T213  
 Tibia ash, M219, 705  
 Tick, 965  
 Tifton 85 bermudagrass, M127, M328  
 Tillage, 832  
 TIM-1, T110  
 Time series, 388  
 Timed AI, T244, T268, 122  
 Times of fermentation, M326  
 Timothy hay, 512, 513  
 Tissue deposition rate, W274  
 Tissue growth, W88  
 Tissues, M274  
 Titer, 466  
 TLR4 and TLR2, W22  
 TME, T226  
 TNF- $\alpha$ , 4  
 Tolerance, W9  
 Total mixed ration, T329, T330, T331  
 Total nonstructural carbohydrates, 594  
 Total ranch management, 835  
 Toxicity, 99  
 Toxin, 28  
 Trace mineral, T369  
 Traceability, M83, 250, 255, 896  
 Trans fatty acid, 182, 265, 267  
 Transcription, 541  
 Transfer, 751  
 Transforming growth factor- $\beta$ , 458  
 Transgenic, W237, 160  
 Transgenic corn, W157  
 Transgenic cow, T90  
 Transition, W21, 396, 780, 913  
 Transition cow, M362, M374, 399, 514, 755  
 Transition diet, W221  
 Transition period, W329  
 Translation initiation factor, 618  
 Translational process, 582  
 Transponder, M83, 250, 255  
 Transport, M4, M82, 386  
 Transport losses, 22  
 Transport shrinkage, T362  
 Transportation, M5, 377  
 Transpulmonary pressure gradient, 317  
 Treated crop residues, 151, 152  
 Treated forage, T365, 792  
 Trenbolone acetate, 645, 664  
 Trends, 534  
 Tribasic copper chloride, 28  
 Triglycerides, T157  
 Triticale, W150  
 Triticale distillers grain, 649  
 Tropical, M48, M168  
 Tropical climate, W239, W240  
 Tropical forages, M114  
 Tropical legumes, 595  
 Troponin-T, 432
- True digestibility, 111  
 True digestibility in pigs, W156  
 True metabolizable energy, 488  
 True protein, T137, T139  
 Trypsin, W262  
 Trypsin inhibitor, 567  
 Tryptophan, 622, 623  
 Tuberculosis, 952  
 Turkey, M43, M82, M136, M202, T23, T25, T86, T182, T184, W53, 49, 65, 293, 294, 323, 457, 461  
 Turkey embryo, 292  
 Turkey immunity, T181  
 Turkey meat, 444  
 Turkey product, 742  
 Turkey tom, 101  
 Twice-a-day feeding, 144  
 Twinning, W42, W220, W221, 781  
 Type, 555
- U**
- UBX domain D, T68  
 Udder health, 224  
 UHT milk, W58  
 Ulcerative enteritis, T20  
 Ultrafiltration, 733  
 Ultrasound, T79, W87, W272, 666, 740, 926, 935, 966  
 Undergraduate, 367  
 Undergraduate education, 681  
 Undergraduate research, 364, 368  
 Undergraduate teaching, 366  
 Unknown parent, 415  
 Unsaturated fatty acid, W223  
 Unusual viral RNA, T88  
 Urea, M134, M300, M349, W289, 11  
 Urea kinetics, M309  
 Urea recycling, M306, 992  
 Urinary calculi, 598  
 Urinary output, W318  
 Urinary purine derivative, T339  
 Urine pH, W329  
 Urolith, W136  
 US BSE cases, 950  
 US demographics, 533  
 Use of space, 18  
 Uterine health, 393  
 Uterine tone, T259
- V**
- Vaccination, M156, T18, 31, 334, 775  
 Vaccine, 251, 403, 686, 691  
 Valine, 104  
 Value, 564  
 Variability, T338  
 Variance component, 561, 945  
 Variation, 48, 970  
 Varieties, M43, M117  
 Vascularity, W353  
 Vasoconstriction, M28, M29, 551  
 Veal, T120  
 Vegetal extract, M319  
 Vegetative buffer, 718  
 Ventilation, 142, 377  
 Versazyme, T238  
 Veterinary medicine, 678
- Veterinary service, 752  
 VFA, T132, T165, T295  
 Viable, W80  
 Vicia hay, M162  
 Virginiamycin, T13  
 Virus, 949  
 Visceral, W252  
 Visceral organ mass, T375  
 Visceral tissues, M272  
 Visfatin, 316  
 Vision, 179  
 Vitamin, M366, T102, W65, W195, W196, 454, 706, 784  
 Vitamin A, M60  
 Vitamin B<sub>12</sub>, T374  
 Vitamin D, M67, 24  
 Vitamin E, T363, 26, 27, 427, 921  
 Vitamin E and selenium, M18  
 Vitamin U, 25  
 Vitelline membrane, 290  
 Vitelline membrane strength, 429  
 Vitrification, W208, W212  
 Volatile fatty acids, T134, T154, T317, W315
- W**
- Wagyu, T42, 215  
 Warm-season forage, 64  
 Warner-Bratzler shear force, M145  
 Wash water, T278  
 Waste, 127, 129  
 Waste management, 522  
 Waste milk, 134, 192  
 Waste products from plant materials, T295  
 Water, W330  
 Water acidification, 878  
 Water deprivation, W358  
 Water-holding capacity, M64  
 Water intake, M234, T285, T286  
 Water quality, 831  
 Water-soluble carbohydrates, 591  
 Watson-Glaser, 676  
 Weaned calf, 8  
 Weaned pig, M221, M222, M223, M224, M268, 88, 696, 862, 863, 871, 881  
 Weaned piglet, 616  
 Weaning, M9, M345, T213, W249, 384, 766  
 Weaning age, W160, W326  
 Weaning date, W111  
 Weaning management, T41  
 Weaning pig, M220, M240, 110  
 Weaning weight, T52, T54, T56, W48  
 Weanling pig, M226, M238, T207, T212, 876  
 Weanling piglet, 85  
 Weight, M198, T292, T294  
 Weight gain, M213, M305, W347  
 Weight loss, T126, W69, 205  
 Welfare, M5, M9, M10, T5, W371, 17, 39, 209, 722  
 Well-being, W371, 381  
 Wet distillers grains, 833  
 Wether kids, W119  
 Wheat, 848  
 Wheat and barley straw, M368
- X**
- Xenobiotics, 46  
 X-ray, 825  
 Xylanase, W148
- Y**
- Yeast, T302, W168, 91, 362  
 Yeast culture, M333, M334, M335, M341, T178, T347, W167, W276, 164, 187, 653  
 Yellow grease, M61  
 Yellow perch, 741  
 Yellow-seeded flax, 703  
 Yield, M118, 586  
 Yogurt, W65, W67, W68, W70, 737  
 Yogurt-ice cream, W68  
 Yolk index, 425  
 Yolk quality, 429  
 Yolk weight, 311  
*Yucca schidigera*, M331, 162
- Z**
- Zearalenone, M201, W172, 695  
 Zebu, T44, 785  
 Zebu breed, 937  
 Zeolites, M324  
 Zilpaterol, T168  
 Zinc, 697  
 Zinc amino acid chelate, T241, 109  
 Zinc methionine, W187  
 Zinc oxide, 108  
 Zona pellucida, W229  
 ZP3, W230