

Keyword Index

Numbers following names refer to abstract numbers; a number alone indicates an oral presentation, a T prior to the number indicates a Tuesday poster, a W indicates a Wednesday poster, and a TH indicates a Thursday poster.

The keyword index is created directly and automatically from the submitted abstracts. Efforts have been made to make this index consistent; however, error from author entry contributes to inaccuracies.

A

abomasum, T113, W34, W90
academic research, 127
accelerometer, 622
acceptability, TH325
acceptance, W232
access control, 555
accessory sperm, 220
accuracy, 549
acetyl coenzyme A carboxylase- α , TH191
achromatopsia, T161
acid-challenge, W137
acid-coagulated cheese, T235
acidified protein feed, 782
acidosis, W85, TH61, TH165, 151, 464, 678, 756
acorn, TH251
active dry yeast, W137, TH63
activity, TH5
acute phase protein, W60, TH334
acute phase response, TH18
adaptability, TH274
adaptation, W83, W106, T41, TH121
additive, W198, TH48, T353
additive combination, TH121
adhesion, 634
adipoblast, TH265
adipocyte, W278
adipocyte size, T348
adipogenesis, TH260, 436
adiponectin, T328, W19, W361, TH285, 231, 232
adiponectin receptor, W301
adipose, 424, 510
adipose tissue, T329, T331, W173, 71, 94, 203, 230, 676
adipose triglyceride lipase (ATGL), TH404
adjunct, 194
adjustable fan, T139
admixed population, 643
adoption, 412
adrenal, W166
adsorbent, 241

aerobic deterioration, W256, 663
aerobic exposure, W254, W270
aerobic stability, T38, W263, W266
Afec-Assaf, W206
aflatoxin, T364, W13, TH210, 241
aflatoxin B₁, T25, TH155
aflatoxin M₁, T25
Afshari lamb, 822
age, W289
age at first calving, T189, W188
aggregation, 16
 β -agonist, TH262, 97, 360, 571, 572
agouti-related peptide, TH256
agreements, 47
air emission, 235
AKT1, TH288
alfalfa, 244
alfalfa hay, W427, TH133
alfalfa hay particle length, T63
alfalfa hay particle size, 342
alfalfa hay to silage ratio, W268
alfalfa silage, T76, 470
algae, 116, 775
algae meal, T78
alkaloid, 285
alkanes, 771
allantoin, TH150
alligator blood, TH413
alternative feedstuffs, 501
alternative ingredient, 502
Amaferm, TH86
ambassador, 353
AMH, T346
amino acid, T85, T297, T303, W6, W54, W55, W58, W116, W135, TH89, 368, 438, 465, 467, 474, 777
amino acid digestibility, 117, 363
amino acid methodologies, W110
amino acids, T77, W69
 γ -aminobutyric acid, W253, TH45, TH46
AminoGut, T305
ammonia, T359, TH55, 70, 438
ammonia emission, TH369, 238
ampicillin, 375
amylase, T82, 42
amylose, W349
anabolic steroid, 362, 571
ancillary therapy, 167
anestrous, T115
anestrus, 224
anethole, W332
angiogenesis/lymphangiogenesis, 58
angiotensin-converting enzyme-inhibitory peptide, 325
Angus, 692
animal behavior, 417
animal fat, TH311
animal food regulation, TH218
animal growth, TH152
animal health, 10
animal health economics, 351
animal model, W190, W192
animal nutrition, T293, 505
animal performance, W129
animal protein, 779
animal science, T379, 176, 269, 390, 393
animal stress, TH301
animal welfare, TH176, 46, 47, 177, 178, 179
animal welfare assessment, 728
anorexia, 233
anovulatory goat, TH389
antagonism, W118
anthelmintic, T145, TH272, TH273
antibacterial, 27
antibacterial agent, TH75
antibiotic, TH87, TH88, TH216, TH217, TH221
antibiotic resistance gene, 161
antibiotic screening method, TH215
antibiotic susceptibility, TH227
antibody, 185
antibody response, 629
anticarcinogenic activity, 15
anti-GnRF vaccine, W305
anti-GnRH, TH263, TH264
antihypertensive activity, T111
anti-inflammatory, T169, TH171
antimicrobial, T287, W24, W338, TH121, TH228, 236
antimicrobial activity, TH238

antimicrobial growth promoter, W340
 antimicrobial susceptibility, T288
 antinutritional factor, TH319
 antioxidant, T313, W52, W65, W76, W330, W380, TH411, 141, 346, 402, 564
 antioxidant activity, 330
 antioxidant status, TH76
 antioxidative activity, 565
 antioxidative resilience, 565
 antiparasitic drug, TH222
 antitrypsin factors, T68
 anytime/anywhere learning, T380, 268
 AOAC method 996.11, T136
 apoptosis, W291
 apparent digestibility, W422, TH136
 apparent total-tract digestibility, 108
 apple cider vinegar, W119
 aquaculture, TH322
 archenteric pH, W131
 area under the curve, W57
 arginine, 82, 466, 576, 762
 artichoke hay, W427
 artificial insemination, T322, T377, W359, W405, TH352, TH354, 352
 artificial nursing, W154
 ascites, T141
 ascites syndrome, T140
 Asiago cheese, W220
Aspergillus fumigatus, T150
Aspergillus oryzae culture, 757
 astragalus polysaccharide, 106
 atomic force microscopy, W10
 atosiban, 491
Atriplex halimus, 766
 atypical curve, TH403
 automatic milk system, TH367
 automatic milking system, 149, 520
 automatic walkover weighing, W392
 average daily gain, T176, 168
 aversion, W156
 avian species, TH256
 Awassi ewe, W258

B

Bacillus spp., TH80
Bacillus subtilis, T143, TH62
 backfat thickness, 801
 bacteria, W98, W324, 30, 461, 601, 795
 bacterial flora, TH270
 bacterial inoculant, W263
 bacterial spore, T290
 bacteriocin, W316, W320
 bacteriostatic, T321
 bahiagrass, TH239

balance, T71
 bale feeder, 769
 Baluchi sheep, W125
 band castration, W305
 barley, TH157, TH241, 721
 barley silage, W274, W275, TH111, TH135
 barrow, T301, T304
 batch culture, W117
 Bayes' theorem, W411
 BB-12, T282
 Bcl-2 family, T348
 bedding, 156, 732
 bedding material, W183
 beef, T18, T50, T172, T173, T187, T188, T265, W288, W302, W304, TH138, TH206, TH292, TH361, TH362, TH363, 43, 170, 235, 283, 359, 431, 704, 705, 806, 807
 beef breeding, 702
 beef cattle, T6, T21, T65, T177, T181, T185, T186, T189, T191, T196, T197, T259, W24, W97, W149, W165, W311, W313, W354, W383, W385, W407, TH13, TH35, TH87, TH88, TH148, TH152, TH182, TH263, TH293, TH302, TH303, T326, TH334, TH342, 32, 49, 50, 51, 53, 89, 287, 288, 289, 316, 347, 348, 512, 527, 571, 574, 665, 785
 beef cow, T322, T362, T363, W359, W366, 379, 439, 599
 beef feedlot, 42
 beef heifer, T3, TH124, TH353, 387, 589, 714, 716
 beef quality, 175
 beef reproduction, 702
 beef steer, T261, W95, 386
 beef traceability, T174
 beet pulp, T148
 behavior, T114, T116, W143, W151, W153, W158, W178, W397, TH97, TH160, TH172, TH406, TH407, 156, 208, 286, 287, 410, 428, 523, 645
 behavior and performance sensing, 616, 619
 behavioral activities, 416
 bermudagrass, TH232
 best use for milk, 329
 BHB, 419
 bias, 552
 biceps femoris, 690
Bifidobacterium animalis ssp. *lactis*, T289, T292
 bile, W326
 bioactive molecule, 406
 bioactive peptide, W9
 bioavailability, TH91, W53
 biodiesel, W23, W426, TH146
 bioethics, 47
 biofilm, T110, T224, W322, W323, 33, 496
 Bioflavex, 794
 biofuel, 41, 116
 biogas fistula, 558
 biogas power plant, 558
 biohydrogenating bacteria, TH44
 biohydrogenation, W124, TH43, TH47, TH69, TH75, T122, 656, 658
 biohydrogenation intermediate, 674
 bioinformatics, T352, 374
 biological control, T144
 biological markers, 429
 biomarker, TH4, 293, 671
 biomass, TH247
 biomass yield, 246
 Bioplex, TH415, TH416
 biosecurity, 555
 birdsfoot trefoil hay, TH116
 birdsfoot trefoil pasture, TH108
 birth weight, T192, TH339, 54, 187
 bismuth subsalicylate, TH67
 bivariate model, T211
 black bone syndrome, TH296
 black goat, T51
 bleaching, T106
 blended learning, 393
 blood, TH126
 blood acid-base balance, T78
 blood biochemical parameter, T27
 blood flow, 466
 blood gas parameter, T140
 blood gas partial pressure, T163
 blood mineral, TH84
 blood parameter, T75, T118, TH189
 blood test, T347
 blood-milk barrier, 492
 blue cheese, 20
 boar taint, 184
 boarding, 731
 body composition, T178, T281, W423
 body condition, W357, 653
 body condition score, W390, TH338, TH365, 132
 body conformation trait, 130
 body structure, W207
 body weight, TH275, 132, 262, 508, 683
 bolus, TH364
 bone, W176
 bone ash, W163
 bone calcium and phosphorus, W335
 bone marrow stromal cells, W171

- bone matrix, W163
 bone metabolism, T54
 bone strength, 12
Bos indicus, T177, T180, W150, W377, TH162, TH294, TH352
 bovine, T163, T266, T267, T332, T340, W161, TH180, 319
 bovine adiponectin, T349
 bovine embryo, W364
 bovine embryo and vitrification, W365
 bovine endometrial cells, 155
 bovine leukosis, 134, 444
 bovine mammary epithelial cell, W291, TH89, TH283, TH289
 bovine mammary gland, TH287, 87
 bovine omasal epithelial cells, T325
 bovine respiratory disease, TH4, T195, TH31, 167, 295, 427
 bovine somatotropin, T322, TH28, 28
 bovine viral diarrhea virus, TH13, 168
 bovine viral diarrhea virus challenge, 624, 629
 bPL, W379
Brachiaria, TH247
Brachiaria decumbens, T361
 Brahman, 54, 291
 Brahman influence, 172
 brain, W161, 141
 branched-chain amino acid, W78
 branding, TH364, 283
 breakeven price, TH195
 breast meat, W341
 breed, W418, W421, TH18, TH117, 457, 824
 breed effects, 131
 breeding, T183, T188
 breeding decision, 605
 brewers rice, W445
 Brix, TH33
 broiler, T140, T313, W330, W335, W350, TH321, 404, 695
 broiler chick, 584
 broiler chicken, TH308, 686
 broiler performance, T142, W331
 broilers, 107
 brown marmorated stink bug, W105
 brown midrib corn silage, T24, TH106, 115
 buck, W368
 buffalo, TH277
 buffalo cow, W66
 buffalo milk, 706
 buffelgrass, TH234
 bulky content, 583
 bull, T9, T10, T171, T341
 bull calves, T7
 bull test, T193
 bullock, T353
 bupleurum extract, TH76, TH140
 bush marigold, TH324
 butterfat, W14
 buttermilk, T225, W217, 16
 butyrate, 103, 719
 bypass fat, W27
 bypass protein, W113, 679
 by-product, T95, T260, W38, W128, TH112, TH146, TH396, 340, 502, 737
 by-product feed, T21, 73
- C**
- C4 grass, 673
 cabergoline, 78
 cactus pear, W309
 calcified marine algae, 37
 calcium, T44, T98, W8, W45, W86, TH95, TH412, 84, 488
 calcium oxide, T91, 741, 752
 calcium reduction, 483
 calcium urinary excretion, 507
 calf, T155, T156, TH172, T273, T274, T275, T277, T278, T279, W45, W73, W75, W84, W104, W159, W160, TH77, TH90, TH104, TH115, TH160, TH171, 151, 154, 163, 263, 274, 279, 281, 335, 370, 380, 405, 467, 509, 593, 647
 calf feeding, W75
 calf health, 25
 calf management, 164
 calf performance, W72
 calf rearing farm, 787
 calf starter, W72
 calorimetry, W401
 calpain, 317, 318
 μ-calpain, 570
 calpain system, W180
 calpastatin, TH188
 calving, T31, W143, TH165, TH363
 calving assistance, 298
 calving difficulties, 298
 calving management, 296, 415
 camel milk, 479
 camelina meal, T296
 camera, 694
 cAMP, TH262
 Canadian Arcott lamb, TH409, 676
 cancer, W12
 candidate gene, TH181, 445
 canine, W236, W240, W241, W242
 canola, T94
 canola cake, 585
 canola meal, TH154, 333, 338, 470, 585, 698
 canola oil, W446
 capillary electrophoresis, 192
 capillary gel electrophoresis, W1
 capsicum, TH92
 capsicum oleoresin, TH343
 captive bolt, 418
 N-carbamoyl glutamate, T29
 carbohydrate, W114, 304, 453
 carbon dioxide, T227, W252, TH366
 carbon footprint, TH369, 704, 792
 carcass, T9, T200, W23, TH295, TH330, TH393, TH397, 91, 378, 694
 carcass and fat quality, W439
 carcass characteristic, W424, 112, 743
 carcass composition, T190
 carcass fat estimation, 433
 carcass merit, 42
 carcass modifier, W442
 carcass quality, T190, W305
 carcass trait, TH190, TH398
 carcass yield, 687
 career development, 354
 L-carnitine, 202
 carotenoid, TH153, 63
 carprofen, 281
 caruncular, T58
 case studies, T378, 392
 case-control, 642
 β-casein, T217, TH288
 casein expression, 82
 casein micelle, T225, 17, 479, 560
 casein micelles, 561
 caseinate, T218, 22
 cashew nut, W28
 castor oil, W28
 castration, TH160, TH171, TH172, TH175, 280, 282
 cat, W237, W239, 201, 203
 categorical trait, T180
 cathelicidin, 123
 β-catenin, T338
 cattle, T15, T16, T17, T19, T179, T194, T195, T200, T202, T208, T262, W116, W395, TH10, TH31, TH179, TH257, TH344, 35, 39, 40, 250, 260, 314, 322, 371, 380, 381, 382, 383, 384, 389, 430, 432, 435, 436, 575, 578, 597, 626, 627, 629, 677, 689, 747, 765
 cattle euthanasia, 418
 cell proliferation, TH343
 cell signaling, 76
 cell survival, 826

- cell wall degradability, T46
 cellular immunity, 10
 cellulase, W82, W434
 cellulolysis, TH96
 cellulose, TH78
 cephalopin, 161
 ceramide, 494
 chain-length, 326
 Charolais cattle, TH181
 Cheddar cheese, W227
 Cheddar cheese slits, W228
 cheese, T287, W214, W216, W217, W219, W223, W229, W247, W322, W323, W449, TH225, 193, 196, 209, 210, 211, 496
 cheese composition, 213
 cheese defects, 213
 cheese late blowing, W224
 cheese ripening, 195
 cheese whey, T244
 cheese yield, W218, TH58
 chelated, T18
 chelator, 562
 chemical analysis, TH234
 chemical composition, W117, W304
 chemical profile and degradability, W264
 chemical treatment, TH41
 chemiluminescence, 564
 chewing activity, TH136, 252
 chick, 102
 chick weight, W203
 chicken, TH186, 181, 231
 chicken embryonic fibroblast, TH260
 China, TH211, TH213, TH214
 Chinese herbal medicinal formula, TH130
 Chinese Holstein cow, TH178
 chitosan, 431
 chlorate, T153, T154, 821
 chlorine, T164, T165, T166
Chloris gayana, 246
 cholesterol, W317
 choline, W49, 277
 chromium, T5, T7, T356, T357, 112, 373, 625, 755
 chromium chelate, T14
 chromium propionate, W362, 240
 chromosome, 541
 churning, T225
 chute score, TH298
 chymosin, W213, W249, 217
 ciliate, 602
 cinnamon extract, 595
 CIP, T286
 circadian, T99
 circadian rhythm, W295, 86, 459
 citrus oil, TH32
 clay, 102
 clenbuterol residue, TH229
 climate, W160, 355
 climate change, TH370, TH371
 clinical endometritis, 421
 clinical mastitis, TH3, 621
 clinical scoring system, 295
Clostridium, W228
 cluster analysis, TH378, 48
 CMP index, T244
 CNCPS, TH154, 612
 coaching, 129
 coccidia, 817
 coccidiosis, W350, 816
 cocoa, TH320
 coding single nucleotide polymorphism, 640
 coefficient of variation, W200
 cofactor, TH250
 cofactor dose, 772
 coliform, T153, T285
 coliform bacteria, T154
 collection period, 723
 Colombia, W384
 color, T223, W302
 color meat, TH296
 color stability, 95
 colostrometer, TH33
 colostrum, T155, T279, T360, W42, W294, W296, 80, 85, 327, 405, 406, 407, 408, 409
 colostrum replacer, TH115, T133
 combining ability, W202
 comfort, TH169
 commercial cut, TH303, TH396
 communication, TH202, 566, 567, 568
 companion animal, 60
 comparative, 448
 comparative growth physiology, 452
 comparative nutrition, 449, 453
 comparative slaughter, T2
 competition, W140
 complete blood count, TH4
 composition, W218, 85
 compost bedded pack barn, T100, TH200
 comprehension, T383
 computational efficiency, 551
 computer vision, 616
 computing, 553
 concentrate limitation, 806
 concentrated milk, 19
 concentration, T85
 concentration factor, 533
 conception rate, TH166, TH350, TH351
 condensed distillers solubles, 717, 805
 condensed solubles, 718
 condensed tannin, TH382, 679
 conditioning, W84
 confocal laser scanning microscopy, 324
 conjugate, T243
 conjugated linoleic acid, W30, W297, W365, TH54, 232
 consumer, 783
 consumer acceptance, TH394
 consumer demand, 44, 177
 consumer perceptions, T384
 consumer trust, TH203
 continuous culture, T34, W93, TH134, 275, 656
 continuous suckling, TH386
 control of fertility, 226
 controlled feeding, W157
 controlled grazing, 530
 controlled internal drug release, W374, 228
 conventional, TH170, 383, 384
 conventional corn silage, TH106
 cool-season annual pasture, T261
 copper, 36, 271, 272
 copper sulfate, TH227
 copra meal, 780
 coproduct, W426, W432, 503
 corn, T82, T295, W430, 579, 580, 726, 737, 747
 corn forage, W264
 corn grain, 487
 corn residue, 736
 corn silage, T43, T83, T253, W258, W259, W260, W263, W265, TH111, TH125, TH133, TH144, TH193, TH194, 73, 263, 334, 339
 corn silage fermentation, W254
 corn stover, TH78, 474, 741
 corn straw, W89, TH113, TH114
 corpora lutea, T319
 corpus luteum, 58
 cortisol, W62, W166, W355
 cost, W94, 450
 cost-benefit, TH373
 coturnix, W204, W205
 cotyledon, T58
 course organization, T382
 course review, 394
 cow, T33, T47, T84, W51, W76, W143, W293, W298, W372, TH85, TH140, TH153, TH169, 34, 77, 113, 372, 437, 438, 440, 506, 671
 cow activity, 415, 621

cow breed, 416
cow comfort, T100, TH168, 147, 412, 414
cow genotype, T255
cow health, 160
cow productivity, 49
cow well-being, 147
cow-calf, T263, 172
cowpea testa, 93
creep feeding, T263, W277
creep grazing, T262
crop production, TH370
crossbred, T191, W409, 312
crossbred cattle, TH65
crossbred heifers, 228
crossbred lamb, W208
crossbreeding, T280, 53, 150, 518, 519
cross fostering, T360, 189
crude feedstock, 536
crude glycerin, TH315, TH325
crude protein, W366
crude protein cost, TH195
cryopreservation, T350
Cryptosporidium parvum, TH11
crystal, 193
culling risk, 707
cultivation, 603
culture bacteria, W325
curcumin, W339
curriculum, 1
cutting yields, TH297
cyanocobalamin, TH91
cyclicity, T339
cytokine, TH14, T147, TH343, 100, 813
cytological endometritis, T339
cytology, 297

D

daily gain, 187
daily live weight, W392
dairy, T61, T95, T125, T251, T318, W38, W50, W61, W92, W185, TH344, TH349, TH356, T357, TH359, 67, 260, 299, 308, 332, 411, 446, 462, 542, 544, 555, 605
dairy advisory team, TH201
dairy advocate, 568
dairy beef quality assurance, 559
dairy breeding, TH373
dairy buffalo, W192
dairy calf, T138, T272, T281, W140, 148, 156, 157, 256, 388, 630, 787
dairy cattle, T206, W55, W186, W187, W393, TH12, TH219, TH357, 23, 307, 311, 426, 511, 515, 606

dairy cow, T22, T23, T27, T28, T37, T57, T63, T72, T92, T121, T123, T124, T126, T135, T148, T158, T159, T256, T316, T317, T328, T342, T346, T348, W8, W33, W35, W42, W44, W56, W74, W78, W101, W108, W126, W132, W134, W292, W362, W371, W375, W409, W410, TH2, TH6, TH7, TH8, TH20, TH30, TH52, TH73, TH92, TH101, TH129, TH278, TH279, TH348, TH374, TH377, 28, 66, 136, 149, 166, 218, 222, 224, 232, 239, 248, 292, 301, 331, 333, 338, 339, 340, 375, 414, 421, 455, 459, 468, 472, 488, 493, 514, 516, 524, 559, 591, 648, 650, 652, 750, 751, 754, 788, 789, 803, 810, 812
dairy cow mammary epithelial cell, W290
dairy cow welfare, 617
dairy farm, W182, TH369, TH370, TH371, 313, 556
dairy food, 144
dairy goat, TH51, TH53, TH205, TH404
dairy handling facilities, 559
dairy health, 447
dairy heifer, T93, T319, W95, W102, W360, TH137, 681, 808
dairy herd, 707, 708
Dairy Herd Improvement, TH204
dairy herd welfare, 620
dairy management, T355
dairy nutrition, T253
dairy personnel, 296
dairy sector, W243
dairy sheep, W94, TH403
dairy system, T252
dairy-beef steer, T1
data logger, TH173
database, T294
DE, 701
death, 119
death appearance rate, TH233
decision making, TH360
deep bedding, TH167
deep uterine insemination, 120
deferred forage, TH237
deficiency, 7
degradability, T49, W127, 793
degradation, T170
degradation kinetic, TH252
degradation rate, W114
degrees of freedom, 641
Dehority, 603
dehorning, W159
deiodinase, TH253
delayed breeding, TH377
Delvotest SP-NT, TH217
demand, 532
denaturing gradient gel electrophoresis, T154, W89
denaturing gradient gel electrophoresis and quantitative real-time PCR, W91
densimeter, W296
density, T54
deoxyivalenol, 762
depletion flocculation, 22, 485
depletion interaction potential, T218
deposition, 680
depot, 680
developing country, 442
development, 129, 680
developmental programming, 43
deworm, 422
dextran, 485
dextran sulfate, 485
DFD meat, TH301
DGAT1, 544
DHA-Gold, TH409
diabetes, 229
diagnostic tool, 412
diarrhea, W36, 821
diet, T146, T309, W88, W343, 144
diet adaptation, 738
diet complexity, TH317
diet composition, TH58
diet ingredient, 504
diet system, W131
dietary cation-anion difference, T123, T124, 276
dietary change, W87
dietary fat, 717
dietary fatty acid, 73, 778
dietary fiber, W345, TH312, 583, 594, 725
Dietary Guidelines for Americans, 209
dietary protein, W372, 238
dietary reference intakes, 5
dietary water content, W237
different mammals, T212
differential proteomics, TH287
differentiation, 575
digestibility, T20, T36, T89, T96, T260, T296, W39, W106, W274, W400, TH120, TH127, TH141, TH193, TH239, TH267, TH309, 41, 93, 665, 699, 717, 739, 740, 744, 766, 773, 807
digestible amino acid, T302
digestible Trp to Lys ratio, T301, T304
digestion, T19, T69, TH112, TH230, 69, 113, 142, 774

- digestion kinetic, 799
 digestion kinetics, 114
 digestive characteristics, 782
 digestive physiology, 303
 1,25-dihydroxyvitamin D, 4
 dilution, T277
 dipeptidyl peptidase IV, W133
 direct capture-membrane adsorption chromatography (MAC), 536
 direct fed microbial, 162, 809
 direct-fed microbial, T13, T22, W170, 279
 disease, 389
 disease incidence, TH30
 disease recurrence, TH30
 diseases cost, 351
 disinfection, T164
 dissolution, W53
 distillers dried grain, T67, 35, 235, 745
 distillers dried grains with solubles, T109, T175, T299, W56, TH316, 501, 579, 580, 581, 701, 724, 759
 distillers grain, T93, W102, TH124, TH342, 469, 740, 741
 Djallonke, W207
 DNA sequence variant, T208
 docility, 51, 52
 does, 31
 dog, 202, 205, 207
 domestic models, 449
 Domiati cheese, W13
 dominance, T209, W198, 546, 547, 635
 dominance effect, 548
 dopamine receptor D₂, TH182
 Doppler, TH344, 260
 dried citrus pulp, T175
 dried distillers brewers yeast, W445
 drought, 355, 357, 358
 drought tolerance, 356
 drying off, W293, 77
 dry bulb temperature, TH103
 dry extruded expelled soybean, 369
 dry matter, TH194
 dry matter changes, 336
 dry matter content, TH196
 dry matter degradability, T46
 dry matter digestibility, W119
 dry matter digestion, 245
 dry matter intake, W144, W417, TH105, 430
 dry off, 31, 78, 300
 dry period, W294, TH110, 83, 803
 DSC, 498
 duodenal flow of amino acids, T3
 duration, TH368
 Duroc, 124
- DXA, T314
 dystocia, 617
- E**
- E2-P4 protocol, TH355
 ear tag, TH364
 early lactation, T129, W51, 162, 341
 early pregnancy, T189, 58
 eating pattern, TH138, 806
 EBC, 370
 eCG, T351, W356
 economic benefit, T252
 economic dashboard, TH200, 349
 economics, TH361, TH362, 707
 Edam whey, 565
 edible portion, T178
 edible tissue, TH229
 education, TH202, TH208, 391
 educational farm tour, TH203
 EFA, T337, 659
 efficiency, T53, W32, W288, TH360, 71
 egg quality, TH324
 egg weight, W212
 electrical conductivity, W411
 electrolyzed water, T286
 electromagnetic field, 423
 electromagnetic fluid conditioner, W250
 ELISA, TH155
 embryo, T336, TH337, TH356, 220, 589
 embryo transcriptome, 591
 embryo transfer, W193
 emotion, T108
 empty body fat, W315
 empty body fat estimation, 433
 emulsion, W2, W216
 encapsulated methionine, W110
 encapsulation, 722
 endogenous loss, 699
 endometritis, TH19, 297
 endophyte, TH14, 632, 770
 endotoxin, TH17, TH60, TH61, 486
 end-product quality, 95
 energy, T221, T267, T299, T303, T354, W157, 696, 697
 energy balance, 309
 energy concentration, T298
 energy-corrected milk, 435
 energy cost, TH195
 energy degradability, TH248
 energy estimation, W241, W242
 energy expenditure, T45, T362, 206
 energy intake, W362
 energy level, T308
 energy requirement, 439
 energy retention, TH309
- energy source, TH138
 energy status, 463
 energy supplement, T271, 669
 energy supplementation, T361
 engagement, 179
 enriched egg, W328
 ensiling, W138
 enteric disease, W348
 enteric methane emission, 244
 enteric resistance, W222
Enterobacter sakazakii, TH224
 enterobacteria, W36
 enterotoxigenic *Escherichia coli*, 99, 100
 environment, W402, TH361, TH362, TH363, TH379, 704
 environmental bioburden, 521
 environmental chemical, 711
 environmental effect, 337
 environmental enrichment, W155
 environmental footprint, 610
 environmental impact, TH374, 703
 environmental pollutant, 711
 environmental temperature, TH119, W337, 148
 environment-friendly feed, 596
 enzymatic bleaching, T213
 enzymatic hydrolysis, 325
 enzyme, T36, W240, TH250, TH304, TH306, TH308, TH309, TH414, 117, 118, 214, 367, 772
 enzyme activity, W133
 enzyme profile, TH65
 enzyme substrate assay, 497
 enzyme-treated soy protein plus yeast, TH317
 EPD, 171
 epidermal growth factor receptor, TH261
 epigenetics, 490, 631
 epithelium, T59, TH100
 equation, W242, 681
 equine, TH269, TH270, TH271, W151
 ergot alkaloid, T170, T266, W177, 247
Escherichia coli, T153, 497, 634, 821
Escherichia coli K88, 123
Escherichia coli O157:H7, TH220, 760, 761
 E-Screen, 712
 essential amino acids, W68, 81
 essential oil, W24, W26, W33, W40, W48, TH42, TH228, TH299, 27, 798
 estradiol, T115, W382, TH261, 223
 estradiol benzoate, 228
 estrogen, 587
 estrogen receptor, T117
 estrogenicity, 712

estrone sulfate, W174
estrous, TH391
estrous cycle, W361
estrus, W178, W376, TH350, TH390,
 218, 220, 223, 683
estrus behavior, TH164
estrus detection, 349
estrus synchronization, TH352
ethanol byproduct, W112
ethyl alcohol, W159
E-tongue, W450
European quail, W412
evaluation, 531, 825
evaporated milk, T222
ewe, T337, TH392, TH402
ewe hematology parameter, T160
ewe trait, W209
exam regrades, T383
exit velocity, TH298, 286, 624
exogenous enzyme, W269, TH82,
 TH135, TH332, 96, 766, 799
exogenous gonadotropin, 121
exopolysaccharide, T110, 111, 194, 499
expectation maximization (EM), 551
experiential learning, T382, 391
explant, 517
expression, TH328, 592
expression abundance, 811
expression quantitative trait loci, 186
extension, TH204, TH205
extension goal, TH276
external pudic arterial blood, TH107
extraction efficiencies, W56
eye formation, W221

F

factor analysis, W207
farm model, 610
farmer, TH205
farrowing crate, TH174
fat, TH341, W22, W394, 304, 655
fat composition, W444
fat concentration, TH316
fat cow syndrome, TH3
fat deposition, W438
fat feeding, TH150
fat metabolism, TH1
fat source, T118, T120, W134, TH20
fat supplementation, 651
fat supplementation of cows, W29
fat thickness, T56, W97
fat to protein ratio, 802
fat-free Cheddar, 194
fat-soluble vitamin, T247
fat-tail sheep, W208

fatty acid, T34, T122, T131, T134,
 T196, T212, T268, T278, W14, W31,
 TH37, TH47, TH52, TH311, 26, 326,
 481, 534, 648, 656, 673, 676
fatty acid biohydrogenation, TH49
fatty acid composition, TH53, W27
fatty acid extraction rate, T75
fatty acid methyl esters, W162
fatty acid supplementation, 649
fatty acid synthesis, TH51, T57
Fc receptor, TH21, TH178
FCGR7, TH178
fecal characteristic, W425
fecal composition, W101
fecal P excretion, TH68
fecal particle size, 252
fecal pH, 456
fecal score, W130
fecal starch, TH122
feces, 577
fecundity, 226
feed, TH210, 307, 337
feed additive, TH93, TH228, TH326,
 TH417, 97, 756
feed analysis, T136
feed composition, T294
feed consumption, 807
feed conversion, T178, TH306
feed efficiency, T45, T124, T203, T252,
 W26, W107, W417, TH118, TH122,
 23, 124, 170, 172, 173, 174, 180,
 190, 331, 471, 737
feed intake, W62, W201, W408, W434,
 168, 397, 574, 654, 725
feed intake pattern, TH420
feed intake stimulation, W329
feed nutrient analysis, TH197
feed restriction, W19, TH330, 86, 165
feed sorting, 342
feed stability, 270
feed supplementation, W353
feed type, T75
feed utilization, 586
feedbunk space, 413
feeding, T61, W140, 336
feeding behavior, T63, T127, W141,
 W142, TH101, TH114, 284
feeding change, W439
feeding frequency, W397
feeding management, W398, 166
feeding pattern, W99, TH311
feeding strategy, W92, 334
feeding time, 459
feedlot, T10, T53, W25, W83, TH117,
 TH293, 32, 173, 383, 785, 804
feedlot cattle, W23, 805

feedlot economics, 174
feedlot feed efficiency, 55
feedlot heifer, T68, TH131
feedlot lambs, 251
feedlot performance, T7, T8, T353,
 W150, W164, W403, TH64
feedlot steer, TH99
feedstuff, T364, 727
feline nutrition, 61
female broiler chicken, W329
fence, TH406, TH407
fermentation, T20, T70, W28, W265,
 W267, W272, TH120, TH251,
 TH310, 793
fermented apple pomace, TH244
fermented Hamcho (*Salicornia herba-cea*), 584
fermented milk, 499
fermented milk beverages, W251
fermented wheat straw, 758
ferrous lactate, 239
fertility, T318, W175, W188, W205,
 TH349, TH392, 28, 51, 321, 606, 713
fertility haplotype, T206
fertility of dairy cows, T339
fertility trait, 445
fescue, T265, T267, TH271, 770
fescue toxicosis, T171, TH182, TH284,
 322
fetal development, 711
fetal lipid, 685
fetal mineral deposition, W429
fetal programming, T326, W31, W285,
 W354
fetus, T60, W428
fiber, T61, W118, 144, 205, 207
fiber composition, TH59
fiber digestibility, T83, TH144
fiber digestion, T43, W96, W434
fiber fragility, 114
fibroblast growth factor 21, 229
fibroblast growth factor 23, 6
fibrolytic enzyme, 113, 758
fibrous fraction, W271
film, T246
fines, 747
finisher, TH321
finishing, T14
finishing lamb, TH84
finishing-bulls, T11
first follicular wave, W371
fish meal, TH322
fish oil, W225, TH347
fitness, 824
five-day CO-Synch + CIDR, W381
fixed-time artificial insemination, T347

- Flavomycin, W337
 flavonoid, W313
 flavor, T103, T106, T215, W153, W223,
 210, 397, 401
 flax oil, W446
 flaxseed, TH143
 floor space, W404
Florida Bull Test, TH207
 fluid milk, 146
 flunixin meglumine, 733
 flushing, 385, 598
 fluted pumpkin leaf, 687
FNDC5, 689
 foal, W172
 fodder, W64
Fodder System, 153
 follicle, T199, T316, TH368
 follicle dynamic, T345
 follicle size, 223
 follicle-stimulating hormone, T338,
 W369, 227
 follicular dynamics, T120
 follicular fluid, W361
 folliculogenesis, W167
 food additive, T143
 food additive/generally recognized as
 safe, TH218
 food adulteration, T244
 food intake, TH256
 food morality movement, 176
 food safety, TH223, 578
 food security, TH222, 481
 footrot, TH387, 294, 376
 forage, T4, T70, T71, T89, W37, W59,
 W91, TH136, TH146, TH240,
 TH250, TH292, 94, 340, 358, 454,
 611, 768, 772, 773, 812
 forage allowance, T362, T363, 598
 forage concentration, 333, 455
 forage grass, 356
 forage pattern, T73
 forage performance bull test, T201
 forage proportion, T256, T257
 forage quality, TH241, W437
 forage source, T74, W121, W129
 forage system, 530
 forage yield, TH241, T250
 forbs, 767
 force plate, 614
 forestomach, 719
 fortified forage, TH83
 FOS polymerization, 105
 fosmid library, W133
 Fourier transform infrared spectroscopy,
 W221, 498
 FPT, 164
- fractionation, 534
 free amino acids, W292
 free radical, 564
 freestall, TH199, 278, 428
 frequency, W80, TH97, TH98
 fresh semen, W197, 120
 frozen semen, W197
 fructose, 476
 fucosylation, 451
 fumonisins, 403
 functional behavior, 215
 functional oil, 743, 744
 functional properties, W17, W250
 functionality, T215, 484
 fungi, T150
 FVB mice, 86
- G**
- gain, W104, W423, 574
 gait scoring, TH177
 galacto-oligosaccharide, 216
 β -galactosidase, W245, 216
GALNT13, W161
 gas former, W224
 gas production, W79, W128, W170,
 W271, W319, TH40, TH82, 245
 gas production test, TH156
 gastrointestinal development, 684
 gastrointestinal simulation, W246
 gastrointestinal tract, 30
 gelation behavior, 19
 gender, TH151
 gene, TH34, TH179
 gene expression, T52, T86, T341,
 W177, TH27, TH89, TH100, TH191,
 TH258, TH327, TH348, 261, 290
 gene ontology, T186
 gene regulation, TH257
 gene therapy, T161
 generation interval, W189
 genetic advance, W189
 genetic correlation, T185, T191, W195,
 W204, 309, 637
 genetic diversity, W196
 genetic drift, 554
 genetic effect, 639
 genetic evaluation, 443, 538
 genetic gain, W193
 genetic marker, TH387
 genetic parameter, T181, T194, T203,
 W185, 50, 132, 136, 188, 190, 191
 genetic progress, W191
 genetic relationship, 55
 genetic trend, T181, T193, W184,
 W209, W210
- genetic-epidemiological model, 135
 genetics, T184, 52, 133
 genetics by environment interaction, 56
 genipin, 560
 genome, W318, W319
 genome-enabled prediction, 639
 genome-wide association, T198, 181
 genome-wide association study, T186,
 T196, T197, T199, W206, TH35,
 319, 321, 444, 445
 genomic breeding values, 315
 genomic correlation, 541
 genomic DNA, 48
 genomic evaluation, T206, T210, 539,
 540, 552
 genomic prediction, T208, T209, W199,
 170, 182, 541, 546, 547, 548
 genomic selection, T211, 442, 538, 550,
 551, 638, 643
 genomics, T207, W191, 124, 150, 389,
 441, 447, 513, 544, 545, 557
 genotype, W428, TH183, 434
 genotype by environment interaction,
 W186, 636
 genotype imputation, 549
 gestation, W285
 gestational heat stress, 122
 GGP, 315
 giant unilamellar vesicles (GUV), 323
 Gibbs sampling, 191
 gilt immunocastration, W444
 ginsenoside, T234
 global animal feed production, 501
 glucagon, 261
 β -glucanase, 364
 glucoamylase, TH79
 glucogenic precursor, 674
 gluconeogenesis, T129, T131, W88, 24,
 137
 gluconeogenic gene expression, T130
 glucosamine, TH268
 glucose, W88, W162, W279
 glucose metabolism, W378
 glucose tolerance, 507
 glucose transporter, 99
 glucose uptake, W301
 glutamate, 677
 glutamic acid, T305
 glutamic acid plus glutamine, T307,
 W344
 glutamine, T305
 glycerol, W37, W311, W312, W314,
 W432, TH55, TH125, TH148,
 TH149, TH293, TH396, 743
 glycerolysis transesterification, W14
 glycogen, 685

- glycosylation, W3
 GMACE, 542
 GnRH, T320, TH353, W287, 715
 goat, T114, T115, T116, T145, T147, W178, W210, W356, W357, W367, W418, TH173, TH231, TH354, TH393, TH395, TH399, TH406, TH407, TH408, 422, 529, 531, 816, 824
 goat cheese, W230
 goat kid, TH405, 820
 goat mammary epithelial cells, TH280
 goat meat, 532
 goat milk, T231, T238, T239, TH215, TH216, 142
 goat milk cheese, W215
 goat milk yogurt, 478
 goat skin, 826
 goblet cell, 102,
 G protein-coupled receptor 41 and 43, 140
 G protein-coupled receptor 109A, T331, T349
 GPU, 553
 grading, 531
 graduate education, 126
 graduate student, 125
 grain, T81, W236, W261, 472
 grain inclusion, TH137, 808
 grain processing, 804
 grain source, TH101
 granddaughter design, 538
 granulosa cells, T334, T338
 grape bagasse, W446
 grape pomace, TH245
 grape seed and grape meal extract, T169
 grass fed, W386
 grass silage, TH194
 grass/clover, 252
 grass finished, 175
 gravid uterus, T60
 gravity separation, T105, 327
 grazing, T250, T251, T264, T265, W156, W354, W385, W435, W437, TH123, TH292, 175, 334, 437
 grazing behavior, T176, W148
 grazing cattle, T167
 grazing cow, T151
 grazing heifer, TH127
 Greek yogurt, T102
 green microalgae, 776
 GreenFeed, 527
 greenhouse gas, T95, T221, W402, TH49, TH359, 237
 greenhouse gas emissions, 784
 ground, TH157
 ground beef, TH220
 ground pumpkin seed, 819
 group housing, TH174
 group size, W151, TH159, 410
 grouping, TH192
 growing heifer, TH86
 growing pig, 762
 growing-finishing pig, T308
 growth, T192, T274, T280, W172, W277, W286, W347, TH329, TH386, TH399, TH408, TH410, TH418, 40, 53, 91, 110, 274, 718, 825
 growth chart, 681
 growth differentiation factor-9 (GDF9), 226
 growth factor, 409
 growth hormone, 361, 569
 growth performance, T306, T307, T359, W334, W346, W425, W444, TH254, TH315, TH401, 115, 118, 251, 404, 584, 628
 growth promotant, 236
 growth promoter, TH324, TH326
 growth rate, 822
 growth trait, T184, T190, T200
 growth-promoting implant, W385
 guar meal, W120
 guinea-grass silage, W272
 gum, 478
 gut, T98, TH22
 gut development, 700
 gut health, T138
 gut morphology, T142
- H**
- Haemonchus*, 422
Haemonchus contortus, TTH382, TH383, TH384, TH385, 819, 820
 hair coat, 381, 382
 hair sheep, W403, W436, TH410
 Hanwoo, 434
 haplotype, 183
 haptoglobin, TH338, 157, 282, 463
 hatchability, W175, W205
 hatching weight, W212
 hay waste, 769
 HCW, W80
 HD genotype, T205
 headbox, W103
 health, TH5, T156, TH80, TH102, 242, 426, 446, 529, 736
 health status, 240
 heart rate, W92
 heat, TH164, TH368
 heat damage, T67
 heat flow, W401
 heat process, 480
 heat stability, 328
 heat stable, T243
 heat stress, T101, T139, T187, T329, T335, TH340, T341, T343, T356, T358, W44, W50, W101, W149, W291, W351, W393, W396, W410, W442, TH17, TH45, TH46, TH85, TH140, TH328, TH358, 163, 243, 350, 388, 417, 458, 524, 605, 606, 607, 609, 789, 822
 heated whey protein, T231
 heat stress, W352
 heat treatment, T279
 heavy gilt, W439
 heavy metal, TH213
 heifer, T8, T96, T264, T276, W22, W31, W181, W381, TH163, TH345, 321, 332, 466, 510, 742
 heifer development, T176, 347, 348
 hematocrit, W36
 hematology, TH139
 hepatocyte, T340, 569
 herb, TH47
 herbage mass, 661
 herbivory, TH242
 herd health, 424, 655
 Hereford, 315
 heritability, T183, T204, W189, W190, W195, W204, 134, 291, 308, 310
 heritability estimate, W194
 heterogeneous correlation, T211
 heterosis, TH408, 131, 312, 518
 high accuracy sires, 352
 high body weight, T141
 high concentrate, TH117, 386, 387
 high fiber, 365
 high immune response (HIR), T232
 high moisture corn, 70
 high pressure homogenization, 17
 high pressure processing (HPP), T223, W214, 21, 408
 high ruminal temperature, TH43
 high-concentrate diet, TH394
 high-fat diet, W317
 high-performance liquid chromatography, T238
 high-protein nutrition bar, 18
 high-quality beef, 352
 high-risk calf, 167
 high-temperature, short-time milk, 14
 HIR, TH26
 HMBI, 793
 hock injuries, T132

Holstein calf, TH11, W70, W194
Holstein cow, TH54, 130
Holstein female calf, W130
Holstein heifer, T345
Holstein steer, W315
hoof anatomy, 823
hoof lesion, 622
hoof trimming, 823
horn flies, 286
horse, TH209, TH268, TH272, TH273, 425, 623, 768
horse judging, T381
horse racing, W158
horsemanship, T381
hot weather, W150, TH162
housing, 67, 154, 730
housing type, W406
HSP90AA1, 440
HSPA1A, 440
human approach, 734
human chorionic gonadotropin, T320
human health, 344, 407
human milk, 343
human milk oligosaccharide, 451
human nose score, 184
human resources, 556, 708
humans, 5
hutch, 411
hybrid, 339
hydrogen sink, 237
hydrolyzed feather meal, TH323
hydrolyzed wheat gluten, 644
hydroponic, 153
hydroponic green corn, W81
hydroponic green wheat, W81
 β -hydroxybutyrate, T151, T152, 426
2-hydroxy-4-(methylthio) butanoic acid, 757, W74
hygiene, 520
hyperketonemia, TH333
hypocalcemia, 506, 508
hypomagnesemia, T31
hypothalamic-pituitary-adrenal axis reactivity, TH301
hypothalamus, TH1, 320

I

ice cream, T239, W450
IDEA, T379, 269, 390
IgE, TH180
IgG, TH33, TH165, 164
ileal digestibility, 723
ileal phosphorus digestibility, 368
image analysis, W408, TH176
IMC functionality, W20

immune, T162, W139, TH23, TH24, 83, 371, 626, 627
immune function, W134, TH20, TH76, 273, 473, 659
immune profile, TH130
immune response, T126, W30, TH35, TH332, TH333, 105, 630, 631
immunity, T146, T157, T195, TH22, TH31, 111, 272, 450
immunocastration, W440, W441, TH263
immunoglobulin, W60, W294, TH29
immunoglobulin and growth factors, 408
immunological castration, TH290
immunological stress, 465
immunometabolite, 457
immunomodulation, 813
implant, T334, W166, W315, 97, 359, 360, 572
Improvest, TH297
imputation, T202, 182, 550
insulin-like growth factor-1, W286, W379, 38, 171, 361, 509
in situ, W138, TH232
in situ degradation kinetics, TH106
in situ disappearance, T67
in situ ruminal fermentation, TH248
in vitro, TH38, TH93, 207, 667
in vitro digestibility, TH234
in vitro digestion, T220, W168
in vitro fermentation, W93, TH78, TH79, 585
in vitro fertilization, W193, W364
in vitro gas production, TH39, TH42
in vitro rumen fermentation, W269
inbreeding, W196, 441, 635
income over feed cost, T355
incubation, W412
incubation period, W212
index method, 723
India, W243
indigenous cattle, 543
indigestible neutral detergent fiber, W96
indirect calorimetry, W103, 202
individual shelter, W391
industrial agriculture, 45
industry research, 127
infection, 83, 615
inflammation, W373, TH22, TH335, 225, 233
inflammatory response, 106
information retention, 394
infrared spectroscopy, W16
infrared thermography, W407, W412, 218, 294, 376, 486
ingestive behavior, T270, TH405, 285
ingredient definition, TH218
injection, TH175
injury, TH168
innate, TH26
inoculant, T125, W266, W267, W275, W276, TH240
insulin, T335, W169, W279, TH94, TH358, 299, 655
insulin receptor, 570
insulin resistance, W378
insulin response, 388
insulin sensitivity, 515
intact sample, TH294
intake, T69, W32, W39, W99, W153, W254, 437, 771, 808
integrin α 6, TH289
integrin β 4, TH289
 β_1 -integrin, 76
interaction, W187
intercropping, TH246
interdisciplinary, 395
interferon, 155
intermediate moisture meat (IMM), TH226
international, T378
international agriculture, 392
interromone, 208, 623
interval calving conception, W358
intestinal histology, W344
intestinal infection, T157
intestinal morphology, TH314
intestine, 139
intramuscular fat, TH149
intrauterine growth restriction, 139, 576
intrauterine insemination, 120
intravaginal sponge, TH215
intravenous, TH354
inulin, W248
iodine, T87, T90
ionophore, W25, TH87
ion-selective field effect transistor (ISFET), 506
irisin, 689
iron, T236, TH327, 35, 36, 271
isolation and identification, TH96
isotope, W281

J

Japanese quail, TH254
Jatropha curcas kernel, W424
Jatropha curcas meal, W422
Jinhua pigs, 123
Johne's disease, TH9, TH12, 135, 521
jujenal electrophysiological properties, 365

K

kainic acid, TH272
Katahdin, W119, W437
kelp meal, T87, T90
kenaf, TH249
ketone body, 372
ketosis, T151, T152, 29, 419, 619
kid, TH151
kinetics, 675
Kishk Sa'eedi, T237
Klotho, 6
knee injury, T132, TH166
Korean native cattle, T184
Korean native goat, W400
Kou Wan Lao, W249
KPH fat, T56

L

lactate, T13, W162, 38, 476
lactate dehydrogenase B, 379
lactating beef cow, T5
lactating cow, T74, W59, W127, 710, 801, 811
lactating dairy cow, T24, T130, W105, TH108, TH116
lactation, T84, T99, T134, W38, W65, W192, W343, W390, W430, TH282, TH284, TH287, TH313, 80, 84, 489, 490, 753, 812
lactation biology, 87
lactation curve, 493
lactation length, W183
lactation performance, T29, 801
lactational performance, 115
lactic acid, TH238
lactic acid bacteria, T158, T159, T235, T237, W316, 500
Lactipro, 427, 738
lactobacilli, 213
lactobacillus, W347
Lactobacillus, W224, W228, W319, TH155, TH156
Lactobacillus acidophilus, T6
Lactobacillus buchneri, W43, TH62
Lactobacillus curvatus, W318
Lactobacillus plantarum, W43, W253, TH62
Lactobacillus rhamnosus, T157, W248
Lactobacillus delbrueckii ssp. *bulgaricus*, W321
Lactococcus, W63
lactocrine, 405
lactoferrin (LF), T232
lactogenesis, 85

lactoperoxidase, T213
lactose, W324, 216
lactose hydrolysis, T104
lactose intolerance, 143
lactulose, W333
lag time, W128
lamb, W136, W154, W155, W281, TH64, TH66, TH332, TH393, TH398, TH400, TH401, TH410, 96, 770, 817, 819
lamb meat, TH295, TH397
lamb performance, TH80
lamb survival, W206
lamb tissue, W280
lamb viability, T160
lambs weaned, W211
lameness, TH167, TH177, 7, 133, 299, 520, 613, 614, 616, 622, 733, 735
laminitis, TH60
lamp run, W103
largest follicle diameter, W353
larval migration assay, TH383
law, 396
layer diet, TH325
lean deposition, W438
learning, 3, 401
learning style, 265
legal issues, 396
legume, W113, TH242, TH246, 697
legume seeds, 153
leptin, TH341
leptospirosis, 255
lesion, 377
leucine, 582
leucine infusion, 810
leucine pulse, 138
leucocyte, 300
leukocyte esterase, 297
LH, TH341, 165, 715
LH surge, T137
licheniformis, 103
life cycle assessment, 705, 706
lifetime, 790
lifetime performance, W447
ligament, W300
light interception, TH235
lightness, 690
lignin, W96
limit feeding, W141, W142
limiting sequence and ratio, 465
linear program, 635
linkage disequilibrium, T198
linoleic acid, T119, W34, W311, 749
linseed, W280
linseed oil, W310, 674
lipase, W48
lipid, W288, TH37, TH69, TH253, 475
lipid metabolism, T330, 112, 802
lipid mobilization, TH2
lipid stability, W341
lipogenesis, TH191
lipogenic tissue, 827
 α -lipoic acid, TH265
lipolysis, TH257, T329
lipomobilization, 424
lipopolysaccharide, TH14, TH15, TH16, TH19, TH285, 372, 632
lipoprotein lipase gene, TH280
lipoteichoic acid, TH15, TH16
Lippia origanoides, W331
listening, 567
Listeria, T287
liquid chromatography-mass spectrometry, 277
Lithothamnium calcareum, T78
litter weight, W200
live yeast, W42, W46, W66, TH77
liver, T335, W373, TH286, 137, 230, 569
liver abscess, 236
livestock, W384, 178, 302, 350, 353, 783
livestock system, TH360
locomotion, 133
logistic fit, W175
logistic regression, 670
logistic regression model, 619
logit, 642
long-chain polyunsaturated fatty acids, W280
longevity, TH169, 121
longissimus, 690, 828
long-term performance, W102
Lori-Bakhtiari, TH188
low-fat cheese, W215
low-fat Cheddar cheese, W234
low-fat dried distillers grains, 739
low feed conversion ratio, T141
low-phytate peas, 781
low-sodium cheese, 21
Loxidan, W52
lung, 377
luteal, 221
luteinizing hormone, W377
luteolysis, 219, 221
lying behavior, 413
lying time, T132, TH199, 278, 522
lymphocyte, TH314
lysine, W78, 373, 582, 755
lysine requirement, W77
lysine to energy ratio, T306
lysine/methionine, 89, 90

M

- machine learning, 709
macromineral, W61, W423
macronutrient, 206
MAC-T, TH32
Mahabadi goat, 625
Maillard-induced glycosylation, T111
maintenance, W104, 512
maize, TH79, T88, 357
maize grain, 746
maize silage, W261, W262
major histocompatibility complex gene, 625
Makoei, TH190
malabsorption diet, TH296
malate, W46
Malawi dairy industry, TH276
male effect, W357
male kid, W81
male to female ratio, TH389
malt barley, W117, 245
mammalian target of rapamycin pathway, W68
mammalian target of rapamycin signaling, 81
mammary, T99, W67
mammary epithelial cell, 82, 494
mammary gland, T52, T57, TH51, TH278, TH286, 682
mammary gland epithelial cell line, W299
mammary growth inhibition, W301
mammary secretion, 406
mammary stem cell, TH284
mammary uptake, TH52
management, TH167, TH198, TH233, 152, 395, 556
management tool, TH201
Mangalica, TH259
Mango seed kernel, TH308
 β -mannanase, 364
mannoheptulose, 206
marbling, TH295, 692
marine species, 452
marker, W98, 773
market-weight pig, 732
Markov chain, 791
mastitis, T149, W298, W411, TH32, TH221, TH281, TH374, 27, 136, 393, 428, 462, 486, 492, 526, 609
mastitis resistance, 443
maternal, W349
maternal body, W429
maternal body reserves, W428
maternal breed effect, 173
maternal carryover, T314
maternal diet, W169
maternal nutrition, W171, W173, W285, 398, 399, 400
maternal obesity, 59
mathematical model, TH58, 788
matrix, 722
meat, TH302
meat color, 828
meat goat, W421, W435, W436, 530
meat quality, W303, W310, W313, TH299, TH300, TH303, 96, 402, 691, 693
meat tenderness, W179
meat trait, W309
mechanical extracted soybean meal, T35, W71
mechanotransduction, TH278
media, 566
Megalac, W29
Megasphaera elsdenii, 162, 427
Meishan, 554
melamine, TH331
melatonin, T344, W174, TH266
meloxicam, 280, 282, 735
membrane, T110
membrane adsorption chromatography, 325
mentoring, 125, 128
mentorship, 126
merit, 378
mesenteric artery and vein, 247
mesentery, T56
meta-analysis, 703
metabolic, 152
metabolic adaptation, 514
metabolic characteristic, W264
metabolic health, 827
metabolic imprinting, T172, T173, 386, 387, 435, 436
metabolic profile, T93
metabolic regulator, W364, W365
metabolism, TH38, W115, W139, TH333, 24, 61, 158, 229, 233, 632
metabolite, 576
metabolizable energy, W111, W342
metabolizable lysine, T23
metabolizable methionine, W57
metabolizable protein, T96, W51, W111
metabolomics, TH1
metagenome, W82
metagenomics, 464
methane, T48, T51, T64, T76, TH111, TH134, TH143, TH366, 275, 431, 432, 527, 528
methane emission, W395, W396, 308, 710
methanogen, 432
methanogenesis, 237, 794, 800
methanogenic archaea, 795
methemoglobin, TH152
methionine, W40, W58, W69, 373, 591, 755
DL-methionine, 700
L-methionine, 700
methionine analogue, W69, W110
methionine requirement, W77
methylation, TH185
metritis, TH36, 292, 298, 301, 375, 620
Mexican sunflower leaves, 254
mice, 180
micellar casein, T102
micellar casein concentrate, T214
micro- and ultrafiltration, W1
micro mineral, 108
microalgae, 505
microarray, TH255, 374, 798
microbial additive, W272
microbial assay, TH226
microbial count, TH395
microbial ecology, TH65, TH270, TH414
microbial inoculant, TH238, W273
microbial nitrogen, TH150
microbial product, T101
microbiological quality, T290
microbiology, W251, 211
microbiome, W21, 305, 343, 633
microcapsules, T283
microencapsulation, T283, W222, W225, W246, 101, 109, 498
microfiltration, T214, T221, 533
microflora, 425
microfluidization, W15
microglia, 615
microorganism, W270, W271
microRNA, T138, TH255, W299
microsilo, W273
microstructure, 195, 197
microwave irradiation, TH39, TH40, W120
midinfrared, T107, T149, 309, 326
milk, T26, T33, T104, T108, T109, T149, T212, T233, T236, T247, T332, T384, W4, W5, W6, W8, W19, W39, W41, W245, W388, TH9, TH103, TH219, TH279, TH285, 25, 26, 214, 256, 293, 335, 337, 419, 451, 460, 488, 492, 495, 508, 524, 608
milk additive, W64
milk analysis, T216
milk beverage, W252
milk bulking group, TH276

- milk component, W49, TH181, TH365
 milk composition, W7, 65, 276
 milk fat, T101, W30, TH54, 344, 534,
 651, 654, 658, 754
 milk fat content, TH277
 milk fat depression, T122, W297, 66,
 469, 652, 657
 milk fat globule membrane, T229, W10,
 15, 323, 324
 milk fat percentage, TH53
 milk fat synthesis, W295
 milk fatty acid, T358, W122, TH57,
 TH113, 477, 649
 milk fatty acids profile, T256
 milk feeding, TH109
 milk fever, TH8
 milk loss, 708
 milk midinfrared spectrum, 526
 milk mineral, T245
 milk packaging, 146
 milk performance, T257, TH45, TH73,
 240, 757
 milk phospholipid, W12
 milk powder, T241, 480
 milk production, T22, W66, W108,
 W188, TH108, TH133, 49, 68, 72,
 131, 420, 468
 milk production system, 416
 milk production trait, 130
 milk protein, T285, W67, W244, 81
 milk protein concentrate (MPC), T219,
 W11, 18, 484, 537
 milk protein synthesis, W290
 milk protein yield, T85
 milk proteome, 487
 milk quality, T232, W292, TH375,
 TH376
 milk replacer, T133, T272, T277, T278,
 W73, 279, 644, 646
 milk replacer protein sources, W70
 milk retentate, 21
 milk secretion, TH283
 milk synthesis, 345
 milk taint, W105
 milk yield, T87, T356, W49, W63,
 W184, W399, TH277, 65, 276, 493,
 649
 milk yield loss, W389
 milk yield variation, 258
 milking frequency, 76, 523
 millet silage, 72
 Minas frescal cheese, W232
 mineral, T2, T31, TH269, TH415, 306
 mineral and organic adsorbents, T25
 mineral intake, 34
 mineral modified, 535
 mineral requirement, W86
 mineral retention, W429
 minerals/vitamin, W79
 minor allele frequency, 543
 mint oil, TH223
 misting, TH163
 mitigation, 528
 mitochondria, 107, 672
 mix time, 581
 mixed forage, TH113, TH114
 mixed sward, TH236
 mixed rumen bacterial fatty acid, T74
 mixture, 358
 mobilization of body reserves, TH94
 model, T48, W77, W148
 modeling, T51, TH359, 433, 675, 784
 modern dairy production, TH203
 modern food system, 176
 modified wheat protein, 467
 Modified Wisconsin Sugar Flotation,
 TH273
 molasses lick block, T1
 monensin, T34, T129, TH99, TH124,
 37, 66, 98, 341, 473, 652, 664, 769
 monensin and fiber levels, W72
 monensin sensitive, TH74
 monocalcium phosphate, T315
 monolayer, W10
 Montbéliarde, 518, 519
Moringa, T145, TH25
Moringa oleifera, TH329
 morphology, W121
 morphometric measurements, TH275
 mortality, W160, 787
 motivation, W141, 354
 mount, TH164
 mozzarella, W190
 MPC, 483, 535
 MPC or MCC, W1, W17, W18, W20
 mRNA, TH291
 mRNA expression, 573
 mucosal immunity, 30
 mucus, W348
 multibreed, T179, T202, W186
 multiple rations per day, W108
 multiple trait, 637
 multiple transcripts, 827
 multi-trait analysis, T204, 134
 multi-trait model, 181
 muscle, W372, 361, 399, 400, 573
 muscle fiber, 691
 muscle fiber characteristic, TH254
 muscle fiber type, 688
 muscle growth, 572
Mycobacterium avium ssp. *paratuberculosis*, TH9
Mycoplasma, T321
 mycotoxin, T364, W5, TH214
 mycotoxin binder, TH156
 mycotoxin production, T150
 myoblast, TH265
 myofibrillar fragmentation index, W179
 myogenin, 688
 myopathy, TH300
 myostatin, W181, 317, 318
- ## N
- ¹⁵N, TH141
 N efficiency, T66
 N pollution, T66
 n-3, T242, 346
 n-3 fat, W386, 661
 n-3 fatty acid, 344, 630, 722
 n-6 and n-3 fatty acids, T317
 Nagoya Protocol, 554
 nanopowdered oyster shell, T233
 nanopowdered red ginseng, T234, W220
 nanosalt, T230
 NANP, T293
 natural, 62, 384
 natural living, 45
 NE, 701
 near infrared, TH239
 near infrared reflectance spectroscopy,
 720, 721
 near infrared spectroscopy, T30, T216
 near infrared transreflectance spectrum,
 W7
 necrotic enteritis, TH186
 Nellore, T2, W83, W106, W312,
 TH125, 804
 Nelore, T205
 Nelore cow, W363
 nematode, T144
 Neohesperidine, 794
 neonatal pig, TH412
 nephrotoxic damage, 628
 nested PCR, TH11
 net energy, 369, 727
 neuropeptide, TH179
 neuropeptide Y, 320
 neutral detergent fiber, T41, T92, TH230
 neutral detergent fiber digestibility, 558
 neutral detergent fiber digestion, 667
 neutrophil, T135, W139, TH21, TH25,
 TH27, TH34, TH336
 Next Enhance, T261
 Nguni cattle, 481
 niacin, T37, T349, TH337
 niacinamide, TH85
 nicotinic acid, T331

- Nigeria, W203
near infrared, TH122
near infrared spectroscopy, TH197, W304
nitrate, T48
nitrate leaching, 238
nitrites, T344
nitrogen, T62, T71, W54, W115, TH243, 597
nitrogen balance, W440
nitrogen degradability, 718
nitrogen efficiency, 23
nitrogen partitioning, T254
nitrogen utilization, T29
nitrous oxide, 528
no bacterial growth, TH281
nonesterified fatty acids, W379, TH94, 225
nonfat dry milk/skimmed milk powder, T290, 482
nonfat yogurt, T231, W250
nonlinear dynamics, 255
non-Mendelian inheritance, 54
nonproductive sow day, W447
nonprotein nitrogen, W431, 765
nonstarter lactic acid bacteria, W318
northern Pakistan, TH274
no tillage, 662
novel approach, W152
NRC, T55, W107, 439
NRSP, T293
nucleotide-rich yeast extract, W340
nucleotides, W346
nursery, W404
nursery calf, 646, 684
nursery diet, TH314, TH319
nursery pig, TH307, TH318, 104
nursery pig performance, TH317
nutrient, 720, 721, 786
nutrient digestibility, W126
nutrient intake, T44
nutrient management, TH379, 612
nutrient profile, T197
nutrient requirements, T55, 302
nutrient restriction, 590
nutrient utilization and retention, 366
nutrients consumption, W433
nutrigenomics, TH291, 98
nutrition, T54, T281, T326, T330, W67, W443, TH346, T352, TH379, 60, 62, 234, 332, 448, 450, 458, 509, 511, 589, 607, 716, 768
nutrition delivery, W15
nutrition model, T55
nutrition plan, TH151
nutritional feeding, TH192
nutritional quality, TH237
nutritional requirement, TH123
nutritional value, 503
nutritive value, 254, 781
- O**
- oats, T275
obesity, TH259, 685
occurrence, TH212
ochratoxin A, 628
odd- and branched-chain fatty acids, W40
odor active compounds, 767
offspring, 59
25(OH)D₃, 8, 13
oil, 472
oil soybean, T113
oilseed, TH291, 94
oligofructose-enriched inulin, W425
oligosaccharide, TH318, 343
omasal digesta, TH128
omasum, W90
OmniGen-AF, T33, T156, T162, TH27
once daily milking, T330, W389
online, T380, 268
onset, T276
oocyte, TH345
oocyte pick-up, W369
oocyte quality, W393
operant test, W146
Optaflexx, 742
optimization, T214, T306, TH380
optimum replacement policy, TH380
Opuntia ficus indica, T62, TH132
oral gavage, TH413
oregano essential oil, W328, W341
oregano oil, T246
organ, TH330
organic, T100, W386, W387, TH170, TH378, 26, 267, 462, 660, 661
organic acid, W336, TH81, TH304, 775
organic dairy cow, TH143
organic management, TH403, 292, 421
organization, TH202
organoleptic properties, 93
orientation, W262
Origanum vulgare, W331
Original XPC, 461
Orlistat, TH280
ORP, 647
osteoblast, 6
osteochondrosis, 13
outreach, 566
ovarian follicle, W111, W366
ovariectomy, T117
- ovary, W167
over-expression, TH404
ovine, TH25
ovine progressive pneumonia, 818
Ovsynch, T318, T320, 313
Ovsynch protocol, T351
ovulation, T342, W363, W371, TH390, 225
ovulation rate, TH339
ovulatory, TH391
oxidation, T236, T242, W449, TH153
oxidative metabolism, 273, 688
oxidative stress, TH411, 158, 243, 294, 370, 376
oxidized flavor, 480
oxytocin, W405
- P**
- P.G. 600, TH392
P4, T336
packaging, T242, T384, 346
PAG, W375, TH349
pain management, 281
palatability, TH104, 360, 397
palm kernel products, 780
palm oil, W41, W310, TH56
palmitate, 494
palmitic acid, W29, 68, 651
palmitoleic acid, W278, W279, W281
pancreatic amylase, W135
pancreatic exocrine function, 810
Panicum, TH247
Panicum maximum, TH235
panting score, TH162
papillae, T273, T274
parameter, T182
paraoxonase, TH338
parasite, TH209, TH381
parathyroid hormone-related protein, W289
parity, W200, W289, W397, 523
parrot, W157
partial coalescence, W2
particle size, T81, W85, W443, 69, 537, 726
parturition, W144
passion fruit rind, W273
passive immunity, TH29, TH115
pasteurization, TH217, 145, 274, 479
pasteurized milk, T105, T220
pasteurized skim milk, 17
pasture, T1, T90, T247, W387, TH366, TH372, 67, 660, 767, 774
pasture cover, 666
pasture energy values, 666

- pasture management, 669
 pathogen, TH225, W316, 577, 578
 pathogenic bacteria, T237
 pattern recognition analysis, W16
 Paylean, TH297
 payment, T107
 PCR, W98, 521
 PCR-denaturing gradient gel electrophoresis, T42
 PCR-multiplex, T288
 pectin, 454, 719
 pectoral muscle, T302
 pedigree, W196
 pedigree-free, 549
Pediococcus pentosaceus, W43
 Pelibuey sheep, W422, W424
 pen scoring, 289
 perceptions, 267
 performance, T15, T16, T17, T263, W70, W327, W340, W384, W442, TH24, TH90, TH139, TH206, TH207, 367, 582
 performance and health traits, W194
 performance and milk composition, T28
 performance testing, T193
 peripartum, T162, TH23, TH24, TH402, 507
 periparturient period, TH336, 230
 peroxisome proliferator-activated receptor gamma, W297
 permeate, T104
 pesticide residue, TH212
 pestivirus, 627
 pet, 178
 pet food, W241, 62
 PGF, TH353
 $\text{PGF}_{2\alpha}$, T321, T336
 pH, T13, T163, T302, W314, TH55
 phage, TH220, 761
 phage resistance, 760
 phage therapy, 760
 pharmaceutical, 786
 phenolic compound, 63
 phenotypic relationship, 55
 phenotypic trend, W184, W209
 phenylalanine, T19
 pheromone, 208, 623
 phorbol ester, W100, TH105
 phospholipase, 215
 phospholipid, W15, W321, TH2, 16, 215, 323, 324
 phospholipid functionality, 215
 phosphorus, T21, T44, T314, W45, W86, W165, TH305, 367, 597, 699
 phosphorus digestibility, W338, TH310
 phosphorus digestion and absorption, 239
 phosphorus reduction, TH304, TH306
 photoperiod, TH279, 79, 203
 physical activity, W237
 physical and chemical properties, 695
 physical stability, T218
 physical chemical, W251
 physically effective fiber, 749
 physically effective neutral detergent fiber, 249
 physicochemical properties, T234, W220, 329, 482, 583
 physiological imbalance, 293
 physiological state, 114
 physiology, 513
 physiology parameter, W407
 phytase, TH68, 368
 phylogenics, W335
 phytonutrient, W342, W348, 37
 pi, 641
 pig, T299, T360, W152, W198, W199, W201, TH310, TH323, W337, W338, W339, W347, W352, W404, W441, W445, W448, TH175, TH176, TH184, TH185, TH258, TH259, T296, TH312, T315, TH316, TH320, TH327, TH328, TH331, TH347, TH418, 99, 100, 108, 122, 138, 139, 140, 182, 185, 188, 189, 369, 402, 503, 579, 580, 581, 592, 594, 640, 691, 696, 697, 698, 726, 727, 731, 734, 759, 779, 780, 781, 782
 pig breeding, 187
 pig excreta, 594
 pig farm, 784
 piglet, T169, T307, W333, W344, W345, W349, TH420, 101, 105, 109, 401, 403, 596
 piglet performance, W332, 366
 piglet slurry, 595
 pine bark, TH381, 795
 pistachio byproduct, W122, W123, W124, W125
 pituitary, W177, W282
 placement, 418
 placenta, T60, 57, 59
 placentome, W282
 plane of energy, 516
 plant extract, W99, W329
 plant secondary metabolite, 63
 plasma, T155, 644
 plasma and liver metabolism, 811
 plasma leptin, W355
 plasma lipid, W35, 650, 657
 plasma urea nitrogen, TH66, 38
 plasmin, T217, 563
 pleiotropy, 637
 polled, TH373
 pollution of environment, 596
 polyacrylamide gel electrophoresis (PAGE), T219
 polyethylene glycol, W122, W123
 polymer-coated urea, 251, 797
 polymorphism, TH180, TH183, TH187, TH189
 polymorphonuclear neutrophilic leukocyte, TH335, 374
 polyphenol, TH81
 polyphenol oxidase, TH158
 polyunsaturated fatty acid T313, W27, W380, W35, TH298, 650
 polyunsaturated fatty acid biohydrogenation, W48
 population, W87
 population structure, W199, 48
 Porcine Reproductive and Respiratory Syndrome Host Genetics Consortium (PHGC), 186
 porcine reproductive and respiratory syndrome (PRRSV), 185, 186
 pork, 177
 pork quality, TH315
 postmilking teat dipping, T166
 postmortem, 826
 postmortem aging, 88
 postnatal calf, W355
 postnatal performance, 163
 postpartum, TH95, 653
 postpartum beef cow, TH355
 postpartum disease, 618
 postruminal protein infusion, T86
 potassium, W229, 469
 potassium carbonate, T123
 potassium carbonate sesquihydrate, 754
 potassium chloride, 20
 potato, 205
 potato byproduct, 95
POU1F1 gene, TH187
 poultry, T295, T309, W401, 504
 powdered infant formula, TH224
 prebiotic, TH267, 345
 precision dairy, TH367
 precision dairy farming, 349
 Precision Xtra, T152
 preconditioning, W383
 prediction, W211, 709, 710
 prediction accuracy, T205
 predictive ability, 550
 predictor, W389
 preference, W142, 44
 preference trial, 663
 pregnancy, T137, T332, T351, W374, 57, 221, 590, 592

- pregnancy diagnosis, 526, 588
 pregnancy loss, T317, W376, TH351
 pregnancy per artificial insemination, W358
 pregnancy rate, TH166
 pregnancy status, T347
 preheating temperature and time, T222
 premilking teat dipping, T166
 prenatal, 489
 prenatal stress, 593
 prepartum, T354, 242
 prepartum cow, TH28
 prepupal, 587
 prepupal Nellore calf, W353
 Presynch, T137
 presynchronization, 219
 preweaning mortality, 729
 preweaning pig, TH413
 preweaning trait, W448
 price, TH206
 prilled fat, 653
 primal cut, TH400
 primary culture, T325
 primiparous cow, 385
 probiotic, T142, T147, T283, T284, T289, W25, W47, W222, W246, W252, W317, W326, TH73, TH267, 345, 633
 probiotic bacteria, W245, 813
 probit, 642
 problem solving, 392
 process cheese, W213, W225, 212
 processed food, T249
 processed wheat grain, T46
 processing, T81, T228, 484
 processing milk, 145
 processing step, T103
 production, W398, TH102, TH159, TH409
 production cost, 662
 production economics, 610
 production parameters, 789
 production performance, TH129, TH130
 productive, 91
 productive performance, W131, W132, TH3
 productivity, 121
 proestrus, W376
 professionalism, 45
 profitability, T355, W94, W387, TH377, 545, 660, 790
 progeny, T354
 progesterone, T319, T345, W369, W381, W382, TH345, TH358, 224
 proinflammatory response, TH18
 prolactin, W293, 77
 prolamin, T30, T88
 prophylactic, 161
 propionate, T130, W275
Propionibacterium freudenreichii, T6
 Propolis, W130, W334, 744
 propylene glycol, T39
 propyl-propylthiosulphonate, TH92
 prostaglandin, T159, TH390
 protease, W259, W260, TH307, 776, 777
 protease supplementation, 363
 protected fat, 92, 693
 protein, T4, T86, T94, W58, W394, 305
 protein aggregate, T241
 protein degradability, T254
 protein digestibility corrected amino acid score, 201
 protein fraction, T49
 protein precipitating phenolics, TH242
 protein source, T301, T304, W303, TH147
 protein supplement, T3, T298, T300
 protein supplementation, T64, T361
 protein synthesis, T52, 138
 protein to energy ratio, TH126
 protein translation, W68
 protein tyrosine phosphatase 1B, 570
 proteolysis, W213, W231, W234, 197
 proteolytic bacteria, TH74
 proteomics, T229, 87
 protozoa, 601, 602
Pseudomonas, 561
 PSP rats, T337
 pubertal, 510
 puberty, T276, W181, TH339, 318, 683, 714, 715, 716
 public, TH208
 pulsation, 257
 pulse electric, 145
 pulsed electric field (PEF), 15
 pulsed light, TH225
 pulsed-field gel electrophoresis, TH224
 pumpkin seed, TH384
 pumpkin seeds, 820
 pure botanical, W336
 purine base, TH141
 purine derivative, W136, TH59
 pyrosequencing, W21
 pyruvate carboxylase, T131
- Q**
- quantitative real-time PCR, TH281
 quail, W203
 quality, T235, W388
 quality milk, TH204
- quantitative trait loci, T198
 quarter milking, 257
 quiz bowl, 394
- R**
- R&D prospects, W243
 ractopamine, W438, W440, W441, 742
 radiation, 411
 radio frequency identification, T174
 radioimmunoassay, 9
 Ragusano, W322, W323, 496
 Rally, T84, W50
 random regression, T179, W201
 random regression model, 191
 rangeland, 250
 rapeseed product, 698
 rapid method, 497
 rare earth-chitosan chelate, T27, T28
 raw diet, W239
 raw milk, T220, T227, TH210, TH211, TH212, TH213, TH214
 raw milk quality, 329
 raw soybeans, T68
 rbFSH, W360
 RCR, 107
 reactive oxygen species, T328
 real-time PCR, T291, W124
 receiving, 736
 receptor, TH337
 recombinant bovine somatotropin, TH402
 recombination, 316
 recycled poultry bedding, TH245
 recycling, W115
 red clover, TH158
 reduced calcium, 535
 reduced fat, W219
 reduced-fat cheese, W230
 reduced sodium, W219, 212
 refractometer, W296
 regression, T207, 183
 regulation, W135
 reinsemination, TH357
 relative organ weight, 404
 reliability, T207, 539
 rennet gel, T241
 repeatability, 311
 reproduction, T185, T327, T346, T357, T378, W55, W76, TH198, TH342, TH346, 8, 52, 320, 607, 659
 reproduction efficiency, W410
 reproduction physiology, T377
 reproductive activity, W356
 reproductive efficiency, 319
 reproductive health, 713

- reproductive management, 347, 348
 reproductive parameter, T47
 reproductive performance, T158, T264, W406, TH419, 791
 requirement, T297, TH269, 272, 277
 requirements, 8
 reranking, T50
 research, 128
 residual, T194
 residual correlation, W195
 residual feed intake, T50, T127, T172, T173, W152, TH207, 171, 310, 311, 331, 430, 734
 residue, TH221, TH222
 resistance, TH209, TH385
 resistant starch, T272
 resynch, W374
 resynchronization, T175, W375
 retained placenta, TH6, TH7
 retention pay-off, 709
 reticular digesta, TH128
 reticulorumen temperature, 522
 reticulum, W90
 retinoic acid, 692
 reused litter, W327
 reverse osmosis membrane, T224
 review, 214
 RFI, W287, 284, 672
 rheology, T102, W214, W215, W249
 ribeye, T62
 ribeye area, W97, TH397
 rib fat thickness, TH148
 riboflavin, T37
 rice bran, 244
 rice straw, 248
 ripening, 192
 rising plate meter, T250, 666
 risk factor, 29
 risk likelihood, TH229
 RNA, W370
 RNA sequencing, TH255
 RNAseq, TH10, 513, 640
 robotic milking, TH367, 158
 robust model, 641
 rolling herd average milk, 258
 Romanov, W208
 roof type, W391
 roots, 159
 rotational stocking, 668
 roughage, 738
 roughage to concentrate ratio, W268
 row direction, 746
 16S rRNA, W21
 rumen, T59, T273, W82, TH37, TH38, TH40, TH67, TH74, TH102, TH112, TH126, 601, 602, 647
 rumen acidosis, TH63, 671
 rumen bacteria, T42, W87, W89, W91, 476, 603
 rumen bacterial composition, 798
 rumen bypass lysine, T23
 rumen bypass protein, 65
 rumen degradation, 338
 rumen-degraded protein, TH158
 rumen development, T275, 263
 rumen digesta, 758
 rumen fermentation, T72, W26, W268, TH46, TH49, TH131, TH137, 249, 800
 rumen fermentation parameter, T73
 rumen fluid, TH61, 673
 rumen microbial, W132
 rumen microbial protein, W74
 rumen microbiota, TH77, TH110
 rumen papillae, TH100
 rumen parameter, T269
 rumen pH, W427, 525, 678, 750
 rumen-protected amino acid, W57, W107
 rumen-protected lysine, T35, W53, W71, 751
 rumen-protected soybean meal, TH129
 rumen simulation system, TH43, TH75
 rumenitis, T40, TH98
 Rumensin, TH86, 749
 rumen-undegradable protein, T20, 305
 ruminal, T70
 ruminal acidosis, 460
 ruminal ammonia, TH105
 ruminal and postruminal degradation, W120
 ruminal bacteria, W137
 ruminal digestibility, TH128
 ruminal fermentation, T119, W79, TH116, 72, 303
 ruminal indigestion/acidosis, 429
 ruminal methane, 679
 ruminal papillae, W121
 ruminal pH, W85, W112, TH63, 670
 ruminal physiology, TH142
 ruminal temperature, 670
 ruminal tissue, W433
 ruminal turnover rate, T121
 ruminant, T260, W303, TH48, TH60, TH83, TH147, W114, 116, 304, 306, 663
 ruminant nutrient, 573
 ruminant nutrition, 303
 rumination, 522, 618
 rumination monitor, 152
 RUSITEC, TH69
 ryegrass baleage, 665
- S**
- Saanen goat, W123
Saccharomyces cerevisiae, T143, W47, 750
 Sahiwal, 312
 Sahiwal calves, 253
 Sahiwal cattle, 442
 salinomycin, TH88
 saliva IgA, TH15
Salix babylonica, W136
Salix babylonica extract, W269
Salmonella, 759
 salt, W232, 211
 salt reduction, 197
 salt substitutes, 212
 sample preparation, T216
 sanitary conditions, TH312
 saponin-nitrate-sulfate combination, 800
 SARA, 457, 460, 461
 satellite cell, TH261, 11, 362, 400, 575
 satiety, W286
 scrotal insulation, T327
 sea urchin shell powder, T359
 season, W164, 645
 seasonal variation, 328
 seasonality, W388, TH372
 seed, W262
 selected ion flow tube mass spectrometry (SIFT-MS), W223, W226, W449
 selection, T182, 314, 317, 639
 selection response, 135
 selective, 300
 selective dry cow therapy, 420
 selective methodology, W247
 selenium, T167, T333, W59, W370, TH260, 34
 semen, TH266, TH340
 sensory, TH290
 sensory analysis, W450
 sensory attributes, 88
 sensory evaluation, T109
 sensory properties, T233
 sensory property, T239
 sequencing, 557
 sericea lespedeza, T146, 816, 817
 serotonin, T98, T134, TH282, 80, 84, 729
 Sertoli cell, 227
 serum, 712
 serum 25OHD, 9
 serum chemistry, 687
 serum fatty acid, W22
 services per pregnancy, W358
 sex, W164, TH405
 sex effect, 489

- sexed semen, W359, 150, 545, 702
 sexual behavior, W368
 sexual conditions, T177
 sexual response, TH391
 sexual stimulation, W367
 shear force, W179, W180, TH132, TH149, 88
 shear-induced aggregation, W2
 sheep, T161, W154, W156, W171, W173, W278, W309, W402, W418, W426, W431, W433, TH187, TH188, TH231, TH275, TH385, TH394, 41, 56, 243, 254, 398, 797, 818, 823
 sheep performance, TH274
 sheep selection, TH387
 shelf-life, T105
 Shiga toxin, 761
Shiga-toxigenic Escherichia coli, 577
Shigella, TH96
 shoot height, W274
 short-chain fatty acid, W432, 140
 sickness behavior, 621
 signal transducer and activator of transcription 5, TH288
 silage, T125, W266, TH196, TH240, TH243, TH245, TH249, 159, 336, 662
 silage additive, W257
 silage inoculant, T24, W63, W265
 silage quality, T253
 silo bag, TH196
 simplified rotational grazing system, T255
 simulation, W197, TH380, 675
 single nucleotide polymorphism, T199, T201, T203, T204, TH186, 183, 184, 314, 322, 379, 557, 539
 single nucleotide polymorphism selection, 638
 single step, 447, 548
 single-step GBLUP, 444
 single-step method, 540
 sirtuin, 141
 skeletal muscle, TH184, 11, 686
 skill sets, 127
 skim milk, T223, 563
 slow-release urea, 740
 slumgum, TH321
 small grain, T258, 611
 small intestinal starch digestion, W116, 677
 small peptide absorption, T325
 small populations, 540
 small ruminant, T144, TH382
 small ruminants, TH383
Smallanthus sonchifolius, 159
 smartphone application, 350
 SMP, 562
 SNAP test, TH216
 SNaPshot, T292
SND1, W290
 social behavior, W146
 social responsibility, 46
 sodium, W229, 196
 sodium bentonite, 797
 sodium bicarbonate, T133
 sodium butyrate, W327
 sodium reduction, T249, 20, 209, 210
 software, 166, 553
 solar radiation, 259
 solubility, T219, W3, W11, 483, 562
 solubility index (SI), W11
 somatic cell, T229, 327
 somatic cell count, T285, TH375, W390, W394, 608, 609
 somatotropic axis, W169, W282, 398
 somatotropin, 714
 sorghum, TH237, 611
 sorghum grain, TH39, TH41
 sorting, W398
 Southeast, 608
 sow, W333, W336, W343, W405, W406, TH313, 613
 sow lactation, 190
 sow welfare, TH174
 sows yeast, TH419
 soy gum, T35
 soybean, T94, TH127, 92, 98, 693
 soybean hulls, W430, TH120
 soybean meal, TH307, TH318, 470, 487, 505, 724, 777, 779
 soybean oil, T358, W41, TH56, TH57, 92
 soybean meal, T42
 space allocation, T308
 species, W6
 sperm, T350
 spermatogenesis, T327, T333, 423
 spermatozoa, W380
 spice, T284, W326
 spiral wound, 533
 spoilage, T38
 spore, 495
 spore formers, 14
 spot 14, W295
 spray washing, TH395
 spray-dried porcine plasma, TH313
 stability, TH334, 22
 stakeholder attitudes, 179
 stall base and bedding, TH168
 stall flooring, 414
 stall type, W183
 stallion, TH266
 standard, TH375
 standardized ileal digestibility, T300
 standardized ileal digestible amino acids, TH323
 standing time, 645
Staphylococcus, T288
Staphylococcus aureus, W298
 starch, T47, T82, T92, T136, T228, T291, W127, TH193, 69, 341, 468, 473, 474, 475, 809
 starch concentration, 471
 starch digestibility, T30, W259, W260, 70, 456
 starch digestion, T80, T88, W443
 starch fermentability, 261
 starch source, T89
 starter, T26, W32, W73, TH103, 335
 statistical prediction model, 301
 statistics, T107
 steam, 248
 steam flaking, TH157
 stearic acid, 68, 654
 stearoyl-coenzyme A desaturase, 434
 stearoyl-coenzyme A desaturase gene, TH183
 steer, T14, W287, TH119, TH142, 672
 steer performance, TH68
 steroidogenesis, T334, W370
 stillbirth, 296, 415, 617
 stochastic, 791
 stochastic simulation, 351
 stocking density, T126, 242, 413
 stocking rate, T258, T363, W435, 664
 stocking strategy, T258
 stockpiled forage, 599
 storage, W13
 stover, T91, 752
 strain identification, T292
 straw, T69
 streptococci, 425
Streptococcus bovis, TH44
Streptococcus thermophilus, W320, W321, 499
 stress, 103, 148, 290, 633
 stressor, 104
 string cheese, W231
 structural soundness, 13
 structure, 560
 student engagement, 3
 student learning, T383
 student motivation, 266
 student centered, T377
 study abroad, 266
 subacute ruminal acidosis, T148, TH81, 249, 456, 525
 subclinical endometritis, 463

- subclinical hypocalcemia, T135
 subcutaneous adipose tissue, 517
 subcutaneous fat, TH264
 subtyping, 14
 succinylation, T217, 563
 suckling, W377
 suckling restriction, 385, 598
 sudangrass, TH232
 sugar, T83
 sugar cane, W267
 sulfur, 36, 39
 summer legume, T262
 sunflower cake, 477
 supercritical CO₂, W9, W230
 superovulation, W360, TH356, 165
 superoxide dismutase, T344
 supplement, T4, T259, W64, W421
 supplementation, T114, T116, T255, TH378, 765
 supply, 532
 survey, TH372, 149
 survival, T282, 180, 188, 189, 519
 susceptibility, 634
 sustainability, 705, 783, 785, 786, 792
 sustainable, 267, 529
 suya, TH226
 sward characteristics, T257
 sweet whey powder, T106
 sweetener, W332
 swine, T295, T297, T298, T300, T303, W168, W176, TH177, TH326, TH340, TH414, TH417, 12, 110, 117, 118, 119, 364, 502, 504, 614, 615, 728, 729, 730, 733, 735, 778
 swine nutrition, 776
 Swiss cheese, W221, W226
 symbiotic, W240
 synchronization, W182, 222
 synchronization program, 313
 synovial fluid, TH268
 systems biology, TH346
 systems model, 71
- T**
- T3, TH253
 TAI, TH350, W363, W382
 tail arterial blood, TH107
 tail venous blood, TH107
 tall fescue, TH119, TH142, 247
 tall fescue-legume mixed pasture forage, W93
 tall wheatgrass, TH246
 tamoxifen, T117, 587
 tannin, T8, T10, T16, TH64, TH66, TH154, TH251, TH381, 285
 tannin extract, TH223
 tannins, T9, T11
 teaching, 3, 448
 team based, TH198
 team-based program, TH376
 teat dip, T164
 teat dipping, T165
 technique, TH230
 technology, T380, 268
 teff hay, W95
 telemetry, W149
 telomere, 262
 temperament, 289, 291, 377, 378, 593, 624
 temperature, T53, W270
 temperature-humidity indices, 259
 temporal clustering, TH12
 tenderness, T188, W302, W314, TH302, 90
 terpene, TH231
 tertiary butylhydroquinone, TH411
 testes, 227
 testis, T333, 423
 testosterone, W367, W368, TH389, 713
 Tetracin, 695
 tetracycline residues, T238
 textural property, TH290
 texture, W234, W244, 18, 478
 theobromine, TH320
 thermal comfort index, W391
 thermal imprinting, 122
 thermal treatment, W231
 thermization, T227
 thermoduric, W227
 thermophile, W227, 495
 thermoregulation, W409
 2,4-thiazolidinedione (TZD), 514, 515
 thiobarbituric acid reactive substances, W312
 Thoroughbred, W158
 three-dimensional imaging, W408
 threshold model, W211
 thyroid, 512
 thyroid hormone, TH17, TH329
 tick, 381, 382
 tight junction, 106
 tight junction gene expression, 104
 tiller appearance rate, TH233
 timed artificial insemination, TH357, W182, 219, 222
 timing of artificial insemination, TH355
 timothy silage, T76
TMEM154, 818
 tocopherol, T309, 157
 α-tocopherol, TH283
 toll-like receptor, TH26
- toll-like receptor 4, TH336
 total digestible nutrients, T41
 total mixed ration, W399
 total serum protein, TH29
 toxicity, TH331
 trace element, T160
 trace mineral, T18, T167, W118, W168, 32, 110, 270, 273, 775
 training, 126, 129
trans fatty acid, 657
trans-vaccenic acid, TH44
 transcription, TH21
 transcriptome sequencing, TH184
 transcriptomics, T343, T352, TH286, 234, 588
 transfer, 241
 transferrin, TH189, TH190
 transglutaminase, W17, W18, W20, 217
 transition, W378
 transition cow, T39, T59, T343, W373, TH335, 160, 234, 475, 802, 809
 transition cow management, 620
 transition period, T118, T120, TH282, 803
 transport, 287, 290
 transport losses, 732
 transportation, 119, 288, 371, 626
 treated stover, T91, 752
 treats, W236
 trenbolone, W403
Treponema saccharophilum, 454
 tributyrin, TH90
 triticale distillers dried grains with solubles, TH305
 trophoblast, 57
 tropical, W187, W261, TH123
 tropical forage, T268, TH243
 tropical grass, T269, TH236, TH248, 667
 tropical legume, TH236
 tropical pasture, T270, T271, TH56, TH57, TH252
 tropics, W447, W448, 380
 true digestibility, TH305
 true total-tract digestibility, T315
Trueperella pyogenes, TH348
 trypsin, 217
 TTGE, T291
 tumor necrosis factor-α, 24, 517
 turkey, W202
 turmeric, W339
 turnover, T43, TH144
 two-dimensional, T174
 two-dimensional polyacrylamide gel electrophoresis, W180
 tympanic temperature, 417

type, 307
type trait, W185

U

udder cistern, 491
udder development, W300
udder health, 31, 420
udder pressure, 78
udder score, 50
udder trait, 257
UHT, 561
UHT and in-container sterilization, 328
ultrafiltration, T245, 537
ultra-high stock density, T251
ultra performance liquid chromatogra-
phy-mass spectrometry, W4, W5
ultrasonography, T316, 491
ultrasound, T171, TH264, 694
ultraviolet, W12
ultraviolet light, 25
unconventional feed source, 586
undergraduate, T382, 1, 128, 391
undergraduate curriculum, 2
undergraduate teaching, T379, 269, 390
unheat and heat treatment, 19
unknown parent group, T210, 552
unsaturated fat, 342
unsaturated fatty acid, T121, 658
urea, T17, TH132, 155, 745
urease activity, 595
urine pH, 525
urine purines, T77
uterine blood flow, 590
uterine flux, W174
uterine health and fertility, T342
uterine horn fluctuation, TH16
uterus, TH19

V

vaccination, W400, TH10
vaccine response, TH13
vaginal discharge, TH36
vaginal-vulvar laceration, TH36
variability, W399
variance component, T209, 446, 546,
547
variation, TH23
variation in response, 471
vasoconstriction, T266, TH271
veal, T280
veal calf, TH159, 410
veterinary drug, W4, TH211, TH219
viability, T350
viable count, 500

viscera, 250
visceral fat, 516
visceral organ, TH118
viscosity, T222
visfatin, TH7, 231
visualization, 790
vitamin, TH91, 306
vitamin C, 39
vitamin D, W163, W176, 4, 5, 7, 10, 11,
12, 43, 686
vitamin D binding protein, 9
vitamin E, TH6, TH8, W44, W52, W65,
688
vitamin E bioavailability, 778
vitrification, TH351
vocalization, TH109
volatile fatty acid, W112, W170, TH41,
TH147, TH244, TH93, 137, 739, 745
volatile fatty acid absorption rate, W129
volatile organic compounds (VOC),
W226
Von Bertalanffy, 825
vulnerability assessment, 355

W

Wagyu, 284
warm season grass, 664, 771
warm season pasture, T259
water, 357
water excretion, 788
water output, T139
water use, 356
waterbed, TH199, 278
water-holding capacity, 725
wavelet analysis, W148
WBSF, TH294
weaned pig, TH319, 724
weaning, T340, W84, W277, W345,
W383, TH104, TH347, TH386,
TH415, TH416, TH417, TH420, 256
weaning piglet, 111
weaning regimen, 253
weaning stress, TH109
weaning weight, T192
weanling pig, W334, W346
weed, 774
weight, TH365
weight distribution, 613
weight gain, W417
weight trait, W210
welfare, W144, W146, W155, TH5,
TH173, TH208, 147, 283, 288, 618,
730, 731
welfare standard, 46
wellbeing, TH170

wet distillers grains with solubles, 805
wether goat, TH384
wheat, T72, W126, 720
wheat coproduct, 696
wheat distillers dried grains with
solubles, TH82, TH135, 363
wheat hay, W258
wheat source, TH99, TH131
whey, W325
whey and ultrafiltration permeate, T224
whey cream, 646, 684
whey permeate, T249
whey protein, T213, T243, T246, W3,
W9, W16, W217, W351, 330, 407

whey protein concentrate 80, T103
whey protein fractionation, 536
whey protein hydrolysate, T111, 330
white clover, T254
white striping, TH300
whole cottonseed, T65
whole raw soybean, T119
whole soybean, T113, W34
whole wheat, W350
whole-farm model, TH371
whole-farm planning, 612
whole-genome prediction, 636
wild animals, 395
willingness to pay, 703
wind speed, 259
wingless, TH34
wireless data logger, T73
WNT, W167
wood, W138
woodland, W436
WPI, T215

X

X-ray diffraction, 193
X-ray fluorescence spectroscopy, 196
xylanase, W342
xylanase and β -glucanase, 366
xylanase and β -glucanase blend, 365

Y

yearling bull, T12
yeast, T15, T38, W47, W172, TH48, 678
yeast culture, W60, W61, W62
yeast inoculant, TH244
yeast metabolite, TH418
yeast probiotic, T26
yeast-derived microbial protein, W75,
455
yeasts, 500
yield, T36, 746

yield variation within herd, 258
yogurt, T228, W244, W247, W248,
W253, W324, W325
yogurt drink, T282
yogurt functionality, W18
yolk stability, W328
young pig, 586

youth, 354
youth exhibitor, 353

Z

Zebu, T40, T180, T182, T183, W80,
TH97, TH98

zilpaterol, T11, TH398, TH399, TH400,
TH401
zilpaterol hydrochloride, T12, 89, 90
zinc, T12, TH84, TH139, TH262, 40,
271, 753
zinc oxide, TH227, TH416, 101, 109
zoo animal, 449